

## Product datasheet for MR210355L1V

### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

# **Gramd1b (BC070451) Mouse Tagged ORF Clone Lentiviral Particle**

### **Product data:**

**Product Type:** Lentiviral Particles

**Product Name:** Gramd1b (BC070451) Mouse Tagged ORF Clone Lentiviral Particle

Symbol: Gramd1b

**Synonyms:** KIAA1201, mKIAA1201, 3222402H23

**Mammalian Cell** 

Selection:

None

**Vector:** pLenti-C-Myc-DDK (PS100064)

 Tag:
 Myc-DDK

 ACCN:
 BC070451

 ORF Size:
 2202 bp

**ORF Nucleotide** 

202 bp

Sequence:

The ORF insert of this clone is exactly the same as(MR210355).

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through

naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**RefSeq:** <u>BC070451</u>, <u>AAH70451</u>

RefSeq Size: 7363 bp
RefSeq ORF: 2204 bp
Locus ID: 235283
Cytogenetics: 9 A5.1







### **Gene Summary:**

Cholesterol transporter that mediates non-vesicular transport of cholesterol from the plasma membrane (PM) to the endoplasmic reticulum (ER) (PubMed:30220461). Contains unique domains for binding cholesterol and the PM, thereby serving as a molecular bridge for the transfer of cholesterol from the PM to the ER (PubMed:30220461). Plays a crucial role in cholesterol homeostasis in the adrenal gland and has the unique ability to localize to the PM based on the level of membrane cholesterol (PubMed:30220461). In lipid-poor conditions localizes to the ER membrane and in response to excess cholesterol in the PM is recruited to the endoplasmic reticulum-plasma membrane contact sites (EPCS) which is mediated by the GRAM domain (PubMed:30220461). At the EPCS, the sterol-binding VASt/ASTER domain binds to the cholesterol in the PM and facilitates its transfer from the PM to ER (PubMed:30220461). [UniProtKB/Swiss-Prot Function]