

Product datasheet for **MR210534**

Arhgap44 (NM_175003) Mouse Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Arhgap44 (NM_175003) Mouse Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	Arhgap44
Synonyms:	6330543G20; AI840762; AU040829; AW493732; Rich2
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)



[View online »](#)

**ORF Nucleotide
Sequence:**

>MR210534 ORF sequence

Red=Cloning site Blue=ORF Green=Tags(s)

 TTTTGTAAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCC**CGCATCGC**C

 ATGAAGAAGCAGTTTAACCGCATGCGCCAGTTGGCCAACAGACGGTGGGCAGGGCAGAAAAGACTGAAG
TTCTGAGCGAAGACCTTCTCCAGGTGGAGAAGCGCCTAGAGCTGGTGAAGCAGGTGTCCACAGCACACA
CAAGAAGCTCACCGCATGTCTGCAGGGTCAGCAGGGAGCAGAGGCCGACAAGCGATCAAAAAAGTTGCCT
CTGACGACTCTGGCGCAGTGCTTGGTGGAGGGTCCGCGATCCTGGGCGATGACACGCTTCTTGGGAAGA
TGCTGAAGCTCTGCGGAGAGACGGAGGACAAGCTAGCTCAGGAGCTGATCCACTTTGAGCTGCAAGTGGA
GAGGGATGTGATCGAGCCCTGTTCTGCTCGCTGAGGTGGAAATTCAAATATTCAAAGCAGAGGAAA
CATTTAGCCAAGCTGGTGTGACATGGACTCTTCCGGACCAGGTGGCAGCAGACTTCAAAGTCTTCAG
GGCTTTCCAGCAGCCTTCAGCCTGCGGGTGCCAAAGCCGATGCCCTCAGGGAGGAGATGGAGGAGGCTGC
CAACAGAGTGGAGATTTGCCGGGACCAGCTTTCTGCTGACATGTACAGTTTTGTGGCCAAAGAAATTGAC
TATGCAAACACTTTCAAACGCTAATAGAAGTGCAAGCTGAGTACCACAGGAAGTCGCTGACACTGCTGC
AGGCTGTGTTGCCTCAGATCAAAGCCCAGCAGGAGGCCTGGGTGGAGAAGCCTTCCTTTGGGAAGCCCT
GGAGGAGCACCTGATGATCAGTGGCCGAGAGATCGCCTTCCTATCGAGGCGTGTGTGACCATGCTGCTG
GAGTGTGGGATGACAGGAGGAGGGCTCTTCCGGGTAGCCCCCTCAGCCTCCAAGCTGAAGAAGCTGAAAG
CTGCTCTGGACTGCTGTGTGGTGGATGTCCAGGAGTACTCGGCTGACCCCCACGCCATAGCAGGGGCTTT
GAAGTCTTATCTCCGAGAGTTGCCAGAGCCTCTTATGACCTTTGAACTCTATGACGAATGGATCCAGGCT
TCTAATATCCAGGAGCAAGACAAGAGACTTCAGGCTCTCTGGAATGCTTGTGAGAAGTTGCCAAGGCCA
ACCATAACAACATCAAATACTTGATCAAATTTTTATCGAAACTGTCTGAATATCAGGATGTAACAAGAT
GACTCCACAGTAACATGGCAATTGTCTGGGACCCAATCTCCTTTGGCCACAGTCAGAGGGGAACATCACC
GAGATGATGACCACAGTTTCCCTGCAGATCGTTGGCATCATCGAGCCATTATCCAGCACGACAGTGGT
TCTTCCCTGGAGAGATAGAGTTCAACCTCACAGGCAGTTACGGGAGTCCAGTCCAGTGAACCACAAATGC
CAACTACAGCTCAATGCCCTCCCAGACATGGACCCTGCTGACCGGCGCCAGCCAGAGCAGGCCCCGCCG
CCCCTCAGTGTTGCCACAGACAACATGATGCTGGAGTTTTACAAGAAGGATGGCATGGGTGTGAGGGTCA
TGGACACATCTTGGGTGGCACGAAGAGGCTCCTCTGCTGGTGGAAAGCATCCTGCGCCCCGCCTTCCAT
GCAGCCTCCTGCCCCACCCTCCGAGCTGGCTGCACCCTTGCTTACCCCTGCCGGAGCAGGTCCCAGAC
AGCCCTGCCACTCCAGCTCCTGCGCTCTCTCCATCAGGTGCCAGCCTGCAGCCCACCCCCGAGCGCCCCA
GTGTGTCTAAAAGCAAGGAAGTGTGCGCCAGGGTCTGGGCAGAAAGGAAGTCCAGGTTCCATCCAGGGGAC
ACCCTGCCAGGGACGCAACTGGGGCCACAGCCGGCTGCCAGCCCCAGCCAGCTTCTGCAGACCAGAGT
CCTCACACCCTCCGAAAGTTTCAAAGAAGGTGGCACCAATTCTCCCAAGGTCCCTTCGTGCAGCCAG
GGACTGTTTCAGATCAGCCCGTTGGCCAGCCATCCCCAGTCAGCCTGTCTCCTACTCCACCAAGCACCCC
ATCCCCCTATGGACTGAGCTACCTCCAGGCTACTCCATGGCCTCTGGCCAGCTTCTCCTGCCTCAGCT
CCTCCCCCTGGCCTCTCCCTCTGTCTTTACAAGCACTTTAGCCAAATCTCGGCCACCCCTAAGCCTCGAC
AGAGGCCACCCCTGCCGCTCCTCAGCCTCCCAGTGTGAGCCTGTGCGCTTCAAGTCCACAGTCCACAGA
GCACCCCATGTTAGACGGCATGTGCGCGGGGAAAGCATGTCTACAGCTGTG

ACGCGTACGCGGCGCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT
ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence: >MR210534 protein sequence
 Red=Cloning site Green=Tags(s)


MKKQFNMRQLANQTVGRAEKTEVLSEDLLQVEKRLLEVKQVSHSTHKKLTACLQGGQGAADKRSKKLP
 LTTLAQCLVEGSAILGDDTLLGKMLKLCGETEDKLAQELIHFELQVERDVIEPLFLAEVEIPNIQKQRK
 HLAKLVLDMSSRTRWQQTSSKSSGLSSSLQPAGAKADALREEMEEAANRVEICRDQLSADMYSFVAKEID
 YANYFQTLIEVQAEYHRKSLTLLQAVLPQIKAQEAWVEKPSFGKPLEEHLMISGREIAFPIEACVTMLL
 ECGMQEEGLFRVAPSASKLKKLKAALDCCVVDVQEYSADPHAIAGALKSYLRELPEPLMTFELYDEWIQA
 SNIQEQDKRLQALWNACEKLPKANHNHNIKYLKFLSKLSEYQDVNKMTPSNMAIVLGPNNLWPQSEGNIT
 EMMTTVSLQIVGIIIEPIIQHADWFFPGEIEFNLTGSYGSPPVHVHNHANYSSMPSDMDPADRRQPEQARR
 PLSVATDNMMLEFYKKGDMGVRVMDTSVARRGSSAGRKASCAPPSMQPPAPPSELAAPLPSPLPEQVPD
 SPATPAPALSPSGASLQPTPERPSVSKSKELSPGSGQKSGSPGSIQGTCPGPTQLGPQPAASPSQLPADQS
 PHTLRKVSKKVAPIPPKVPFVQGTVDQPVGQSPVSLSPTPPSTPSPYGLSYPPGYSMASGQLSPASA
 PPLASPSVFTSTLAKSRPTPKPRQRPTLPPPQPPSVLSASSPQSTEHPMLDGMSPGESMSTAV

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Restriction Sites:

SgfI-MluI

Cloning Scheme:



ACCN: NM_175003

ORF Size: 2292 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

Note: Plasmids are not sterile. For experiments where strict sterility is required, filtration with 0.22um filter is required.

RefSeq: [NM_175003.3](#), [NP_778168.2](#)

RefSeq Size: 4099 bp

RefSeq ORF: 2295 bp

Locus ID: 216831


UniProt ID: [Q5SSM3](#)

Cytogenetics: 11 B3

MW: 83.3 kDa

Gene Summary: GTPase-activating protein (GAP) that stimulates the GTPase activity of Rho-type GTPases. Thereby, controls Rho-type GTPases cycling between their active GTP-bound and inactive GDP-bound states. Acts as a GAP at least for CDC42 and RAC1 (PubMed:24352656, PubMed:26969129). In neurons, is involved in dendritic spine formation and synaptic plasticity in a specific RAC1-GAP activity (PubMed:23739967, PubMed:24352656, PubMed:26969129). Limits the initiation of exploratory dendritic filopodia. Recruited to actin-patches that seed filopodia, binds specifically to plasma membrane sections that are deformed inward by acto-myosin mediated contractile forces. Acts through GAP activity on RAC1 to reduce actin polymerization necessary for filopodia formation (By similarity). In association with SHANK3, promotes GRIA1 exocytosis from recycling endosomes and spine morphological changes associated to long-term potentiation (PubMed:23739967). [UniProtKB/Swiss-Prot Function]

Product images:



Circular map for MR210534