

## **Product datasheet for MR210691L4**

## 9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436

OriGene Technologies, Inc.

Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

# Ptpra (NM\_001163688) Mouse Tagged Lenti ORF Clone

### **Product data:**

**Product Type:** Expression Plasmids

Product Name: Ptpra (NM\_001163688) Mouse Tagged Lenti ORF Clone

Tag: mGFP Symbol: Ptpra

Synonyms: Ptpa; Ptpalpha; Rptpalpha; Rptra; Rptralpha

Mammalian Cell Puromycin

Selection:

**Vector:** pLenti-C-mGFP-P2A-Puro (PS100093)

E. coli Selection: Chloramphenicol (34 ug/mL)

ORF Nucleotide The ORF insert of this clone is exactly the same as(MR210691).

Sequence:

Restriction Sites: Sgfl-Mlul

**Cloning Scheme:** 





<sup>\*</sup> The last codon before the Stop codon of the ORF

**ACCN:** NM\_001163688

ORF Size: 2379 bp





### Ptpra (NM\_001163688) Mouse Tagged Lenti ORF Clone - MR210691L4

**OTI Disclaimer:** The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:** 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

**RefSeq:** <u>NM 001163688.1, NP 001157160.1</u>

RefSeq Size:3501 bpRefSeq ORF:2382 bpLocus ID:19262

**Cytogenetics:** 2 63.23 cM

**Gene Summary:** Tyrosine protein phosphatase which is involved in integrin-mediated focal adhesion


formation (PubMed:22801373). Following integrin engagement, specifically recruits BCAR3, BCAR1 and CRK to focal adhesions thereby promoting SRC-mediated phosphorylation of

BRAC1 and the subsequent activation of PAK and small GTPase RAC1 and CDC42

(PubMed:22801373).[UniProtKB/Swiss-Prot Function]



# **Product images:**



Circular map for MR210691L4