

Product datasheet for **MR210800**

Lepr (BC082551) Mouse Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Lepr (BC082551) Mouse Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	Lepr
Synonyms:	Obr, LEPROT, OB-RGRP, diabetes, obese-like
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)



[View online »](#)

ORF Nucleotide
Sequence:

>MR210800 representing BC082551
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
 GCC**CGGATCGCC**

ATGATGTGTCAGAAATTCTATGTGGTTTTGTACTGGGAATTTCTTTATGTGATAGTGCACCTTAACC
 TGGCATATCCAATCTCTCCCTGGAAATTTAAGTTGTTTTGTGGACCACCGAACACAACCGATGACTCCTT
 TCTCTCACCTGTGGAGCCCCAAACAATGCCTCGGCTTTGAAGGGGGCTTCTGAAGCAATTGTTGAAGCT
 AAATTTAATCAAGTGGTATCTACGTTCTGAGTTATCCAAAACAGTCTTCCACTGTTGCTTTGGGAATG
 AGCAAGGTCAAACCTGCTCTGCACTCACAGACAACACTGAAGGGAAGACTGGCTTCAGTAGTGAAGGC
 TTCAGTTTTTCGCCAGCTAGGTGTAACACTGGGACATAGAGTGTGGATGAAAGGGGACTTGACATTATTC
 ATCTGTCATATGGAGCCATTACCTAAGAACCCTTCAAGAATTATGACTCTAAGGTCCATCTTTTATATG
 ATCTGCCTGAAGTCATAGATGATTCGCCTCTGCCCCACTGAAAGACAGCTTTCAGACTGTCCAATGCAA
 CTGCAGTCTTCGGGGATGTGAATGTCATGTGCCGGTACCCAGAGCCAACTCAACTACGCTCTTCTGATG
 TATTTGAAATACATCTGCCGGTGTGAGTTTTAGTCACCTCTGATGTCAGTGCAGCCATGCTTGTG
 TGAACCCGATCCACCCTTAGGTTTGCATATGGAAGTCACAGATGATGGTAAATTTAAAGATTTCTTGGGA
 CAGCCAAACAATGGCACCATCTCCGCTTCAATACAGGTGAAATTTAGAGAATTCTACAATTGTAAGA
 GAGGCTGCTGAAATGTCTCAGCTACATCTCTGCTGGTAGACAGTGTGCTTCTGGATCTTCATATGAGG
 TCCAGGTGAGGAGCAAGAGACTGGATGGTTCAGGAGTCTGGAGTACTGGAGTTCACCTCAAGTCTTTAC
 CACACAAGATGTTGTGTATTTCCACCCAAAATCTGACTAGTGTGGATCGAATGCTTCTTTTCATTGC
 ATCTACAAAAACGAAAACCAGATTATCTCTCAAACAGATAGTTGGTGGAGGAATCTAGCTGAGAAAA
 TCCCTGAGATACAGTACAGCATTGTGAGTGACCGAGTTAGCAAAGTTACCTTCTCAAACCTGAAAGCCAC
 CAGACCTCGAGGGAAGTTTACCTATGACGCAAGTACTGCTGCAATGAGCAGGCGTGCCATCACCGCTAT
 GCTGAATTATACGTGATCGATGTCAATATCAATATATCATGTGAAACTGACGGTACTTAACTAAAATGA
 CTTGCAGATGGTCACCCAGCACAAATCCAATCACTAGTGGGAAGCACTGTGCAGCTGAGGTATCACAGGCG
 CAGCCTGTATTGCTGTAGTCCATCTATTATCCTACGTCTGAGCCAAAAACTGCGTCTTACAGAGA
 GACGGCTTTTATGAATGTGTTTTCCAGCCAATCTTTCTATTATCTGGCTATACAATGTGGATCAGGATCA
 ACCATTCTTTAGGTTCACTTGACTCGCCACCAACGTGTCTTCTGACTCCGTAGTAAAACCACTACC
 TCCATCTAACGTAAAAGCAGAGATTACTGTAACACTGGATTATTGAAAGTATCTTGGGAAAAGCCAGTC
 TTTCCGGAGAATAACCTTCAATCCAGATTCGATATGGCTTAAGTGGAAAAGAAATACAATGGAAGACAC
 ATGAGGTATTCGATGCAAAGTCAAAGTCTGCCAGCCTGCTGGTGTGAGACCTCTGTGAGCTATGTGGT
 CCAGGTTTCGCTGCCGGCGGTTGGATGGACTAGGATATTGGAGTAATTGGAGCAGTCCAGCCTATACGCTT
 GTCATGGATGTAAGGTTCTATGAGAGGGCTGAATTTTGGAGAAAAATGGATGGGGACGTTACCTTCT
 CATGGCCCATGAGTAAAGTGAAGTGTGTTGGAGTCACTCAGTGTCTATCCCTGAGCAGCAGCTGTGTCAT
 CCTTCTGGACACTGTCACCTGATGATTATAGTCTGTTATATCTGGTTATTGAATGGAAGATCCTTAAT
 GAAGATGATGGAATGAAGTGGCTTAGAATCCCTCGAATGTTAAAAAGTTTTATCCACGATAATTTTA
 TCCCATCGAGAAATATCAGTTTAGTCTTTACCCAGTATTTATGGAAGGAGTTGGAAAACCAAAGATAAT
 TAATGGTTTTACCAAAGATGCTATCGACAAGCAGCAGAATGACGCAGGGCTGTATGTCATTGTACCATA
 ATTATTTCTCTTGTGCTCTACTGCTCGGAACACTGTTAATTTACACCAGAGAATGAAAAAGTTGTTTT
 GGGACGATGTTCCAAACCCCAAGAATTGTTCTGGGCACAAGGACTGAATTTCCAAAAGAGAACGGACAC
 TCTT

ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAATGATATCTGGATT
 ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence: >MR210800 representing BC082551
Red=Cloning site Green=Tags(s)

MMCQKFYVLLHWEFLYVIAALNLAYPISPWKFKLCGPPNTTDDSFLSPAGAPNNASALKGASEAIVEA
KFNSSGIYVPELSKTVFHCCFGNEQGQNCALTDNTEGKTLASVVKASVFRQLGVNWDIECWMKGDTLF
ICHMEPLPKNPFKNYDSKVHLLYDLPEVIDDSPLPLKDSFQTVQCNCSLRGCECHVPVPRAKLNYALLM
YLEITSAGVSFQSPMLSLQPMMLVVKDPPLGLHMEVTDDGNLKI SWDSQTMAPSPLQYQVKYLENSTIVR
EAAEIVSATSLLVDSVLPGSSYE VQVRSKRLDGSVWSDWSSPQVFTTQDVVYFPPKILTSVGSNASFHC
IYKNENQIISSKQIVVWRNLAEKIPEIQYSIVSDRVSKVTF SNLKATRPRGKFTYDAVYCCNEQACHHRY
AELYVIDVNIINISCETDGYLTKMTCRWSPSTIQSLVGSTVQLRYHRRSLYCPDPSIHTPSEPKNCVLQR
DGFYECVFQPIFLLSGYTMWIRINHSLGSLDSPPTCVLPDSVVKPLPPSNVKAIEITVNTGLLKVSWEKPV
FPENNLQFQIRYGLSGKEIQWKTHEVFDKSKSASLLVSDLCAVYVVQVRCRRLDGLGYWSNWSSPAYTL
VMDVKVPMRGPEFWRKMDGDVTF SWPMSKVS AVESLSAYPLSSSCVILSWTLSPDDYSLLYLVIEWKILN
EDDGMKWLRIPSNVKKFYIHDNFIPIEKYQFSLYPVFMEGVGPKIINGFTKDAIDKQQNDAGLYVIVPI
IISSCVLLLGTLLISHQRMKKLFWDDVPNPKNCSWAQGLNFQKRTDTL

TRTRPLEQKLI SEEDLAANDILDYKDDDDKV

Chromatograms: https://cdn.origene.com/chromatograms/mm9005_h12.zip

Restriction Sites: Sgfl-Mlul

Cloning Scheme:



ACCN: BC082551


ORF Size: 2454 bp

OTI Disclaimer: Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at custsupport@origene.com or by calling 301.340.3188 option 3 for pricing and delivery.

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	<u>BC082551.1</u>
RefSeq Size:	4812 bp
RefSeq ORF:	2456 bp
Locus ID:	16847
Cytogenetics:	4 46.96 cM
MW:	176.4 kDa
Gene Summary:	Receptor for hormone LEP/leptin (Probable) (PubMed:11861497). On ligand binding, mediates LEP central and peripheral effects through the activation of different signaling pathways such as JAK2/STAT3 and MAPK cascade/FOS (PubMed:10799542, PubMed:25383904, PubMed:11923481, PubMed:11861497). In the hypothalamus, LEP acts as an appetite-regulating factor that induces a decrease in food intake and an increase in energy consumption by inducing anorexigenic factors and suppressing orexigenic neuropeptides, also regulates bone mass and secretion of hypothalamo-pituitary-adrenal hormones (PubMed:10660043, PubMed:12594516). In the periphery, increases basal metabolism, influences reproductive function, regulates pancreatic beta-cell function and insulin secretion, is pro-angiogenic and affects innate and adaptive immunity (PubMed:25383904, PubMed:11923481). Control of energy homeostasis and melanocortin production (stimulation of POMC and full repression of AgRP transcription) is mediated by STAT3 signaling, whereas distinct signals regulate NPY and the control of fertility, growth and glucose homeostasis (PubMed:12594516). Involved in the regulation of counter-regulatory response to hypoglycemia by inhibiting neurons of the parabrachial nucleus (PubMed:25383904). Has a specific effect on T lymphocyte responses, differentially regulating the proliferation of naive and memory T-cells. Leptin increases Th1 and suppresses Th2 cytokine production (PubMed:9732873).[UniProtKB/Swiss-Prot Function]

Product images:



Circular map for MR210800