

# Product datasheet for MR210833L3V

### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## Usp16 (NM\_024258) Mouse Tagged ORF Clone Lentiviral Particle

### **Product data:**

**Product Type:** Lentiviral Particles

**Product Name:** Usp16 (NM\_024258) Mouse Tagged ORF Clone Lentiviral Particle

Symbol: Usp16

**Synonyms:** 1200004E02Rik; 2810483I07Rik; 6330514E22Rik; UBPM

Mammalian Cell

Selection:

Puromycin

**Vector:** pLenti-C-Myc-DDK-P2A-Puro (PS100092)

Tag: Myc-DDK
ACCN: NM 024258

ORF Size: 2478 bp

**ORF Nucleotide** 

---

Sequence:

The ORF insert of this clone is exactly the same as(MR210833).

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through

naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**RefSeq:** <u>NM 024258.1</u>, <u>NP 077220.1</u>

 RefSeq Size:
 2926 bp

 RefSeq ORF:
 2478 bp

 Locus ID:
 74112

 UniProt ID:
 Q99LG0

Cytogenetics: 16 C3.3







### **Gene Summary:**

Specifically deubiquitinates 'Lys-120' of histone H2A (H2AK119Ub), a specific tag for epigenetic transcriptional repression, thereby acting as a coactivator. Deubiquitination of histone H2A is a prerequisite for subsequent phosphorylation at 'Ser-11' of histone H3 (H3S10ph), and is required for chromosome segregation when cells enter into mitosis. In resting B- and T-lymphocytes, phosphorylation by AURKB leads to enhance its activity, thereby maintaining transcription in resting lymphocytes (PubMed:24034696). Regulates Hox gene expression via histone H2A deubiquitination. Prefers nucleosomal substrates. Does not deubiquitinate histone H2B.[UniProtKB/Swiss-Prot Function]