

Product datasheet for **MR210883**

Trim28 (NM_011588) Mouse Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Trim28 (NM_011588) Mouse Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	Trim28
Synonyms:	AA408787; KAP-1; KRIP-1; MommeD9; Tif1b; Tif1beta
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)



[View online »](#)

ORF Nucleotide Sequence:

>MR210883 representing NM_011588
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
 GCC**CGGATCGCC**

ATGGCGGCTCGGCGCAGCGACTGCAGCGCCTCGGCCGCGACGGCCGCTCGGCGCCTCTGGTAGCC
 CAGGGTCGGGCGAGGGCTCGGCGGGCGGTGAGAAGCGTCCGGCTGCTTCCTCAGCCGCGGCGCCTCTGC
 AGCCGCGTCGTCCCTGCGGGGGCGGTGGCGAGGCGCAGGAGCTTCTGGAGCACTGCGCGGTGTGTGCG
 GAGCGCTGCGGCCGAGCGGGATCCTCGGCTGCTGCCCTGTCTACATTCGGCCTGCAGTGCCTGCCTGG
 GCCCGCTACACCCGCCGAGCGAATAATTCGGGGGATGGCGGCTCGGCGGGCGACGGCGCTATGGTGA
 TTGTCCAGTGTGCAAACAGCAGTGTACTCCAAAGACATCGTGGAGAATTATTTTATGCGTGATAGTGGC
 AGTAAGGCCTCTTCTGATCCCAGGATGCTAACCAAGTGTGCACTAGCTGTGAAGATAATGCCCCAGCCA
 CTAGCTATTGTGTGGAGTGTCTGAACCACTTTGTGAGACCTGTGTGGAGGCTCACCAGCGGGTGAATA
 CACCAAGGACCACACTGTGCGCTCCACAGGACCTGCTAAGACTCGAGATGGAGAGCGAACAGTCTACTGT
 AATGTGACAAGCATGAGCCCTCGTGCTTCTGTGAGAGCTGTGACACACTCACCTGCCGCGACTGCC
 AGCTCAACGCTCAACAAGGACCATCAGTACCAGTTTTTGGAAAGATGCAGTGAAGAACCAACGTAACCTCT
 GGCTTCACTGGTAAAACGCTTTGGGGACAAACATGCCACACTTCAGAAAAACACCAAGGAGGTTCAAGC
 TCGATCCGCCAGGTGTCTGATGTGAGAAGCGAGTGCAGGTTGATGTCAAGATGGCCATTCTGCAGATCA
 TGAAGGAGCTGAATAAGCGGGTTCGAGTCTGGTCAATGATGCCAGAAGGTGACCGAGGGTCAAGGGA
 ACGTCTGGAGCGCCAGCACTGGACCATGACCAAAATTCAGAAGCACCAGGAACACATTTTGGCTTTTGGC
 TCTTGGGCTCGGAGAGTGATAACAATACAGCTCTCTTGTCTCTAAGAAGCTGATCTATTTCCAGCTCA
 ATCGGGCCCTCAAAATGATTGTGGATCCTGTGGAGCCTCATGGTGAAGTTTCAGTGGGATCTCAA
 TGCCATGACCAAGAGTGTGAAGCCTTTGGCAAGATTGGCTGAGCGTCTGGTACGAACCTCCACAGGT
 CCTGGGCCATGGCTCCTCCAAGAGCCCAAGCCCTTAAGCAAGCAAGTTCTGGCAGTAGCCAGCCCA
 TGGAAGTACAAGAGGGATATGGCTTTGGGTGAGTATCCCTATTCAAGTGCAGAGCCGATGTATCAGG
 CATGAAGCGGTCCCGCTCTGGTGAAGGAGAGGTAAAGTGGCCTCTTAAGGAAGGTGCCACGTGTGAGCCTT
 GAACGCTGGATCTGGACCTCACCTCTGACAGCCAGCCACCAAGTCTTCAAGGCTTTTCTGGAAGCACTA
 CTGAGGACTACAATCTGATTGTTATTGAGCGTGGTGTCTGTCAGCAGCTGCTGGTCAAGGCTGGGACTGT
 GCCACCAGGAGCCCTGGTGGCCACCCCTTCTGGCATGGCCATTGTCAAGGAAGAAGAGACAGAAGCT
 GCTATTGGAGCTCCCCGGCTGCCCCGAGGGTCTGAAACCAAGCCTGTGTTGATGCCTCTGACTGAAG
 GTCTGGTGGCGAGGACCTCGTCTAGCTTACCTAGTGGCAGTACCAGCTCAGGCTTGGAGGTGGTGGC
 TCTGAGGTTACCTCAGCCCAAGTAAAGTGGCCAGGTATCCTGGATGACAGTGCCTATCTGCCGTGTC
 TGCCAGAAACAGGTGACCTGGTCAATGTGTAACCAAGTGGCAATTTTGGCTCCACCTGGATTGCCACCTCC
 CTGCCCTGCAGGATGTTCCAGGGGAGGAATGGAGTTGCTCACTCTGCCACGTGCTCCCTGACCTAAAGGA
 GGAAGATGGAAGCCTCAGCCTGGATGGAGCAGATAGCACTGGTGTGGTAGCTAAACTCTCACCAGCCAAC
 CAGCGAAATGTGAGCGTGTCTCCTGGCCCTGTTCTGCCATGAACCATGCCGTCCCTTGCATCAGCTGG
 CTACCGACTCTACATTCTCCATGGAGCAGCCTGGTGGTACCCTAGACCTGACCTTGATTGCTGCTCGCT
 CCAAGAGAAGCTGTCACCTCCTTATAGCTCCCCCAGGAGTTTGGCTCAAGATGTGGCCGATGTTCAAA
 CAGTTCAACAAGCTGACTGAGGACAAGGAGATGTTAGTCCATCATCGGCTTGCAGCGCTTCTTTGAGA
 CACGCATGAATGATGCCTTTGGTACACCAAGTTTTCTGCTGTGCTGGTGAACCAACCACCTTGAACCT
 TCCAGTGTGGCCTAAGTTCTCAGGAGCTCTTGGCCCTGGTATGGCCCC

ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT
 ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence: >MR210883 representing NM_011588
Red=Cloning site Green=Tags(s)


MAASAAATAAASAATAASAASGSPGSGEGSAGGEKRPAASSAAAAAASSPAGGGGEAQELLEHCGVCR
ERLRPERDPRLPLCLHSACSACLGPATPAAANNSSGDGGSAGDGAMVDCPVCKQCYSKDI VENYFMRDSG
SKASSDSQDANQCCTSCEDNAPATSYCEVCSEPLCETCVAHQRVKYTKDHTVVRSTGPAKTRDGERTVYC
NVHKHEPLVLFCESCDTLTCRDCQLNAHKDHQYQFLEDAVRNQRKLLASLVKRLGDKHATLQKNTKEVRS
SIRQVSDVQKRVQVDVKMAILQIMKELNKRGRVLVNDAQKVTGQQRERLQHWMTKI QKHQEHILRFA
SWALESDNNTALLLSKKLIYFQLHRALKMIVDPVEPHGEMKFQWDLNAWTKSAEAFGKIVAERP GTNSTG
PGPMAPPRAPGPLSKQSGSSQPMEVQEGYFGSDDPYSSAEPHVSGMKRSRSGEGEVSGLLRKVPRVSL
ERLDLDTSDSQPPVFKVFPGSTTEDYNLIVIERGAAAAAAGQAGTVPPGAPGAPPLPGMAIVKEEETEA
AIGAPPAPEGPETKPVLMPLTEGPGAEGPRLASPSGSTSSGLEVVAVEVTSAPVSGPILDDSATICRV
CQKPGDLVMCNQCEFCFHL DCHLPALQDVPGEWSSCSLCHVLPDLKEEDGSLSLDGADSTGVVAKLSPAN
QRKCERVLLALFCHEPCRPLHQLATDSTFSMEQPGGTLDLTLIRARLQEKLSPPYSSPQEF AQDVG RMFK
QFNKLTEDKADVQSIIGLQRFFETRMNDAFGDTKFSAVLVEPPPLNLP SAGLSSQELSGPGDGP

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Chromatograms: https://cdn.origene.com/chromatograms/mm9009_e11.zip

Restriction Sites: Sgfl-Mlul

Cloning Scheme:



ACCN: NM_011588

ORF Size: 2502 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_011588.3](#), [NP_035718.2](#)

RefSeq Size: 3255 bp

RefSeq ORF: 2505 bp

Locus ID: 21849


UniProt ID: [Q62318](#)

Cytogenetics: 7 A1

MW: 89.3 kDa

Gene Summary:

Nuclear corepressor for KRAB domain-containing zinc finger proteins (KRAB-ZFPs). Mediates gene silencing by recruiting CHD3, a subunit of the nucleosome remodeling and deacetylation (NuRD) complex, and SETDB1 (which specifically methylates histone H3 at 'Lys-9' (H3K9me)) to the promoter regions of KRAB target genes. Enhances transcriptional repression by coordinating the increase in H3K9me, the decrease in histone H3 'Lys-9 and 'Lys-14' acetylation (H3K9ac and H3K14ac, respectively) and the disposition of HP1 proteins to silence gene expression. Recruitment of SETDB1 induces heterochromatinization. May play a role as a coactivator for CEBPB and NR3C1 in the transcriptional activation of ORM1. Also corepressor for ERBB4. Inhibits E2F1 activity by stimulating E2F1-HDAC1 complex formation and inhibiting E2F1 acetylation. May serve as a partial backup to prevent E2F1-mediated apoptosis in the absence of RB1. Important regulator of CDKN1A/p21(CIP1). Has E3 SUMO-protein ligase activity toward itself via its PHD-type zinc finger. Specifically sumoylates IRF7, thereby inhibiting its transactivation activity. Ubiquitinates p53/TP53 leading to its proteosomal degradation; the function is enhanced by MAGEC2 and MAGEA2, and possibly MAGEA3 and MAGEA6. Mediates the nuclear localization of KOX1, ZNF268 and ZNF300 transcription factors. Probably forms a corepressor complex required for activated KRAS-mediated promoter hypermethylation and transcriptional silencing of tumor suppressor genes (TSGs) or other tumor-related genes in colorectal cancer (CRC) cells. Required to maintain a transcriptionally repressive state of genes in undifferentiated embryonic stem cells (ESCs). In ESCs, in collaboration with SETDB1, is also required for H3K9me3 and silencing of endogenous and introduced retroviruses in a DNA-methylation independent-pathway (PubMed:20164836). Associates at promoter regions of tumor suppressor genes (TSGs) leading to their gene silencing. The SETDB1-TRIM28-ZNF274 complex may play a role in recruiting ATRX to the 3'-exons of zinc-finger coding genes with atypical chromatin signatures to establish or maintain/protect H3K9me3 at these transcriptionally active regions (By similarity). Acts as a corepressor for ZFP568 (PubMed:22110054, PubMed:27658112). [UniProtKB/Swiss-Prot Function]

Product images:


Circular map for MR210883