

## Product datasheet for **MR210977**

### **Hnrnpul1 (NM\_144922) Mouse Tagged ORF Clone**

#### **Product data:**

|                           |  |
|---------------------------|--|
| Product Type:             | Expression Plasmids                              |
| Product Name:             | Hnrnpul1 (NM_144922) Mouse Tagged ORF Clone      |
| Tag:                      | Myc-DDK  |
| Symbol:                   | Hnrnpul1   |
| Synonyms:                 | E1B-AP5; E1BAP5; E130317O14Rik; Hnrnpul; Hnrpul1 |
| Mammalian Cell Selection: | Neomycin   |
| Vector:                   | pCMV6-Entry (PS100001)                           |
| E. coli Selection:        | Kanamycin (25 ug/mL)                             |



[View online »](#)

**ORF Nucleotide Sequence:**

>MR210977 ORF sequence  
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC  
 GCC**CGCATCGCC**

ATGGATGTGCGTCGCCTGAAGGTGAACGAACCTTCGCGAGGAGCTGCAGCGCCGCGGCTGGACACTCGCG  
 GCCTGAAGGCCGAGCTTCTGAGCGGCTGCTGGCGGCGCTAGAGGCCGAGGAGCCGAAGACGAACGGGA  
 GCTCGAGGCTGACGACGATCCGGGGTTACCTGGGCACAACAACGAGGAGGTGAGACCGAGGGGGCTCC  
 GAGCTGGAGGGGACCGCGCAGCCACCGCCCGGGCTGCAGCCGACCCGGAGCCCGCGGCTACTCGG  
 GGCCGGACGGACATTATGTCATGGACAATATTACCAGACAGAACCAATCTACGAGACACCAGTCATCAA  
 GCAAGAAAATGAGTCAAGCTATGATAGGAGACCACTAGACATGGAGCCACAGCAGCAAGTATACACCCA  
 GAATTGAAGACAGAAAATGAAGCAAGAAGCCCCACCCAGCTTCTCCCCCTGAAGCCTCACAGCTCAAGA  
 CAGACAGACCACAATCCAGAATCGAAAGAGGCCCTTTGAAGAGAATCGAGGCCGTGGTACTTCGAGCA  
 CCGAGAGGATCGAAGGGCGGCTCTCTCAGCCTCCTGCTGAAGAGGATGAAGATGACTTTGATGATACA  
 CTTGTGGCCATTGACACATATAACTGTGACCTGCACTTCAAAGTGGCCCGAGACCGGAGTGTGGCTATC  
 CATTGACGATTGAGGGCTTTCATACCTGTGGTCAAGGAGCCCGTCCAGCTATGGGGTCAGAAGAGGGCG  
 TGTGTGTTTTGAAATGAAGATCAATGAGGAAATCTCCGTGAAGCATCTTCCATCTACAGAGCCCGACCC  
 CACGTTGTCCGTATTGGCTGGTCTTGGACTCTTGCAGCACTCAGCTAGGTGAAGAGCCTTTTTCTATG  
 GTTATGGAGGCACAGGGAAGAAGTCTACCAATAGCCGCTTTGAAAACACGGAGACAAATTTGCTGAGAA  
 CGATGTGATTGGCTGCTTTGCGGACTTTGAATGTGAAATGATGTGGAGCTTTCTTTACCAAGAATGGC  
 AAGTGGATGGGCATTGCCTTCCGAATCCAGAAAGAGCCCTTAGGGGTTCAGGCCCTATCTCATGTCC  
 TGGTGAAGAATTGTGCTGTGGAATTTAACTTTGGGCAGAGAGCCGAGCCCTACTGCTCTGCCCTCCAGC  
 GTTCACATTCATCCAGCACCTCCCCCTCAGTGAGCGGATACGGGGCACCATTTGGGCCAAAGAGCAAAGCA  
 GAGTGTGAGATTCTGATGATGGTAGGCCTGCCTGCTGCTGGCAAGACCAGTGGGCCATCAAACACGCTG  
 CCTCCAACCTTCCAAGAAGTACAACATTTCTGGGTACCAATGCCATCATGGATAAGATGCGGGTGTGGG  
 CCTGCGGAGGCAGCGAACTATGCTGGTCGCTGGGATGCTCTGATCCAGCAGGCCACTCAGTGCCTCAAC  
 CGTCTTATTCAGATCGCTGCCGAAAGAAGCGAAACTATATCCTAGATCAGACCAATGTTTATGGGTGAG  
 CCCAGAGACGGAAAATGAGACCGTTTGAAGGCTTCCAGCGGAAAGCTATTGTAATCTGTCCAACCTGATGA  
 GGACCTCAAAGACCGCACAGTAAAGCGAACGGACGAAGAAGGGAAGGATGTCCAGATCACGCAGTCTTA  
 GAAATGAAAGCCAACCTCACTTTGCCTGATGTCGGGGACTTCTGGATGAGGTTCTGTTTATTGAGCTCC  
 AGCGGGAGGAGGCAGACAAGCTGGTGAAGCAATACAACGAGGAAGGCCGGAAGGCCCGCCGCCCTTGA  
 GAAGCGCTTTGACAGCAGAGGCGGAGGCTTCCGAGGCCGTGGGGCGCGGCGGTTTCCAGCGGTATGAC  
 AACCGAGGCCCTCCTGGAGGCAACCGAGGAGGCTTCCAGAACCGGGGAGGTGGTGGTGGCAGCGGTGGT  
 GAGGAGGCAACTACCGAGGAGGTTTCAACCGCAGCGGAGGTGGTGGTACAACAAAACCGCTGGGGTAA  
 TAACAACAGGGATAACAACAACCTCCAACAACCGAGGCAACTATAACCGGGCTCCTCAGCAACAGCCACCA  
 CCACAACAGCCACCGCCACCACAACCACCACAACAACCACCACCACCACCTAGCTATAGCCCTGCTC  
 GGAACCTCCGGGAGCCAGCAGCTACAACAAAACAGCAACATCCCTGGCTCCAGCGCAATACCAGCAC  
 CCCTACAGTGAGCAGCTACACCCTCCACAGCCGAGTTACAGCCAGCCACCCTACAACCAAGGAGGCTAC  
 ACCCAGGGCTACACAGCCCAACCTCCACCTCCGCCACCACCTGCCTACAACATATGGGAGCTATGGCC  
 CCTACAATCCTGCCCCCTATACACCCCAACCCCAACTGCCAGACCTACCCTCAGCCAGCTATAA  
 CCAGTATCAGCAGTATGCCAGCAGTGGAGCCAGTACTATCAGAACCAGAGCCAGTGGCCGCCATACTAC  
 GGGAACTACGACTATGGAGGCTACTCGGGCAGCACACAGGGGGCACAAGCACACAG

**ACGCGT**ACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAATGATATCCTGGATT  
 ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence:

>MR210977 protein sequence  
 Red=Cloning site Green=Tags(s)


MDVRRLLKVNELREELQRRGLDTRGLKAELAERLLAALEAEEPEDERELEADDDPGLPGHNNEEVETEGGS  
 ELEGTAQPPPPGLQPHPEPGGYSKDPGHYVMDNITRQNQFYETPVIKQENESSYDRRPLDMEPQQQYYHP  
 ELKTEMKQEAPPSFLPPEASQLKTRDPQFQNRKRPFEEENRGRGYFEHREDRRGRSPQPPAEDEDDFDDT  
 LVAIDTYNCDLHFKVARDRSSGYPLTIEGFAYLWSGARASYGVRGRVCFEMKINEEISVKHLPSTEPDP  
 HVVRIGWSLDSCSTQLGEEPFSYGYGGTGKKSTNSRFENYGDKFAENDVIGCFADFECGNDVELSFTKNG  
 KWMGIAFRIQKEALGGQALYPHVLVKNCAVEFNGQRAEPYCSVLPGFTFIQHLPLSERIRGTIGPKSKA  
 ECEILMMVGLPAAGKTTWAIKHAASNPSSKYNILGTNAIMDKMRVMGLRRQRNYAGRWDVLIQQATQCLN  
 RLIQIAARKKRNILDQTNVYGSAQRRMRPFEGFQRKAIVICPTDEDLKDRTVKRTDEEGKDVPDHAFL  
 EMKANFTLPDVGDFLDEVLFIELQREEADKLVRQYNEEGRKAGPPPEKRFDSRGGGFRGRGGGGGFQRYD  
 NRGPPGNGRGGFQNRGGGGGGGGGNYRGGFNRSGGGYNQNRWGNNNRDNNSNNRGNYNRPAPQQPP  
 PQQPPPPPPPPQPPPPPSYSPARNPPGASSYNKNSNIPGSSANTSTPTVSSYTPPQPSYSQPPYNGGY  
 TQGYTAPPPPPPPAYNYGSYGPYNPAPYTPPPPTAQTYPQPSYNQYQQAQQWSQYQNSQSQWPPYY  
 GNYDYGGSYSTQGGTSTQ

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Restriction Sites:


Sgfl-MluI

Cloning Scheme:



|                               |   |
|-------------------------------|---|
| <b>ACCN:</b>                  | NM_144922   |
| <b>ORF Size:</b>              | 2580 bp   |
| <b>OTI Disclaimer:</b>        | The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <a href="#">More info</a>  |
| <b>OTI Annotation:</b>        | This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.  |
| <b>Components:</b>            | The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).  |
| <b>Reconstitution Method:</b> | <ol style="list-style-type: none"><li>1. Centrifuge at 5,000xg for 5min.</li><li>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li><li>3. Close the tube and incubate for 10 minutes at room temperature.</li><li>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li><li>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li></ol> |
| <b>RefSeq:</b>                | <a href="#">NM_144922.3</a>   |
| <b>RefSeq Size:</b>           | 2884 bp   |
| <b>RefSeq ORF:</b>            | 2580 bp   |
| <b>Locus ID:</b>              | 232989  |
| <b>UniProt ID:</b>            | <a href="#">Q8VDM6</a>  |
| <b>Cytogenetics:</b>          | 7 A3  |
| <b>MW:</b>                    | 96 kDa  |
| <b>Gene Summary:</b>          | Acts as a basic transcriptional regulator. Represses basic transcription driven by several virus and cellular promoters. When associated with BRD7, activates transcription of glucocorticoid-responsive promoter in the absence of ligand-stimulation. Plays also a role in mRNA processing and transport. Binds avidly to poly(G) and poly(C) RNA homopolymers in vitro (By similarity).[UniProtKB/Swiss-Prot Function]   |

Product images:



Circular map for MR210977