

Product datasheet for MR211030L4

G430002G23Rik (BC004660) Mouse Tagged Lenti ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	G430002G23Rik (BC004660) Mouse Tagged Lenti ORF Clone
Tag:	mGFP
Symbol:	G430002G23Rik
Synonyms:	G430002G23Rik
Mammalian Cell Selection:	Puromycin
Vector:	pLenti-C-mGFP-P2A-Puro (PS100093)
E. coli Selection:	Chloramphenicol (34 ug/mL)
ORF Nucleotide Sequence:	The ORF insert of this clone is exactly the same as(MR211030).
Restriction Sites:	SgfI-MluI
Cloning Scheme:	

Cloning sites used for ORF Shuttling:



* The last codon before the Stop codon of the ORF.

ACCN:	BC004660
ORF Size:	2622 bp



[View online »](#)

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [BC004660.1](#)

RefSeq Size: 3183 bp


RefSeq ORF: 2624 bp

Locus ID: 114601

Cytogenetics: 19 A

Gene Summary: May act as Rab effector protein and play a role in vesicle trafficking (By similarity). Involved in apical-directed transport in polarized epithelial cells; the functions seems to implicate Rab8, BIN1 and possibly DNM1 (PubMed:26833786).[UniProtKB/Swiss-Prot Function]

Product images:



Circular map for MR211030L4