

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product datasheet for MR211159L3V

Sun1 (NM_024451) Mouse Tagged ORF Clone Lentiviral Particle

Product data:

Product Type:	Lentiviral Particles
Product Name:	Sun1 (NM_024451) Mouse Tagged ORF Clone Lentiviral Particle
Symbol:	Sun1
Synonyms:	4632417G13Rik; 5730434D03Rik; mKIAA0810; Unc84a
Mammalian Cell Selection:	Puromycin
Vector:	pLenti-C-Myc-DDK-P2A-Puro (PS100092)
Tag:	Myc-DDK
ACCN:	NM_024451
ORF Size:	2742 bp
ORF Nucleotide Sequence:	The ORF insert of this clone is exactly the same as(MR211159).
OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <u>More info</u>
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
RefSeq:	<u>NM 024451.1, NP 077771.1</u>
RefSeq Size:	4133 bp
RefSeq ORF:	2742 bp
Locus ID:	77053
UniProt ID:	<u>Q9D666</u>
Cytogenetics:	5 G2



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

As a component of the LINC (LInker of Nucleoskeleton and Cytoskeleton) complex involved in Gene Summary: the connection between the nuclear lamina and the cytoskeleton (PubMed:20711465, PubMed:16380439, PubMed:24062341, PubMed:25892231, PubMed:26842404). The nucleocytoplasmic interactions established by the LINC complex play an important role in the transmission of mechanical forces across the nuclear envelope and in nuclear movement and positioning (PubMed:19874786). Required for interkinetic nuclear migration (INM) and essential for nucleokinesis and centrosome-nucleus coupling during radial neuronal migration in the cerebral cortex and during glial migration (PubMed:19874786). Involved in telomere attachment to nuclear envelope in the prophase of meiosis implicating a SUN1/2:KASH5 LINC complex in which SUN1 and SUN2 seem to act at least partial redundantly (PubMed:17543860, PubMed:19211677, PubMed:19509342, PubMed:24062341, PubMed:25892231, PubMed:26842404). Required for gametogenesis and involved in selective gene expression of coding and non-coding RNAs needed for gametogenesis (PubMed:17543860). Helps to define the distribution of nuclear pore complexes (NPCs) (PubMed:17724119). Required for efficient localization of SYNE4 in the nuclear envelope (PubMed:23348741). May be involved in nuclear remodeling during sperm head formation in spermatogenenis (PubMed:20711465). May play a role in DNA repair by suppressing nonhomologous end joining repair to facilitate the repair of DNA cross-links (By similarity). [UniProtKB/Swiss-Prot Function]