



Product datasheet for MR211162

Wdr44 (NM_175180) Mouse Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Wdr44 (NM_175180) Mouse Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	Wdr44
Synonyms:	2610034K17Rik; RAB1; RAB11BP; RPH; RPH11
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
Restriction Sites:	Sgfl-RsrII
Cloning Scheme:	

Cloning sites used for ORF Shuttling:



* The last codon before the Stop codon of the ORF


ACCN:	NM_175180
ORF Size:	2748 bp



[View online >](#)

OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_175180.3
RefSeq Size:	4135 bp
RefSeq ORF:	2748 bp
Locus ID:	72404
UniProt ID:	Q6NVE8
Cytogenetics:	X A2
MW:	101.6 kDa
Gene Summary:	This gene encodes a protein containing multiple WD repeats. The encoded protein may play a role in vesicle trafficking. Alternate splicing results in multiple transcript variants. [provided by RefSeq, Mar 2015]

Product images:



Circular map for MR211162