

Product datasheet for **MR211186**

Brd8 (BC025644) Mouse Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Brd8 (BC025644) Mouse Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	Brd8
Synonyms:	SMAP, 4933408B17Rik
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)



[View online »](#)

**ORF Nucleotide
Sequence:**

>MR211186 ORF sequence
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
 GCC**CGCATCGCC**

ATGAGGAGTGGGGATCAGAACTGGGTATCAGTTAGCAGAGCAATCAAGCCCTTTCGAGAACCTGGCCGGC
 CTCGAGACTGGTTCTCTCAAAAACATTGTGCTTCTCAGTATTCTGAGCTTTAGAGACTACTGAGACTCC
 AAAACGGAAACGGGGTAAAAAGGAGAAGTGGTAGAACTGTTGAAGATGTTATTGTTCCGAAAAGTACT
 GCTGAGAGAGTTGAAGAACTGAAGAAAGTATAAAGGAGACACAGGAGAGATACAGGCGTCTGAAAAGAG
 ATGCAGAACTAATCCAAGCCGGGCACATGGACAGCAGACTGGATGAGCTCTGCAATGACATTGCAATGAA
 AAAGAAATTTGAAGAGGAAGAGGCTGAAGTAAAAAGGAAGGCCACCGATGCTGCGTACCAGGCGCGACAA
 GCAGTAAAACGCCTCCTCGAAGTTACCGACTGTGATGGTCCGCTCTCCTGTAGACTCTGCCTCCCCAG
 GAGGTGATTACCCACTTGGAGACTTACTCCAACCACTATGGAAGAGGCTACCTCTGGGGTAACCCCTGG
 GACTTTGCCGAGTACCCAGTCACTCGTTTCCCTGGGATTCTGACACCCTTCTCCAGGCTCTGCACCC
 TTAGAAGCCCCATGACCCCAATAACAGATGATTCACCCAGAAAAAGATGCTTGGACAGAAAGCAACTC
 CACCCCTCCCTCTGCTGTCAGAGCTTTGAAGAAGGGCAGCCTCCTGCCTACTAGCCCCAGACTGGT
 GAATGAGAGTGAATGCCTGTACCCCTGGCCATCTGAACAGCACAGGGTTCTCTTGGAGGTAGGAGGG
 GTTCTTCCCATGATACATGGTGGGGAGATACAGCCAACAACCAAGTGTGTGGCGGCTCCCGGCTGCCT
 CAGGTGCTCCCACTTTTCCCGGCTTTTGAAGCTGGGCCACACAGTTCACCACTCCTCTTCTTCTTCTT
 CACTACTGTTGCCAGTGAGCCGCCAGTTAAGCTTGTGCCACCCCTGTAGAGTCTGTGTCCAGGCTACC
 ATGTGTCATGATGCCCGCGCTGCCAGCACCATCCTCTGCTGCGGCTGTCTCACTTCTGAAAGTGGGCTC
 CAGTGAGCCAGCCTGAGCCCTGTGTACCCCTGGAAGCTGTGGGGATCCACATACTGTGACTGTTTCCAT
 GGATAGCAATGAAATCTCCATGATCATTAAATTCATCAAAGAAGAGTGTTTCCGCTCAGGGGTAGCAGAG
 GCTCCTGGTGGATCAAAGGCTCCAAGCATAGATGGGAAGGAAGACTTGGATCTAGCGGAGAAGATGGATA
 TTGCTGTGCTTACACAGGTGAAGAGTTGGACTTTGAAACAGTTGGAGACATCATTGCCATCATTGAGGA
 CAAGGTGGATGATCACCTGAAGTGTGGATGTGGCAGCGGTAGAAGCGGCTTATCGTTCTGTGAAGAG
 AATGATGACCCTCAGTCCCTGCCTGGCCCTGGGAGCACCTATCCAGCAGGAGCGGACAAAGCCAGTAC
 CTCTGCCAGCACCAGAGATGACAGTCAAACAAGAGAGGCTAGACTTCGAGGAATCAGAAAACAAGGGCT
 CCATGACCTGGTGGACATCAGGGATTCCGGTGTGAGATTAAGGTGGAACCCACAGAGCCAGAGCCAGGC
 ATGTCTGGGGCTGAGATAGTAGCTGGAGTTGGTCCAGTCCAAGTATGGAGCCACCAAGAACTCAGGAGTC
 AAGACTCAGATGAAGAACCTAGAAGTCTGCAGCTGGAGACATTGGTGGAGCAGATGGTTCCAGTGGGAA
 AGGCGATGAGAGGCCACTTTCAGCTGTGAAGACAGAGGCATCCCTGAGAGCATGTTGTCTCCATCACAT
 GGCTCAAATCTTATTGAAGATCCTTTAGAGGCAGAGACTCAACACAAGTTTGAATGTCAGACTCATTGA
 AAGAAGAATCAGGGACTATTTTTGGAAGCCAGATAAAGGATGCCCCAGGTGACGATGAGGAAGAAGATGG
 AGTCAGTGAAGCAGCTAGCCTAGAGGAGCCTAAGGAAGAGGATCAAGGAGAAGGCTATTTGTCTGAGATG
 GATAATGAGCCCCCTGTGAGTGAGAGTGATGATGGCTTTAGTATACATAACGCCACACTGCAGTCACACA
 CTCTGGCAGACTCCATCCAAGCAGCCCTGCCTCCTCCAGTTTTCCGTGTGAGTGAAGATCAAGAAGC
 AATTCAGGCTCAGAAAAATGGAAGAAAGCCATCATGCTTGTATGGAGGGCTGCAGAAAATCATAGGTAT
 GCCAATGTGTTCCCTGCAACCTGTTACAGATGACATAGCTCCTGGTTACCATAGCATTGTACAGAGGCCATA
 TGGATTTGTCAACTATAAAGAAAAACATTGAAAATGGACTGATCCGAAGCACAGCTGAGTTTCAGCGTGA
 CATCATGCTGATGTTTCAGAATGCTGTTATGTACAATAGCTCAGACCATGATGTCTATCACATGGCAGTA
 GAGATGCAGAGAGATGCTTGGAAACAGATCCAGCAATTCTTGGCCACACAGTTGATTATGCAAAACATCTG
 AGTCTGGAATCAGTGCTAAAAGTCTCCGGGGGAGAGACTCTACCCGAAAACAAGATGCTTCAGAGAAGGA
 CAGTGTCCCCATGGGCTCTCCTGCCTTCTTCTCTCTCTTTTGTATGGGGGAACCCAGGGGACGCCGCTGT
 GCCATTGAAGCAGATATGAAGATGAAGAAG

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT
 ACAAGGATGACGACGAT AAGGTTTAA

Protein Sequence: >MR211186 protein sequence
 Red=Cloning site Green=Tags(s)


MRSGDQNWVSVSRAIKPFAEPGRPPDWF SQKHCASQYSELLETETPKRKRGEKGEVVETVEDVIVRKL T
 AERVEELKKVIKETQERYRRLKRDAELIQAGHMDSRLDEL CNDIAMKKLEEEEEAEVKRKATDAAYQARQ
 AVKTPRRLPTVMVRSPVDSASPGGDYPLGDLTPTTMEEATSGVTPGTLPTPVTSPVTSFPGIPDLP
 LEAPMPTITDDSPQKMLGQKATPPPSPLLSELLKKSLLPTSPRLVNESEMPVPPGHLNSTGVLLLEVGG
 VLPMIHGGEIQPTTSAVAASPAASGAPTLRLLLEAGPTQFTTPLPSFTTVASEPPVKLVPPPVESVSQAT
 IVMMPALPAPSSAAAVSTSESGAPVSQPEPCVPLEAVGDPHTVTVSMDSNEISMIINSIKEECFRSGVAE
 APGGSKAPSIDGKEDLDAEKMDIAVSYTGEELDFETVGDIIAIIEDKVDHPEVLDVAAVEAALSFCEE
 NDDPQSLPGPWEHPIQQERDKPVPLPAPEMTVKQERLDFEESENKGLHDLVDIRDSGVEIKVEPTEPEPG
 MSGAEIVAGVGPVPSMEPELRSQDSDEEPRSSAAGDIGEADGSSGKGDRLSAVKTEASPESMLSPSH
 GSNLIEDPLEAETQHKFEMSDSLKEESGTFGSGQIKDAPGDDEEDGVSEAAASLEEKEDQEGEYLSEM
 DNEPPVSESDDGFSIHNLATLQSHLADSLIPSSPASSQFVCSQEDQEAIIQAQKIWKKAIMLVWRAANHRY
 ANVFLQPVTTDDIAPGYHSIVQRPMDLSTIKKNIENGLIRSTAEFQRDIMLMFQNAVMYNSSDHDVYHMAV
 EMQRDVLQEQFLATQLIMQTSSESGISAKSLRGRDSTRKQDASEKDSVPMGSPAFLLSLFDGGTRGRR
 AIEADMKMKK

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Restriction Sites:

SgfI-MluI

Cloning Scheme:




ACCN: BC025644

ORF Size: 2760 bp

OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	BC025644 , AAH25644
RefSeq Size:	3277 bp
RefSeq ORF:	2762 bp
Locus ID:	78656
Cytogenetics:	18 B1
MW:	99.3 kDa
Gene Summary:	May act as a coactivator during transcriptional activation by hormone-activated nuclear receptors (NR). Stimulates transcriptional activation by AR/DHTR, ESR1/NR3A1, RXRA/NR2B1 and THRB/ERBA2. Component of the NuA4 histone acetyltransferase (HAT) complex which is involved in transcriptional activation of select genes principally by acetylation of nucleosomal histones H4 and H2A. This modification may both alter nucleosome - DNA interactions and promote interaction of the modified histones with other proteins which positively regulate transcription. This complex may be required for the activation of transcriptional programs associated with oncogene and proto-oncogene mediated growth induction, tumor suppressor mediated growth arrest and replicative senescence, apoptosis, and DNA repair. NuA4 may also play a direct role in DNA repair when recruited to sites of DNA damage. Component of a SWR1-like complex that specifically mediates the removal of histone H2A.Z/H2AFZ from the nucleosome.[UniProtKB/Swiss-Prot Function]

Product images:



Circular map for MR211186