

### **Product datasheet for MR211201L3**

# Lpin1 (NM\_015763) Mouse Tagged Lenti ORF Clone

#### **Product data:**

**Product Type:** Expression Plasmids

Product Name: Lpin1 (NM\_015763) Mouse Tagged Lenti ORF Clone

Tag: Myc-DDK

Symbol: Lpin1

**Synonyms:** 4631420P06; fld; Kiaa0188; Lipin1; mKIAA0188

Mammalian Cell Puromycin

Selection:

**Vector:** pLenti-C-Myc-DDK-P2A-Puro (PS100092)

E. coli Selection: Chloramphenicol (34 ug/mL)

ORF Nucleotide The ORF insert of this clone is exactly the same as(MR211201).

Sequence:

**Restriction Sites:** Sgfl-Mlul

**Cloning Scheme:** 





st The last codon before the Stop codon of the ORF.

**ACCN:** NM\_015763

ORF Size: 2772 bp



**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



### Lpin1 (NM\_015763) Mouse Tagged Lenti ORF Clone - MR211201L3

**OTI Disclaimer:** The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:** 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 015763.4</u>, <u>NP 056578.2</u>

RefSeq Size: 5581 bp
RefSeq ORF: 2775 bp
Locus ID: 14245
UniProt ID: Q91ZP3
Cytogenetics: 12 7.9 cM

**Gene Summary:** Plays important roles in controlling the metabolism of fatty acids at different levels. Acts as a

magnesium-dependent phosphatidate phosphatase enzyme which catalyzes the conversion


of phosphatidic acid to diacylglycerol during triglyceride, phosphatidylcholine and

phosphatidylethanolamine biosynthesis. Acts also as nuclear transcriptional coactivator for PPARGC1A/PPARA regulatory pathway to modulate lipid metabolism gene expression. Is involved in adipocyte differentiation. Isoform 1 is recruited at the mitochondrion outer membrane and is involved in mitochondrial fission by converting phosphatidic acid to

diacylglycerol.[UniProtKB/Swiss-Prot Function]



# **Product images:**



Circular map for MR211201L3