

Product datasheet for **MR211286**

Ap2b1 (NM_001035854) Mouse Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Ap2b1 (NM_001035854) Mouse Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	Ap2b1
Synonyms:	1300012O03Rik; AI788979
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)



[View online »](#)

ORF Nucleotide Sequence:

>MR211286 ORF sequence
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
 GCC**CGCATCGCC**

ATGACTGACTCCAAGTACTTCAACAACATAAGAAGGGAGAAATTTTGAATTAAGAGCTGAACCAACA
 ATGAAAAGAAAAGAAAAGAGGAAGGAGGCTGTGAAGAAAGTGATTGCTGCTATGACCGTGGGAAGGACGT
 GAGCTCTCTCTCCAGATGTGGTGAAGTGCATGCAGACTGACAACCTGGAAGTAAAGAAGCTCGTGTAC
 CTCTATCTGATGAACTATGCCAAGAGTCAGCCAGACATGGCCATCATGGCTGTCAACAGCTTTGTGAAGG
 ATTGTGAAGATCCCAATCCTTTGATTGAGCCTTGGCAGTTAGAACCATGGGATGCATCCGGGTGGACAA
 GATTACAGAGTATCTCTGTGAACCCCTCCGAAGTGTGAAGGATGAAGACCCCTATGTTCCGAAAACG
 GCAGCAGTATGCGTGGCAAACTCCATGATATCAATGCCAGATGGTGAAGATCAGGGATTTCTGGATT
 CTCTGCGGGATCTCATAGCAGATCAAACCCAATGGTGGTGGCTAATGCTGTAGCAGCATTGTCTGAGAT
 CAGTGAGTCTACCCAAACAGCAACTTACTTGATCTGAACCCCTCAGAATATCAATAAGCTGCTCACAGCC
 CTGAATGAATGCACTGAATGGGGCCAGATTTTCATCCTGGACTGCCTGTCTAATTAACAACCTAAAGATG
 ACCGGGAAGCTCAGAGCATCTGTGAGCGAGTAACGCCTCGGCTCTCCACGCCAACTCTGCAGTGGTGTCT
 TTCAGCCGTAAGTCTAATGAAGTTTCTAGAATTGTTGCCAAGGACTCTGACTACTACAATATGCTG
 CTAAGAAGTTAGCACCTCCACTGTGCAGTGTCTGTCTGGGAGCCAGAAGTACAGTACGTGCGCCTGA
 GGAACATCAACCTAATTTGCCAGAAAAGGCCTGAAATCTGAAGCAGGAAATCAAGGTCTCTTTGTGAA
 GTACAATGATCCTATCTATGTTAACTAGAGAAGTTAGACATCATGATTTCGTCTTGATCCCAAGCCAAC
 ATTGCTCAGGTTCTGGCGGAGCTGAAGGAATAGCCACTGAAGTTGATGTGGACTTTGTTCCGAAAGCTG
 TGAGGGCATTGGACGGTGTGCCATCAAAGTGGAGCAATCAGCAGAACCGTGTGAAGCAGACTGTTGA
 TCTAATCCAGACCAAAGTAAATTATGTGGTCCAAGAGGCAATTGTTGTCATCAGGGACATCTCCGAAAA
 TACCCCAACAAGTATGAAGTATTATTGCCACCCTCTGTGAAAACCTGGACTCCCTGGATGAACCCGATG
 CCCGAGCAGTATGATTTGGATTGTAGGAGAATATGCTGAAAAGTTCGATAACGCAGATGAATTACTAGA
 GAGTTTCTGGAAGGTTTTCATGACGAAAGCACCCAGGTGCAGCTCACACTGCTCACCGCCATAGTGAAG
 CTGTTTCTCAAGAAGCCATCAGAAACACAGGAGCTGGTCCAACAGGTCTTGAGCTTAGCCACACAGGACT
 CCGATAACCTGACCTTCGAGATCGGGTTATATATATTGGCGCCTTCTTCAACTGACCCTGTGACAGC
 CAAAGAAGTGGTGTGTCTGAGAAGCCATTGATCTCTGAGGAGACAGACCTCATTGAGCCTACCCTCCTG
 GATGAGCTCATCTGCCACATTGGTCTTTGGCCTCTGTGTACCACAAACCTCAAATGCTTTTGTGGAAG
 GGAGTCATGGGATTCATCGCAAACACTTCCAATTCATCATGGGAGCACTGATGCAGGTGATAGCCCGT
 TGGCACCACCACTACAACCAACCTGGAGCAGCCTCAGGTCATTCCCTCTCAAGGTGACCTTCTGGGGAT
 CTTTTGAATCTTGACCTGGGTCCCCAGTGAATGTCCCAGCAAGTGTCTCCATGCAGATGGGAGCGGTGG
 ATCTTTTAGGAGGAGGACTGGATAGCCTGCTTGGCAGTGACCTTGGCGGGGGCATTGGAGGAAGTCCGGC
 AGTAGGACAGTCTTCATCCCGTCATCAGTGCCTGCGACCTTCGCTCCTTCACTACTCCTGTGTGGTC
 AGCAGTGGTCTGAATGACCTGTTGAGCTTTCCACTGGGATAGGCATGGCACCTGGCGGATATGTGGCTC
 TAAGGCGGTCTGGCTACCTGCAGTAAAGGCTAAAGGCTTGGAGATTTCCGGGACGTTTACTCACCGCCA
 AGGGCATACTATATGGAATGAACCTTCAACCAACAAAGCTCTGCAGCATATGACAGACTTTGCCATCCAG
 TTTAACAAGAATAGCTTCGGTGTATCCCAAGCACTCCCTTGGCCATACATACTCACTGATGCCAAACC
 AGAGCATTGACGTCTCTGCGCCTCAACACCTTGGGCCAGTCAAGATGGAGCCCTGAATAACCT
 GCAGGTGGCTGTTAAAAACAATATTGATGTCTTACTTCACTCAGCTGCCTCATCCCCTCAATGTGCTTTTT
 GTAGAAGATGGCAAAATGGAGCGCCAGGTCTTCTTGAACGTGGAAGGATATCCCAATGAAAATGAAC
 TCCAGTTTCAAGTAAAGGAATGTCATTTAAATGCTGACACAGTTTCCAGCAAGTTGCAAAACAACAATGT
 TTACACTATTGCCAAGAGGAACGTGGAAGGGCAGGACATGCTGTACCAGTCCCTGAAGCTCACTAATGGC
 ATTTGGATTTTGGCAGAGCTGCGGATCCAGCCAGGAAACCCCAATATACGCTGTCGCTGAAGTGTAGAG
 CCCCTGAAGTCTCTCAGTACATCTATCAGGTCTACGACAGCATTTTGAAAAAC

ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT
 ACAAGGATGACGACGATAAGGTTTAA


Protein Sequence: >MR211286 protein sequence
 Red=Cloning site Green=Tags(s)

MTDSKYFTTNKKGEIFELKAELNNEKKEKRKEAVKKVIAAMTVGKDVSSLPDVVNCMQTDNLELKKLVY
 LYLMNYAKSQPDMAIMAVNSFVKDCEDPNPLIRALAVRTMGCIRVDKITEYLCEPLRCKLKDEDPYVRKT
 AAVCVAKLHDINAQMVEDQGFLDSLRLDIADSNPMVVANAVAALSEISESHPNLNLLDLPQNKLLTA
 LNECTEWGQIFILDCLSNYNPKDDREAQSI CERVTPRLSHANSVAVL SAVKVLMKFLELLPKDSDYYNML
 LKKLAPPLVTL LSGEPEVQYVALRNINLIVQKRPEILKQEI KVFV KYNDPIYVKLEKLDIMIRLASQAN
 IAQVLAELKEYATEVDVDFVRKAVRAIGRAIKVEQSAERCVSTLLDLIQTKVNYVVQEAI VVIRDIRK
 YPNKYESIATLCENLDSLDEPDARAAMIWIVGEYAERIDNADELLESFLEGFHDESTQVQLTLLTAIVK
 LFLKKPSETQELVQQVLSLATQSDNPDLRDRGYIWRLLSTDPVTAKEVVLSEKPLISEETDLIEPTLL
 DELICHIGSLASVYHKPPNAFVEGSHGHRKHLPIHHGSTDAGDSPVGT TTTTNLEQPQVIPSQGDLLGD
 LLNLDLGPVNVPPQVSSMQMGAVDLLGGGLDSL LGS DLGGGIGGSPAVGQSFIPSSVPATFAPSPTPAVV
 SSSLNDLFELSTGIGMAPGGYVAPKAVWLPVAKAKGLEISGTFTHRQGHIMEMNF TNKALQHMTDFAIQ
 FNKNSFGVIPSTPLAIHTPLMPNQSIDVSLPLNTLGPVMKMEPLNQLQAVKNNIDVFYF SCLIPLVNLF
 VEDGKMERQVFLATWKDIPNENELQFQIKECHLNADTVSSK LQNNNVYTI AKRNVEGQDMLYQSLKLTNG
 IWILAELRIQPGPNYTL SLK CRAPEVSQYIYQVYDSILKN

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Restriction Sites: SgfI-MluI

Cloning Scheme:



ACCN: NM_001035854


ORF Size: 2856 bp

OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none"> 1. Centrifuge at 5,000xg for 5min. 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA. 3. Close the tube and incubate for 10 minutes at room temperature. 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom. 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_001035854.2 , NP_001030931.1
RefSeq Size:	5411 bp
RefSeq ORF:	2856 bp
Locus ID:	71770
UniProt ID:	Q9DBG3
Cytogenetics:	11 C
MW:	105.7 kDa

Gene Summary:

Component of the adaptor protein complex 2 (AP-2). Adaptor protein complexes function in protein transport via transport vesicles in different membrane traffic pathways. Adaptor protein complexes are vesicle coat components and appear to be involved in cargo selection and vesicle formation. AP-2 is involved in clathrin-dependent endocytosis in which cargo proteins are incorporated into vesicles surrounded by clathrin (clathrin-coated vesicles, CCVs) which are destined for fusion with the early endosome. The clathrin lattice serves as a mechanical scaffold but is itself unable to bind directly to membrane components. Clathrin-associated adaptor protein (AP) complexes which can bind directly to both the clathrin lattice and to the lipid and protein components of membranes are considered to be the major clathrin adaptors contributing the CCV formation. AP-2 also serves as a cargo receptor to selectively sort the membrane proteins involved in receptor-mediated endocytosis. AP-2 seems to play a role in the recycling of synaptic vesicle membranes from the presynaptic surface. AP-2 recognizes Y-X-X-[FILMV] (Y-X-X-Phi) and [ED]-X-X-X-L-[LI] endocytosis signal motifs within the cytosolic tails of transmembrane cargo molecules. AP-2 may also play a role in maintaining normal post-endocytic trafficking through the ARF6-regulated, non-clathrin pathway. The AP-2 beta subunit acts via its C-terminal appendage domain as a scaffolding platform for endocytic accessory proteins; at least some clathrin-associated sorting proteins (CLASPs) are recognized by their [DE]-X(1,2)-F-X-X-[FL]-X-X-X-R motif. The AP-2 beta subunit binds to clathrin heavy chain, promoting clathrin lattice assembly; clathrin displaces at least some CLASPs from AP2B1 which probably then can be positioned for further coat assembly (By similarity).[UniProtKB/Swiss-Prot Function]

Product images:



Circular map for MR211286