

## Product datasheet for **MR211363**

### Ifih1 (NM\_001164477) Mouse Tagged ORF Clone

#### Product data:

Product Type:	Expression Plasmids
Product Name:	Ifih1 (NM_001164477) Mouse Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	Ifih1
Synonyms:	9130009C22Rik; Helicard; Hlcd; MDA5; RLR-2
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)



[View online »](#)

**ORF Nucleotide Sequence:**

>MR211363 representing NM\_001164477  
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTGACTGGATCCGGTACCGAGGAGATCTGCC  
 GCC**CGGATCGCC**

ATGTCGATTGTCTGTTCTGCAGAGGACAGCTTCAGGAATCTCATCTTATTCTTCAGGCCAGGCTGAAAA  
 TGTACATTCAGGTGGAGCCAGTCTGGACCACCTCATCTTTCTGTCTGCAGAAACCAAAGAGCAGATTCT  
 TAAAAAGATCAACACCTGTGGTAAACACAGCGCCGAGAACTGCTGCTGAGCACCTTGGAGCAGGGACAA  
 TGGCCTCTGGGATGGACGCAGATGTTCTGGAGGCCCTAGAGCACAGTGGCAATCCCCTAGCCGCGCGCT  
 ATGTCAAACCCACTCACTGATCTGCCCTCTCCTTCTCTGAGACTGCCCATGACGAGTGTCTCCACTT  
 GCTGACCTCCTCCAGCCACTTTGGTGGACAACTTCTGATTAACGATGTCTTGGACACTTGTTCGAG  
 AAGGGACTATTGACAGTGAAGACAGAAATCGGATTTCTGCTGCAGAAACAGCGGGAATGAGTCAGGTG  
 TAAGAGAGCTGCTGAGAAGGATTGTGAGAAGGAAAAGTGGTTTTCTACCTTCTGGATGTTCTGCGCCA  
 AACTGGAATGATGCACTATTCCAAGAATAACAGGTGGAGGCTGCCAGAACACACAGAATCAGAC  
 ACAAGTTTGGCAGAAGGAAGTGTGAGTCTCGATGAAAGTCTTGGACATAACAGCAACATGGGCAGGG  
 ATTCAGGCACCATGGGAAGTGATTGAGATGAAAGTGTATCCAGACAAAAAGAGTATCCCCGAGCCAGA  
 ACTGCAGCTCAGGCCCTTACCAATGGAAGTGGCCCAACAGCTCTAGATGGGAAGAATATTATTATCTGC  
 CTCCCCACGGGAGTGGGAAAACAGAGTGGCTGTTTACATCACCAAGATCACTTAGACAAGAAGAAGC  
 AGGCATCTGAATCCGGGAAGGTTATCGTTCTGTCAATAAGGTAATGTTAGCAGAACAACCTTTCCGAAA  
 AGAGTTCAACCCATATTTGAAGAAATGGTATCGAATTATTGGATTAAGTGGCGTACCCAGCTGAAAATA  
 CATTTCCAGAAGTTGTCAAATCTACGATGTTATTATCAGCACTGCTCAAATCCTTGAAAACCTCCTCT  
 TAAATCTGGAGAGTGGAGACGATGACGGTGTGACAGTGTGACAGCTTCTCTCATTATCATTGATGATG  
 CCATCACACCAACAAGGAGGCGAGTCTATAACAACATCATGAGACGATATTTGAAGCAGAAGCTGAGAAAC  
 AATGACCTCAAGAAACAAAAACCAACAGCCATTCCCCTGCCGAGATACTAGGACTGACAGCTTCCCTG  
 GTGTTGGAGCAGCAAAAAGCAGTCTGAGGCTGAAAAACATATTTTAAATATATGTGCCAATCTTGATGC  
 CTTTACCATTAACAGTGAAGAGAATCTTGGTCAACTCAAACACCAAAATAAGGAACCATGCAAGAAA  
 TTTGTGATTGCTGATGACACCAGAGAAAATCCATTTAAGAGAAAACCTTAGAAAATTATGGCAAGCATT  
 AGACTTACTGCCAAAAAGTCCAATGTCAGATTTTGAACCAACATTATGAGCAGTGGGCCATTCAAAT  
 GGAGAAAAAGCTGCTAAAGACGGAATCGAAAGATCGCGTCTGTGCAGAACATTTGAGGAAGTACAAC  
 GAAGCCCTACAAATCAACGACACGATCCGAATGATTGATGCATATAGCCCTGGAGACATTCTACTCTG  
 ATGAGAAAAGAAAAGATTTCGAGTCTCAATGACAGCGACAAGAGTGTGACGAGGCCAGCAGTTGCAA  
 TGACCAACTTAAGGGCGATGTAAGAAAATCTTTGAAACTGGACGAAACGGATGAATTTCTCATGAATTTG  
 TTCTTTGATAACAAGAAAATGTTGAAAAACTAGCTGAAAACCCAAAATACGAGAATGAAAAACTCATT  
 AATTAAGAAACACGATACTGGAACAATTCACAAGTCTGAGGAGTCTCCCGAGGAATATTTTTACAAA  
 AACACGACAGACACCTACGCATTTCCAGTGGATCATGGAAAATGCAAAGTTTGGGAAAGTTGGAGTC  
 AAAGCGCATCACCTGATTGGCGGGGGCACAGCAGTGAAGTCAAGCCATGACTCAGACTGAACAAAAAG  
 AAGTCATTAGTAAATTTGCAGTGGCGAAAATAATCTGCTTATCGCTACGACGGTGGCAGAGGAAGGCC  
 GGATATCAAAGAGTGAATATTGTTATTGCTTATGGCCTTGTACGAACGAGATAGCCATGGTCCAGGCC  
 CGGGGTCGAGCCAGAGCTGATGAAAGCAGTATGCTCTGGTACCAGCAGTGGCTCAGGAGTTACCGAAC  
 GGGAGATTGTTAATGATTTCCGAGAGAAGATGATGATAAAGCTATTAACCGTGTTCAAAACATGAACCC  
 AGAGGAGTATGCACATAAGATTTTGAATTGCAGGTGCAAAGTATCCTGGAAAAGAAAATGAAAAGTCAAA  
 AGAAGCATTGCAAAGCAATACAACGACAATCCATCGTTAATAACACTTCTCTGCAAAAATTTAGCATGC  
 TGGTCTGCTCGGGAGAAAACATCCATGTCATTGAGAAGATGCATCATGCAATATGACACCAGAATTCAA  
 GGGACTTACATTGTAAGAGAAAACAAGCACTGCAAAAAGAAATTTGCTGATTATCAGACCAATGGAGAG  
 ATTATCTGCAAGTGTGGCCAGGCTTGGGAACAATGATGGTGCACAAAGGTTTAGATTTGCCTTGTCTTA  
 AAATAAGGAATTTGTAGTCAATTTCAAAAATAACTCACGAAGAAACAGTACAAGAAGTGGGTGGAATT  
 GCCTATCAGATTTCTGATCTTGACTACTCAGAATACTGCTTGTATAGTATGATGAAGAT

**ACGCGT**ACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT  
 ACAAGGATGACGACGATAAGGTTTAA

**Protein Sequence:** >MR211363 representing NM\_001164477  
 Red=Cloning site Green=Tags(s)

```
MSIVCSAEDSFRNLILFFRPRLKMYIQVEPVL DHLIFLSAETKEQILKKINTCGNTSAAELLLSTLEQGG
WPLGWTQMFVEALEHSGNPLAARYVKPTLTDLPSPSSETAHDECLHLLTLLQPTLVDKLLINDVLDTCFE
KGLLTVEDNRNISAAGNSGNESGVRELLRRIVQKENWFSTFLDVL RQTGNDA LFQELTGGGCPEDNTESD
TSLAEGSVSCFDESLGHNSNMGRD SGTMGSDSDESIVIQTKRVSPPELQLRPYQMEVAQPALDGKNIIC
LPTGSGKTRVAVYITKDHLDK KQASESGKVIVLVNKVMLAEQLFRKEFNPYLKKWYRIIGLSGDTQLKI
SFPEVVKSYDVIISTAQILENSLLNLESGDDDG VQLSDFSLIIDECHHTNKEAVYNNIMRRLKQKLRN
NDLKKQNKPAIPLPQILGLTASPGVGA AKKQSEAEKHILNICANLDAFTIKTVKENLGQLKHQIKEPCKK
FVIADDTRENPFKEKLEIMASIQTYCQKSPMSDFGTQH YEQWAIQMEKKA AKDGNRKDRVCAEHLRKYN
EALQINDTIRMIDAYSHLETFYTDEKEKKFAVLNDSKSDDEASSCNDQLKGDVKKSLKLD ETD EFLMNL
FFDNKMKLKKLAENPKYENEKLIKLRNTILEQFTRSEESSRGIIFTKTRQSTYALSQWIMENAKFAEVGV
KAHHLIGAGHSSEVKPMTQTEQKEVISKFR TGEINLLIATTVAEEGLDIKCNIVIRYGLVTNEIAMVQA
RGRARADESTYVLTSSGSGVTEREIVNDFREKMMYKAINRVQNMKPEEYAHKILELQVQSILEKKMKVK
RSIAKQYNDNPSLITLLCKNCSMLVCSGENIHVIEKMHHVNMTPFKGLYIVRENKALQKKFADYQTNGE
IICKCGQAWGTMVHKGLDLPCLKIRNFV VNFKNNSPKKQYKKWVELPIRFPDL DYSEYCLYSD E
```


TRTRPLEQKLISEEDLAANDILDYKDDDDKV

**Chromatograms:** [https://cdn.origene.com/chromatograms/mm9032\\_d08.zip](https://cdn.origene.com/chromatograms/mm9032_d08.zip)

**Restriction Sites:** SgfI-MluI

**Cloning Scheme:**

Cloning sites used for ORF Shuttling:



\* The last codon before the Stop codon of the ORF

**ACCN:** NM\_001164477

**ORF Size:** 2928 bp

**OTI Disclaimer:** Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at [custsupport@origene.com](mailto:custsupport@origene.com) or by calling 301.340.3188 option 3 for pricing and delivery.

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:**

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

**RefSeq:** [NM\\_001164477.1](#), [NP\\_001157949.1](#)

**RefSeq Size:** 5372 bp

**RefSeq ORF:** 2931 bp

**Locus ID:** 71586


**UniProt ID:** [Q8R5F7](#)

**Cytogenetics:** 2 C1.3

**MW:** 111.3 kDa

**Gene Summary:**

Innate immune receptor which acts as a cytoplasmic sensor of viral nucleic acids and plays a major role in sensing viral infection and in the activation of a cascade of antiviral responses including the induction of type I interferons and proinflammatory cytokines. Its ligands include mRNA lacking 2'-O-methylation at their 5' cap and long-dsRNA (>1 kb in length). Upon ligand binding it associates with mitochondria antiviral signaling protein (MAVS/IPS1) which activates the IKK-related kinases: TBK1 and IKKε which phosphorylate interferon regulatory factors: IRF3 and IRF7 which in turn activate transcription of antiviral immunological genes, including interferons (IFNs); IFN-α and IFN-β. Responsible for detecting the Picornaviridae family members such as encephalomyocarditis virus (EMCV), mengo encephalomyocarditis virus (ENMG), and theiler's murine encephalomyelitis virus (TMEV). Can also detect other viruses such as dengue virus (DENV), west Nile virus (WNV), and reovirus. Also involved in antiviral signaling in response to viruses containing a dsDNA genome, such as vaccinia virus. Plays an important role in amplifying innate immune signaling through recognition of RNA metabolites that are produced during virus infection by ribonuclease L (RNase L). May play an important role in enhancing natural killer cell function and may be involved in growth inhibition and apoptosis in several tumor cell lines.[UniProtKB/Swiss-Prot Function]

**Product images:**

Circular map for MR211363



Coomassie blue staining of purified Ifih1 protein (Cat# [TP511363]). The protein was produced from HEK293T cells transfected with Ifih1 cDNA clone (Cat# MR211363) using MegaTran 2.0 (Cat# [TT210002]).