OriGene Technologies, Inc.
9620 Medical Center Drive, Ste 200
Rockville, MD 20850, US
Phone: +1-888-267-4436
https://www.origene.com
techsupport@origene.com
EU: info-de@origene.com
CN: techsupport@origene.cn

Product datasheet for MR211368

Ap2a1 (NM_007458) Mouse Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Ap2a1 (NM_007458) Mouse Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	Ap2a1
Synonyms:	Adtaa
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)

ORF Nucleotide Sequence:

>MR211368 ORF sequence
Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCCGCGATCGCC

ATGCCGGCTGTATCCAAAGGCGATGGCATGCGTGGGCTCGCCGTGTTCATCTCCGACATCCGGAACTGCA
AGAGCAAAGAGGCTGAGATCAAGAGGATCAACAAGGAACTGGCCAACATCCGTTCCAAGTTCAAAGGGGA
CAAGGCCTTGGATGGCTACAGTAAAAAGAAGTATGTGTGTAAGCTGCTCTTCATATTCCTGCTTGGCCAT
GACATTGACTTTGGACATATGGAGGCCGTGAACCTGCTAAGCTCTAACAAGTACACGGAGAAGCAGATAG
GGTACCTGTTCATCTCAGTCCTGGTGAACTCGAACTCAGAACTGATCCGGCTCATCAACAACGCTATCAA
GAATGACCTGGCCAGTCGCAACCCCACCTTCATGTGCCTGGCCTTGCACTGTATCGCTAACGTGGGCAGC
CGTGAGATGGGCGAGGCTTTTGCTGCAGACATTCCCCGAATCCTGGTGGCTGGGGACAGCATGGACAGTG
TGAAGCAGAGTGCCGCCCTATGCCTACTGCGACTCTACAAGGCCTCGCCCGACTTGGTGCCCATGGGCGA
GTGGACGGCACGTGTAGTGCACTTGCTCAATGATCAGCACATGGGAGTGGTCACAGCTGCTGTCAGCCTC
ATCACCTGTCTCTGCAAGAAGAATCCGGATGACTTCAAGACCTGTATCTCCCTGGCTGTGTCTCGCTTAA
GCCGGATCGTCTCCTCAGCCTCCACTGACCTCCAGGACTACACTTACTACTTCGTTCCTGCACCCTGGCT
CTCTGTGAAGCTACTGCGGCTGCTCCAGTGTTACCCACCACCAGAGGATGCAGCCGTGAAAGGGCGGTTA
GTGGAGTGTCTGGAGACTGTGCTCAACAAGGCCCAGGAGCCTCCCAAGTCCAAGAAGGTGCAGCACTCCA
ACGCCAAGAACGCTATCCTCTTTGAGACCATTAGCCTCATCATCCACTATGACAGTGAGCCCAACCTCCT
GGTCCGCGCCTGCAACCAGCTGGGCCAGTTCCTGCAGCACCGGGAGACTAACCTGCGCTACCTGGCCCTG
GAGAGCATGTGCACGCTGGCCAGCTCCGAGTTCTCCCACGAGGCCGTCAAGACCCACATTGATACAGTTA
TTAATGCCCTCAAGACGGAGCGGGACGTCAGTGTGAGGCAGCGGGCGGCTGATCTCCTGTATGCCATGTG
TGACCGGAGCAATGCCAAGCAGATTGTGTCAGAGATGCTGCGGTACCTGGAGACTGCTGACTATGCCATC
CGAGAGGAGATCGTGCTGAAGGTGGCCATCCTGGCTGAGAAGTATGCAGTGGACTACAGCTGGTACGTGG
ACACCATCCTCAACCTCATCCGCATCGCGGGCGACTATGTGAGCGAGGAGGTGTGGTACCGCGTGCTGCA
GATCGTCACCAACCGTGATGACGTCCAGGGTTATGCTGCCAAGACAGTGTTTGAGGCCCTCCAGGCCCCA
GCCTGTCATGAGAACATGGTGAAGGTCGGTGGCTACATCCTTGGGGAGTTTGGGAACTTGATTGCTGGGG
ACCCACGCTCCAGCCCACCAGTGCAGTTCTCGCTGCTGCACTCCAAGTTCCACCTGTGCAGCGTGGCCAC
CCGCGCTCTGTTGCTGTCCACCTACATCAAGTTCATCAACCTCTTCCCTGAGACCAAGGCCACCATCCAA
GGGGTTCTGCGTGCCGGCTCCCAGCTGCGAAATGCCGACGTGGAGCTACAGCAGCGGGCCGTGGAGTACC
TCACCCTCAGCTCCGTAGCCAGCACCGATGTTCTGGCTACGGTGCTAGAAGAAATGCCCCCATTTCCCGA
GCGGGAGTCGTCCATCTTGGCCAAGCTGAAGCGCAAGAAGGGCCCTGGGGCAGCCAGTGCCCTAGATGAC
AGCCGCAGGGACACCAGCAGCAATGACATCAATGGGGGTGTGGAGCCCACCCCCAGCACTGTGTCGACCC
CCTCACCCTCCGCGGACCTCTTAGGGCTGCGGGCAGCCCCTCCCCCTGCTGCACCCCCGGCTCCCGTAGG
CGGGAACCTCCTGGTGGATGTCTTCTCTGACGGCCCCACTGCACAGCCCAGCCTGGGGCCCACTCCTGAG
GAGGCCTTCCTCAGCGAGCTGGAGCCCCCTGCCCCTGAGAGCCCCATGGCTTTGTTGGCTGACCCAGCTC
CAGCTGCTGACCCAGGTCCTGAGGACATAGGCCCTCCCATTCCAGAAGCAGATGAACTGTTGAATAAGTT
CGTGTGTAAGAATAGTGGGGTCTTGTTTGAGAACCAGCTGCTGCAGATTGGAGTCAAGTCTGAGTTCCGG
CAGAACCTGGGCCGCATGTATCTCTTCTATGGCAACAAGACTTCTGTGCAGTTCCAGAACTTCTTGCCCA
CCGTGGTCCATCCTGGGGACCTCCAGACTCAGCTGGCGGTGCAGACCAAGCGTGTGGCGGCACAAGTGGA
CGGTGGCGCACAGGTGCAGCAAGTACTCAACATTGAGTGTCTGCGAGACTTCCTGACGCCGCCACTGTTG
TCGGTGCGCTTCCGGTACGGTGGCACCGCCCAGTCCCTCACTCTGAAGCTCCCAGTGACCATCAACAAAT
TCTTCCAGCCCACAGAGATGGCGGCCCAAGACTTTTTCCAGCGCTGGAAGCAGCTGAGCCTCCCCCTGCA
GGAGGCACAGAAAATCTTCAAAGCCAACCACCCGATGGATGCTGAAGTTACTAAGGCCAAGCTTCTGGGG
TTTGGCTCTGCTCTTCTGGACAATGTGGATCCCAACCCTGAGAACTTTGTGGGTGCTGGAATCATCCAGA
CGAAGGCCCTGCAGGTGGGGTGTCTGCTTCGGCTGGAGCCCAATGCCCAGGCCCAAATGTACCGTCTAAC
CCTGCGCACCAGCAAAGAGCCTGTCTCCCGTCACTTGTGTGAGCTGCTGGCCCAGCAGTTC

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT
ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence:

>MR211368 protein sequence
Red=Cloning site Green=Tags(s)

MPAVSKGDGMRGLAVFISDIRNCKSKEAEIKRINKELANIRSKFKGDKALDGYSKKKYVCKLLFIFLLGH
DIDFGHMEAVNLLSSNKYTEKQIGYLFISVLVNSNSELIRLINNAIKNDLASRNPTFMCLALHCIANVGS
REMGEAFAADIPRILVAGDSMDSVKQSAALCLLRLYKASPDLVPMGEWTARVVHLLNDQHMGVVTAAVSL
ITCLCKKNPDDFKTCISLAVSRLSRIVSSASTDLQDYTYYFVPAPWLSVKLLRLLQCYPPPEDAAVKGRL
VECLETVLNKAQEPPKSKKVQHSNAKNAILFETISLIIHYDSEPNLLVRACNQLGQFLQHRETNLRYLAL
ESMCTLASSEFSHEAVKTHIDTVINALKTERDVSVRQRAADLLYAMCDRSNAKQIVSEMLRYLETADYAI
REEIVLKVAILAEKYAVDYSWYVDTILNLIRIAGDYVSEEVWYRVLQIVTNRDDVQGYAAKTVFEALQAP
ACHENMVKVGGYILGEFGNLIAGDPRSSPPVQFSLLHSKFHLCSVATRALLLSTYIKFINLFPETKATIQ
GVLRAGSQLRNADVELQQRAVEYLTLSSVASTDVLATVLEEMPPFPERESSILAKLKRKKGPGAASALDD
SRRDTSSNDINGGVEPTPSTVSTPSPSADLLGLRAAPPPAAPPAPVGGNLLVDVFSDGPTAQPSLGPTPE
EAFLSELEPPAPESPMALLADPAPAADPGPEDIGPPIPEADELLNKFVCKNSGVLFENQLLQIGVKSEFR
QNLGRMYLFYGNKTSVQFQNFLPTVVHPGDLQTQLAVQTKRVAAQVDGGAQVQQVLNIECLRDFLTPPLL
SVRFRYGGTAQSLTLKLPVTINKFFQPTEMAAQDFFQRWKQLSLPLQEAQKIFKANHPMDAEVTKAKLLG
FGSALLDNVDPNPENFVGAGIIQTKALQVGCLLRLEPNAQAQMYRLTLRTSKEPVSRHLCELLAQQF

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Restriction Sites: SgfI-MluI

Cloning Scheme:



ACCN: NM_007458

ORF Size: 2934 bp

OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	1. Centrifuge at 5,000xg for 5min. 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA. 3. Close the tube and incubate for 10 minutes at room temperature. 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom. 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_007458.2, NP_031484.1
RefSeq Size:	3457 bp
RefSeq ORF:	2934 bp
Locus ID:	11771
UniProt ID:	P17426
Cytogenetics:	7 B3
MW:	107.7 kDa

Gene Summary: Component of the adaptor protein complex 2 (AP-2). Adaptor protein complexes function in protein transport via transport vesicles in different membrane traffic pathways. Adaptor protein complexes are vesicle coat components and appear to be involved in cargo selection and vesicle formation. AP-2 is involved in clathrin-dependent endocytosis in which cargo proteins are incorporated into vesicles surrounded by clathrin (clathrin-coated vesicles, CCVs) which are destined for fusion with the early endosome. The clathrin lattice serves as a mechanical scaffold but is itself unable to bind directly to membrane components. Clathrin-associated adaptor protein (AP) complexes which can bind directly to both the clathrin lattice and to the lipid and protein components of membranes are considered to be the major clathrin adaptors contributing the CCV formation. AP-2 also serves as a cargo receptor to selectively sort the membrane proteins involved in receptor-mediated endocytosis. AP-2 seems to play a role in the recycling of synaptic vesicle membranes from the presynaptic surface. AP-2 recognizes Y-X-X-[FILMV] (Y-X-X-Phi) and [ED]-X-X-X-L-[LI] endocytosis signal motifs within the cytosolic tails of transmembrane cargo molecules. AP-2 may also play a role in maintaining normal post-endocytic trafficking through the ARF6-regulated, non-clathrin pathway. The AP-2 alpha subunit binds polyphosphoinositide-containing lipids, positioning AP-2 on the membrane. The AP-2 alpha subunit acts via its C-terminal appendage domain as a scaffolding platform for endocytic accessory proteins. The AP-2 alpha and AP-2 sigma subunits are thought to contribute to the recognition of the [ED]-X-X-X-L-[LI] motif (By similarity).[UniProtKB/Swiss-Prot Function]

Product images:



Circular map for MR211368