

Product datasheet for **MR211379**

Rnf111 (BC069835) Mouse Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Rnf111 (BC069835) Mouse Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	Rnf111
Synonyms:	ARK, Arkadia
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
ORF Nucleotide Sequence:	>MR211379 ORF sequence Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCC**CGATCGCC**

ATGTCCTCAATGGACTCCTGAATTTAACGAGCTCTACACCCTAAAAGTGGCTATGAAGAGTGGGACTCCTG
ATGCGCCCACTACACAGGAGAGTCTGAAGGCGGTCTTCTGCACCCACAGCCCTAGGGGCCACCAAGAG
CTTCCCTGCAGAAGTGGAGATGATTAATAGCAAAGTGGGAATGAATTCTCTCATCTGTGTGATGATTCT
CAAAAACAAGAGAAGGACATGACTGGCAACCAGCAAGAACAAGAAAAAAGTGGTGTGTGAGAAAAAAGC
GCAAAAGCCAGCAGGCTGGCCCTCATATGTGCAGAACTGTGTCAAAGAAAAATCAGGAAATCCTAGGGCG
CAGACAACAGCTAGAGACACCGAGTGATGAGGATAATGACTCTTCCTTAAGTGAGTGTCTGTCTTCTCCC
TCATCTAGTCTCCATTTTGGGGCTCTGATACAGTGACTTCAGATGAGGATAAAGAAGTCTCGGTGAGAC
ATACCCAGCCTGTTCTGAGTGCTAAAAGTAGAAGTCACAGTGCAAGGTCTCACAAGTGGCCTCGAACTGA
GGCAGATCCTGTGCCAAGTTTGTAAATGAAAAGACCTTGTTCATGGCAGTGCACTAAGGAGAGTCACA
TGCAGAAAGAGGCTGGTGAAGAGCAGCTCCTCGCAGAGGACACAGAAGCAGAAGGAGAGGATGCTAGTGC
AGAGGAAGAAGCGGGAGGCGCTAGCTCAGAGGAAGTATGCTCTTCTCTCCAGTCCAGTAGCTCCAGTGA
GAATGACCTCAGCAGCGATTCTCGTCCAGCTCCTCCACCGATGGAGAAGAGGACCTGTGTGCATCTGCC
AGTGAGAACCCAGCAACCCGCTGCTCCCTCAGGAAGTATTGATGAAGATGTTGTGGTGATAGAAGCCT
CCTTCACTCCCCAGGTCACTGCCAATGAAGAAATTAATGTTACCTCAACTGACAGTGAAGTGGAGATTGT
TACAGTTGGAGAAAGCTATCGGTCTCGTTCAACCTTGGACACTCCAGATCTCATTGGAGCCAAGGTTCA
AGTTTCGCATACAGGACGGCCACAGGAGTCTCGAAACCGCAGTAGGATCTCTACTGTTATACAGCCCTGA
GGCAGAAATGCAGCAGAAGTTGTGGACCTTACTGTTGATGAAGATGAACCTACTATAGTACCAACCACTTC
TGCTAGAATGGACTCACAACTACTAGTGCTTCCATTAACAATTCAAATCCATCTACCTCTGAGCAAGCC
TCTGATACTACTTCAACTGTGGCCAGTAGCCAGCCTCCACAGTGTGAGAGACTGAAGCTACTCTTACAA
GCAATAGTGCAACTGGTCTTCTGTGGCGATGACGTGAGGAGAACTGCATCTAGTGCTGTCCAGAAAG
TGGTCTCTGCAATGCCAAGGCTACCTCTTGCTGCCCCAGCACTCACCATGTGGAGGGACATCACAG



[View online »](#)

AGCCATCATGCATTAGCACACCCACACTCAAGTTGTTTTCAGCAGCATGGCCACCATTTTCAGCATCACC
 ACCATCACCACCATACTCCCCACCCAGCTGTCCAGTTTCTCCTTCCTTCAGTGACCCTGCTTGCCCACT
 GGAAAGACCTCAAGTACAGGCGCCTTGTGGAGCAAATAGCAGCTCTGGTTCCAGCTACCATGACCAGCAG
 GCATTGCCAGTCGATCTGAGCAACAGTGCTCTCAGGACTCATGGAAGTGGGGTTTCCATGGTGCATCTG
 CTTTGTACCCCTGCTGCCCTGTACATCTTCCCGGCTGCAGTCTTGGCCATCAGGCTGCTGCTGCCCC
 GACTCAGCCATTATCAATAGATGGCTATGGCTCCAGCATGGTTGCCAGCCCCAGCCCCAGCCCCCTCCA
 CAGCCTTCTCTTTCGTCATGTGCGCACTACATGCCACCTCCGTATGCTTCTTGAACAAGACCACTGCACC
 ATCAAGCCTCAGCTTGCCATCACTCTCATGGAAATGCCCTCCCCAGACTCAGCCTCCCCCTCAAGTGGA
 TTACGTGATTCCGCATCCTGTCCATGCTTTCATTCTCAGATATCTTCTCATGCAGCATCTCACCCTGTG
 GCACCACCGCCGCAACACATTTAGGCAGTACAGCGGCACCCATCCCTCAGCATCTTCTCCTGCTCACC
 AGCCGATTTACACCATATTCCAGCCCCAGCACCTTCAGCCCAGAGACTGCACCCTCATGAAGTGATGCA
 GAGGATGGAAGTTCAGAGGAGGAGGATGATGCAGCATCCAACGCGGGCACATGAACGCCCGCCGCCCAT
 CCACATAGGATGCACCCAACTATGGCCATGGGCATCATATTATGTGCCTCAAACCATGTCTTCACATC
 CTCGCCAGGCTCCAGAGAGAACTGCCTGGGAAGTGGGATTGAAGCTGGAGTAAGTGCAGCTACCTACAC
 ACCTGGTCTCTGCACCCTCACCTGGCCATTACCAGCCCCGCCTGACTTCATCACCTCCAGTTAGGA
 GCACTTCTTTAATGGTTCTGACATGGCAGGCTATCCTCACATCCGTTATATTTCTTCAGGATTGGATG
 GAGCATATTAGAGGTCTTTTAGGGCAATTTTGAAGGAATTGATTATCTGGAAGAAAGATTAGGAAA
 TGTCAATCGTGGAGCCTCCCAGGGAACAATTGAAAGATGCACATATCCACATAAATATAAAAGAGGAAA
 CTGCACTGCAACAAGATGGGGAAGAAGGACTGAGGAAGACACAGAGGAAAAATGTACTATCTGTTTGT
 CTATTTTAGAGGAAGGTGAAGATGTGAGGCGCCTTCCATGTATGCACCTTTTCCACCAAGTGTGTGTTGA
 TCAGTGGCTGATACCAATAAGAAGTGCCCATATGCAGAGTGGACATCGAGGCCAGCTGCCAAGTGAA
 AGT

ACGCGTACGCGGCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT
 ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence:

>MR211379 protein sequence
 Red=Cloning site Green=Tags(s)


MSQWTFEFNELYTLKVMKSGTPDAPTTQESLKAVLLHPQLGATKSFPAPAEVEMINSKVGNEFSHLCDDDS
 QKQEKDMTGNQQEQEKSGVVRKKRKSQQAGPSYVQNCVKENQEILGRRQQLETPSDEDNDSSLSECLSSP
 SSSLHFGGSDTSTSDEDKEVSVRHTQPVLSAKSRSHSARSHKWPRTEADPVPSLLMKRPFHGSALRRVT
 CRKRLVKSSSSQRTQKQKERMVLQVRKKREALAQRKYALLSSSSSSSENDLSSDSSSSSDTGEEDLCASA
 SENPSNPAAPSGSIDEDVVVIEASFPTQVTANEEINVTSTDSEVEIVTVGESYRSRSTLGHRSRSHWSQGS
 SSHTGRPQESRNRSRISTVIQPLRQNAAEVVDLTVEDEPTIVPTTSARMDSQTTASINNSNPSTSEQA
 SDTTSTVASSQPSTVSEATELTSNSATGSSVGDDVRRTASSAVPESGPPAMPRLPSCCPQHSPCGGTSQ
 SHHALAHPHSSCFQQHGHFQHSHHHHHHTPHPAVPVSPFSDPACPVERPQVQAPCGANSSSGSSYHDQ
 ALPVDLSNSALRTHGSGGFHGASAFDPCPVTSSRAAVFGHQAAPQPLSIDGYGSSMVAQPQPQPPP
 QPSLSSCRHYMPPPYASLTRPLHHQASACHHSHGNAPPQTQPPPQVDYVIPHPVHAFHSQISSHAASHPV
 APPPPHTLGSTAAPIPQHLPPAHQPISSHIPAPAPSAQRLHPHEVMQRMVQRRRMMQHPTRAHERPPPH
 PHRMHPNYGHGHHIHVPQTMSSHPRQAPERTAWELGIEAGVTAATYTPGALHPLAHYHAPPRLHHLQLG
 ALPLMPDMDAGYPHIRYISSGLDGASFRGPFGRNFEELIHLEERLGNVNRGASQGTIERCTYPHYKYYKRK
 LHCKQDGEETEDTEEKCTICLSILEEGEDVRRLLPCMHLLFHQVCVDQWLITNKKCPICRVDIEAQLPSE
 S

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Restriction Sites:

SgfI-MluI

Cloning Scheme:



ACCN: BC069835

ORF Size: 2943 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.


Note: Plasmids are not sterile. For experiments where strict sterility is required, filtration with 0.22um filter is required.

RefSeq: [BC069835](#), [AAH69835](#)

RefSeq Size: 4725 bp
 RefSeq ORF: 2945 bp
 Locus ID: 93836
 Cytogenetics: 9 39.53 cM
 MW: 106.9 kDa

Gene Summary: E3 ubiquitin-protein ligase required for mesoderm patterning during embryonic development (PubMed:11298452). Acts as an enhancer of the transcriptional responses of the SMAD2/SMAD3 effectors, which are activated downstream of BMP (PubMed:14657019). Acts by mediating ubiquitination and degradation of SMAD inhibitors such as SMAD7, inducing their proteasomal degradation and thereby enhancing the transcriptional activity of TGF-beta and BMP (PubMed:14657019). In addition to enhance transcription of SMAD2/SMAD3 effectors, also regulates their turnover by mediating their ubiquitination and subsequent degradation, coupling their activation with degradation, thereby ensuring that only effectors 'in use' are degraded (By similarity). Activates SMAD3/SMAD4-dependent transcription by triggering signal-induced degradation of SNON isoform of SKIL (By similarity). Associates with UBE2D2 as an E2 enzyme (By similarity). Specifically binds polysumoylated chains via SUMO interaction motifs (SIMs) and mediates ubiquitination of sumoylated substrates (PubMed:23530056). Catalyzes 'Lys-63'-linked ubiquitination of sumoylated XPC in response to UV irradiation, promoting nucleotide excision repair (By similarity). Mediates ubiquitination and degradation of sumoylated PML (PubMed:23530056). The regulation of the BMP-SMAD signaling is however independent of sumoylation and is not dependent of SUMO interaction motifs (SIMs) (PubMed:23530056).[UniProtKB/Swiss-Prot Function]

Product images:



Circular map for MR211379