

Product datasheet for **MR211489**

Itga4 (NM_010576) Mouse Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Itga4 (NM_010576) Mouse Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	Itga4
Synonyms:	CD49D; Itga4B
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
ORF Nucleotide Sequence:	>MR211489 representing NM_010576 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCC**CGATCGCC**

ATGGCTGCGGAAGCGAGGTGCAGACCGAGGTCCCAGGGATCGCCCTCCGGAAGCGGTGATGCTGTTGT
TGTAATTCGGGGTGCCAACCGGGCACTCTACAACCTGGACCCGAGAATGCACTGCTGTACCAGGGCCC
CTCCGGCAGCTGTTTGGCTACTCGGTGGTGTGCACAGCCACGGGTGGAAGCGCTGGCTCATCGTGGG
GCTCCCACTGCCAGCTGGCTCTTAATGCCTCAGTGGTCAATCCTGGGGCGATTTACAGATGCGGGATCA
GAAAGAATCCAAACCAGACCTGCGAACAGCTCCAGCTGGGTAGCCCCAGTGGAGAGCCTTGTGGGAAGAC
ATGCCTGGAGGAGAGGGATAAACCAGTGGCTGGGGGTACCCCTTTCCAGACAGCCTGGAGAAAATGGCTCT
ATCGTGACTTGTGGGCACAGGTGAAAAATATTTTTTACATGAAGAGCGATAACAAACTCCCCACTGGCA
TTTGCTACGTCATGCCTTCTGATTTGCGGACAGAACTGAGTAAAAGGATGGCCCCGTGTTACAAAGATTA
TACGAGAAAAATTTGAGAAAAATTTGCATCATGTCAAGCTGGAATATCTAGTTTTTACACACAGGATTTA
ATTGTGATGGGGCCCCGGGATCATCGTACTGGACTGGCACCGTCTTTGTCTACAATATACTACAAACC
AATACAAAGCATTGTAGACAGACAGAACCAAGTAAAAATTTGGAAGCTACTTAGGCTACTCAGTTGGAGC
TGGACATTTTCGAAGTCCACATACTACCGAAGTCGTGGGAGGAGCCCCCTCAACACGAACAGATAGGAAAA
GCATATATATTTAGCATTGATGAAAACGAACTGAACATCGTATATGAAATGAAAGGTAAAAAGCTTGGCT
CATACTTTGGAGCTTCTGTCTGCGCTGTGGACCTCAATGCAGATGGCTTCTCAGATCTCCTTGTGGAGC
TCCCATGCAGAGCACCATCAGGGAGGAAGGAAGAGTATTCGTGTACATCAACTCTGGCATGGGAGCTGTG
ATGGTTGAAATGGAAGGGTCCTTGTGCGAAGTGACAAATATGCTGCAAGATTTGGGAGTCTATAGCGA
ATCTTGGCGACATTGACAATGACGGCTTTGAAGATATTGCTATTGGTGCACCACAAGAAGACGACTTGAG
AGGTGCTGTCTACATTTACAATGGCCGAGTCGATGGAATCTCCTCCACCTACTCACAGAGAATTGAAGGA
CAGCAATCAGCAATCATTAAGGATGTTTGGACAATCTATCTCAGGACAAATTGATGCAGACAACAATG
GATATGTTGATGTAGCCGTTGGTGCATTTCAATCTGATTCTGCAGTGTGCTAAGGACAAGGCCCTGTAGT
GATTGTTGAAGCATCTTAAGCCATCCTGAGTCTGTAATAGGACAAAGTTTGACTGTACTGAAATGGA



[View online »](#)

CTTCCATCTGTGTGCATGCATCTTACACTGTGTTTCTCATATAAAGGCAAAGAGGTCCCAGGCTACATCG
TTTTGTTTTACAATGTGAGCTTGGATGTGCACAGGAAGGCAGAGTCTCCGTCAAGATTTTATTTCTTCTC
TAATGGGACTTCTGACGTGATTACAGGAAGCATACGAGTTTCAAGCAGTGGAGAGAAATGTAGGACACAC
CAGGCATTCATGCGGAAAGACGTGCGAGACATCCTTACCCCCATTCATGTAGAGGCCACATACCACCTTG
GGCATCATGTGATCACCAAACGAAACACTGAGGAATTTCCACCACTCCAGCCGATCCTTCAGCAGAAGAA
AGAAAAAGACGTTATTAGAAAAATGATAAACTTTGCAAGGTTTTGTGCCTATGAAATTTGCTCTGCTGAT
CTCCAAGTTTCTGCAAAAGTTGGATTTTTGAAGCCATATGAAAAAAAACCTATCTTGCTGTTGGGAGCA
TGAAGACCATAATGCTAAACGTGCTTTGTTCAACGCTGGCGATGATGCTTACGAAACCACTCTGAATGT
CCAACCTCCCCACAGGCCTTTATTTCAATTAAGATCTTAGACCTGGAAGAGAAAAAAATAAACTGCGAAGTG
ACTGAGAGCTCAGGCATAGTGAAGCTTGCCTGCAGCCTAGGTTACATATATGTGGATCGCCTCTCAAGGA
TAGACATTAGCTTTCTCCTGGATGTGAGCTCACTCAGCAGGCACATGAGGACCTCAGCATCAGTGTGCA
TGCCTCCTGTGAAACGAGGGCGAATTGGACCAAGTGAGGGACAACAGAGTGACCTTAACGATACCTCTA
AGGTATGAGGTTATGCTGACTGTTTCATGGGCTTGTGAACCAACTTCATTTGTGTATGGATCTAGCGAAG
AAAACGAGCCAGAAACATGCATGGCCGAGAAGCTGAACCTCACTTCCATGTTATAAACTGGGATTAG
CATGGCTCCAAATGTTAGTGTGAAAAATATGGTACCAATTTCTTTCTCCCTCAAGATGATAAGTTGTTT
AACGTTTTGGATGTCCAGACAACCTACAGGGCAATGCCATTTTAAACACTATGGAAGAGAGGTACATTTG
CACAGCAAAAAGGCATAGCGGGGACGTTGACCGATATAGTCAAATTCCTATCAAAGACTGATAAGAGACT
CCTGTATTGCATGAAAGCTGATCAACACTGTTTAGATTTCTTATGCAATTTGGAAGAAATGGAAAGTGGG
AAGGAAGCCAGCGTTTCATATTCAGCTGGAGGGCAGGCCATCCATCTTGGAAATGGATGAGACCTCATCAC
TCAAGTTTGAAATAAAAGCAACAGCTTTTCCAGAGCCACACCCAAAGTTATTGAACTAAATAAAGATGA
GAACGTGGCCCATGTTTTCTTGAAGGGCTCCATCATCAAAGACCCAAACGACATTTACCATCATTATT
ATTACCATCAGCTTGTACTTGGACTTATTGTACTTTTATTAATTTTCATGTGTTATGTGGAAGGCTGGAT
TCTTTAAAAGACAGTACAAATCTATCCTACAAGAAGAAAACAGGAGAGACAGCTGGAGTTATGTCAACAG
CAAAAGCAATGATGAC

ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAATGATATCCTGGATT
ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence:

>MR211489 representing NM_010576

Red=Cloning site Green=Tags(s)

MAEARCPRSRGIALREAVMLLLYFVGPVTHSYNLDPENALLYQGPSGLFGYSVVLHSHGSKRWLIVG
APTASWLSNASVNPAGIYRCGIRKNPNQTCQLQLGSPSGEPCGKTCLEERDNQWLGVTLRSRQPGENG
IVTCGRHWKNIFYMKSDNKLPTGICYVMPDLRTEL SKRMAPCYKDYTRKFGENFASCQAGISSFYTDL
IVMGAPGSSYWTGTVFVYNIITNQYKAFVDRQNQVKFGSYLGYSVGAGHFRSPHTTEVVGAPQHEQIGK
AYIFSIDENELNIVYEMKGKLGSYFGASVCAVDLNADGFDLLVGAPMQSTIREEGRVFVYINSGMGAV
MVEMERVLVGSCKYARFGESIANLGDIDNDGFEDIAIGAPQEDDLRGAVYIYNGRVDGISSTYSQRIEG
QQISKSLRMFGQISGQIDADNNGYVDVAVGAFQSDSAVLLRTRPVVIVEASLSHPESVNRTKFDCTENG
LPSVCMHLTLCSYKKEVPGYIVLFYNVSLDVHRKAESPSRFYFFSNGTSDVITGSIRVSSSGEKCRT
QAFMRKDVDRDILTPIHVEATYHLGHVITKRNTTEFPPLQPIILQKKEKDVIKMINFARFCAYENC
LQVSAKVGFLKPYENKTYLAVGSMKTI MLNVSLFNAGDDAYETTLNVQLPTGLYFIKILDLEEKQINCEV
TESSGIVKLACSLGYIYVDRLSRIDISFLLDVSSLRAHEDLSISVHASCENEGELDQVRDNRVTLTIPL
RYEVM LTVHGLVNPTSFVYGSSEENEPETCMAEKLNLTFHVINTGISMAPNVSVKIMVPNSFLPQDDKLF
NVLDVQTTTGQCHFKHYGRECTFAQQKGIAGTLTDIVKFLSKTDKRLLYCMKADQHCLDFLCNFGKMESG
KEASVHIQLEGRPSILEMDETSSLKFEIKATAFPEPHPKVIELNKDENVAHVFLGLHHQRPKRHFTIII
ITISLLGLIVLLISCVMMKAGFFKRQYKSILQEENRRDSWSYVNSKSNDD

TRTRPLEQKLISEEDLAANDILDYKDDDDKV


Chromatograms:

https://cdn.origene.com/chromatograms/mm9012_b01.zip

Restriction Sites:

SgfI-MluI

Cloning Scheme:



- ACCN:

NM_010576
- ORF Size:

3096 bp
- OTI Disclaimer:

Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at custsupport@origene.com or by calling 301.340.3188 option 3 for pricing and delivery.


The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)
- OTI Annotation:

This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
- Components:

The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:	<ol style="list-style-type: none"> 1. Centrifuge at 5,000xg for 5min. 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA. 3. Close the tube and incubate for 10 minutes at room temperature. 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom. 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	<u>NM_010576.4</u>
RefSeq Size:	9833 bp
RefSeq ORF:	3099 bp
Locus ID:	16401
UniProt ID:	<u>Q00651</u>
Cytogenetics:	2 47.38 cM
MW:	115.5 kDa
Gene Summary:	<p>Integrins alpha-4/beta-1 (VLA-4 or LPAM-2) and alpha-4/beta-7 (LPAM-1) are receptors for fibronectin. They recognize one or more domains within the alternatively spliced CS-1 and CS-5 regions of fibronectin. They are also receptors for VCAM1. Integrin alpha-4/beta-1 recognizes the sequence Q-I-D-S in VCAM1. Integrin alpha-4/beta-7 is also a receptor for MADCAM1. It recognizes the sequence L-D-T in MADCAM1. On activated endothelial cells integrin VLA-4 triggers homotypic aggregation for most VLA-4-positive leukocyte cell lines. It may also participate in cytolytic T-cell interactions with target cells. ITGA4:ITGB1 binds to fractalkine (CX3CL1) and may act as its coreceptor in CX3CR1-dependent fractalkine signaling. ITGA4:ITGB1 binds to PLA2G2A via a site (site 2) which is distinct from the classical ligand-binding site (site 1) and this induces integrin conformational changes and enhanced ligand binding to site 1.[UniProtKB/Swiss-Prot Function]</p>

Product images:



Circular map for MR211489