

Product datasheet for MR211557

Bub1 (NM_009772) Mouse Tagged ORF Clone

Product data:

Product Type: Expression Plasmids
Product Name: Bub1 (NM_009772) Mouse Tagged ORF Clone
Tag: Myc-DDK
Symbol: Bub1
Synonyms: AL022991; Bub1a; C80208; D2Xrf87
Vector: pCMV6-Entry (PS100001)
E. coli Selection: Kanamycin (25 ug/mL)
Cell Selection: Neomycin
ORF Nucleotide Sequence: >MR211557 representing NM_009772
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
 GCC**CGGATCGCC**

ATGGACAACCTAGAAAATGTCTTTGCGATGTTTGAAGCCCATATGCAAAGCTACACGGTAAATGACCCAC
 TTGGAGAATGGGAAAGCTTTATAAAGTGGGTAGAAGAGAATTTTCTGACAATAAAGAATACTTGATGAC
 ATTATTAGAACATTTAATGAAGGAATTTTACATAAGAAGAACTACCACAATGATTCAAGATTCATCAAT
 TATTGCTTAAATTTGCTGAGTACAACAGTGACCGTCATCAGTTTTTTGAGTTTCTGTACAACAGGGAA
 TTGGAACCAAGTCATCATATATACATGTCTGGGCAGGGCATCTGGAAGCCCAGGGAGAGCTGCAGCA
 TGCCAGTGCTATTTTTGACAGGAATTCACAATGAGGCTGAACCTAAAGAACTACTACAGCAACAATAC
 AGGCTATTCGAAGCAGCCTTACTGGAATCCATTTGCCAGCTCAAGCTACAACCTCAGAACCTTTGCATA
 GTGCACAGATTTAAACCAAGTTATGATGACAACTCAAGTCCAGAAAAAACTCAGCCTGTGTTCTTAG
 GAGTCAGGGTTCAGAATGTTCTGGTGTGGCATCTCCACTGTGATGAAAAGTCTAATATGGAACAAAGG
 GTGATCATGATTTCCAAGTCAGAATGCTCTGTCAGCTCATCTGTGGCACCCAAGCCTGAGGCTCAGCAAG
 TTATGTACTGCAAGGAAAAGCTTATTCGTGGAGATTCAGAATTTCTTTTGAAGAAGTCAAGAGGCAAG
 ATATAATCAAAGGAAGAAGCATGAGCAGTGGGTTAGTGAAGACAGAAATATATGAAAAGGAAAGAAGCA
 AATGCTTTTGAAGAGCAATTTAAAAACAGAAAATGGATGAACCTCACAAGAAATTCATCAAGTGGTGG
 AATTGTACACAAGGACCTTCTGCTTCTGAGAACAGGCCTGATGTTAGTCTAGTATGTGTTGGACAAAA
 TACTTGTCCCAGCAGGAATTGAGGGTCCAAGCTTTTCATCCATCAGTCATCAGACCTCAGAGAGTTCA
 GGAGAGAAACACAGGAAGAACCTTCTGTTCTTATGGTAAATGCTGTTAACAGCACTTTGCTGTTCC
 CAGCTGCCAACCTGCCAGCTCTTCTGTTCTGTAAGTGGCCAGTCATTGACAGACTCCAGATGTGTGAA
 TCAAAGTGTTCATGAATTCATGCCACAGTGTGGACCAGAAAACAAAAGAAGTGTGTGAAACAAATAAAGT
 GCCAGCATTAATGATTTTCATACAACCTCAAACACATCATTGGGAATGGTTCAAGGAACACCATGCAAAG
 TGCAGCCATACCAACTGTCCACACCAAGGAAGCATTAGGTTTCATCATGGACATGTTTCAGGCTCCAAC
 ACTTCTGACATTTCTGATGATAAAGATGAATGGCCATCTCTGGACAAAATGAAGATGCATTTGAGCC
 CAGTTTCAAAAAATGCAGTATCTTCGGGAGATTGGGGAGTTAAAAAATATGACTTTGTCATCTGCTT



[View online »](#)

TTCCTATTTTTGAAGATGGAAACAAGAAAATTATGGCTTACCACAGCCTAAAAATAAGCCCTTAGGAGC
 TAGGACCTTTGGAGAACGATCTCTCAGTAAATATTCCTCGAGATCAAATGAAATGCCTCACACTGATGAG
 TTTATGGATGATTCAACAGTATGTGGTATTCGCTGCAACAAAACCTAGCTCCCAGTCTAAAAGTATAG
 GAGACTTTACATCTGCTGCCAACTTTCGTCTACACCATTCCACAAAATTTCCAGCAGATTTAGTACAGAT
 TCCAGAAGATAAAGAAAATGTGGTAGCCACACAGTATACACATATGGCTTTGGATTCTTGTAAAGAAAAC
 ATAGTGGACCTCTAAAAGGCAGAAAAGCTTGGGCCAATTCAAGAGAAAATTTCAGCATCTTTACCCGTGC
 CTAGTCAGCCTGCCACAGGTGGTTTGTTCACCCAGGAAGCAGTGTTCGGCCTTGAGGCTTTTAAATGCAC
 AGGCATTGACCATGCGACAGTGGAAAGACCTATCCGATGCCAATGCTGGGCTCCAAGTTGAATGCGTGCAG
 ACACCTTGAAATGTCAATGCTCCAAGCTTACTGTTGAGAACCCATGGGATGACGAATTGATTCTTAAAC
 TTCTCTCTGGACTTTCTAAGCCAGTTACTTCTATTCAAATACTTTTGTAGTGGCAGAGTAAACTCCAGC
 CATCAAGACCAAGACAGAATATCAATTGGGTTCTTTGCTGGTCTATGTGAATCACCTTCTGGAGAAGGA
 GCCTTTGCTCAAGTCTTTGAAGCTATTCATGGAGATGTGAGAAATGCCAAAAGTGAACAGAAATGCATTT
 TGAAGGTGCAGAGACCTGCCAACTCTGGGAATTCTACATTGGGATGCAGCTGATGGAAAGACTAAAGCC
 AGAAGTACATCACATGTTTCAAGTTTTATTCTGCTCATTTATTCAAGAATGGCAGCATATTAGTAGGG
 GAACTCTACAGCTATGGGACGTTACTAAATGTCATTAACCTCTATAAAAAACCTCTGAAAAGTGTATGC
 CCCAGGCTCTTGCTCACTTTTCGCTATCAGAATGCTTTACATGGTTGAACAAGTCCACAGCTGCGAAAT
 CATTTCATGGAGACATTAAGCCAGATAAATTCATACTAGGACACAGATTTTTGGAACAGGCTGATGAAGAC
 TTAGCTACCGCTTGGCATTGATTGACCTGGGTGACAGTATAGATATGAACTTTTCCCTAAAGGAACTG
 TATTTACAGGAAAATGTGAAACATCTGGTTTTTCAGTGTCTGAGATGCTCAGTAAACAGCCATGGAAC
 CCAGATTGATTACTTTGGAGTTGCTGCAACAATATACTGTATGCTCTTTGGCTCTTACATGAAAAGTAAA
 AATGAAGGAGGAGTCTGGAAACCTGAAGGTCTTTTGAAGGCTTCTCATTGGATATGTGGGAGGAAT
 TTTTTCACATCATGTTGAATATACCGGATTGTCATAATCTTCCATCTTTGGATTTCTGAGACAGAATAT
 GAAGAAATTAAGCAACAGTATTCACAAGATTAAGACCTTGCCTAATAGGCTAATTGTGATGCTT
 TCAGAATAAAGCGTTCAAGAAA

ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAATGATATCCTGGATT
ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence:

>MR211557 representing NM_009772
Red=Cloning site Green=Tags(s)

MDNLENVFRMF EAHMQSYTGNDPLGEWESFIKWEENFPDNKEYLMTLLEHLMKEFLHKKNYHNSRFIN
 YCLKFAEYNSDRHQFFFLYNQIGTKSSYIYMSWAGHLEAQGELQHASAIFQTGIHNEAEPKELLQQQY
 RLFQARLTGIHLPAQATTSEPLHSAQILNQVMMTNSSPEKNSACVPRSQGSECSGVASSTCDEKSNMEQR
 VIMISKSECSVSSSVAPKPEAQVVMYCKEKLIRGDSEFSFEELRAQKYNQRKKHEQWVSEDRNYMKRKEA
 NAFEEQLLKQKMDLHKKLHQVVELSHKDLPAENRPDVSLVCVGQNTCSQQELRGPSSISHTSESS
 GEKPQEEPSVPLMVNAVNSTLLFPAANLPALPVPVSGQSLTDSRCVNQSVHEFMPQCGPETKEVCETNKV
 ASINDFHHTPNTSLGMVQGTQPKVQPSPTVHTKEALGFIMDMFQAPTLPI SDDKDEWPSLDQNEFAFEA
 QFQKNAVSSGDWGVKKIMTLSSAFP IFEDGNKENYGLPQPKNKPLGARTFGERSLSKYSSRSNEMPHTE
 FMDDSTVCGIRCNTLAPSPKSIIGDFTSAAQLSSTPFHKFPADLVQIPEDKENVVATQYTHMALDSCKEN
 IVDLSKGRKLGPIQEKISASLPCPSQPATGGLFTQEAVFGLEAFKCTGIDHATVEDLSDANAGLQVECVQ
 TLGNVNAPSFTVENPWDELILKLLSGLSKPVTSYSNTFEWQSKLPAIKTKTEYQLGSLLYVNHLLGEG
 AFAQVFEAIHGDVRNAKSEQKCILKVRPANSWEFYIGMQLMERLKPEVHHMFIKFS AHLFKNGSILVG
 ELYSYGTLNVLNLYKNTSEKVMQALVLTFAIRMLYMVEQVHSCEI IHGDIKPDNFI LGHRFLEQADE
 LATGLALIDLQSIDMKLFPKGTVFTGKCETSGFQCPEMLSNKPWNYQIDYFGVAATIYCMILFGSYMVKV
 NEGGVWKPEGLFRRLPHLDMWEEFFHIMLNI PDCHNLPSLDFLRQNMKLLLEQQYSNKIKTLRNLRIVML
 SEYKRSRK

TRTRPLEQKLISEEDLAANDILDYKDDDDKV


Restriction Sites:

Sgfl-MluI

Cloning Scheme:



Plasmid Map:



ACCN: NM_009772

ORF Size: 3174 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	<u>NM_009772.2</u> , <u>NP_033902.2</u>
RefSeq Size:	4334 bp
RefSeq ORF:	3177 bp
Locus ID:	12235
UniProt ID:	<u>O08901</u>
Cytogenetics:	2 62.1 cM
MW:	120 kDa
Gene Summary:	<p>Serine/threonine-protein kinase that performs 2 crucial functions during mitosis: it is essential for spindle-assembly checkpoint signaling and for correct chromosome alignment. Has a key role in the assembly of checkpoint proteins at the kinetochore, being required for the subsequent localization of CENPF, BUB1B, CENPE and MAD2L1. Required for the kinetochore localization of PLK1. Required for centromeric enrichment of AUKRB in prometaphase. Plays an important role in defining SGO1 localization and thereby affects sister chromatid cohesion. Acts as a substrate for anaphase-promoting complex or cyclosome (APC/C) in complex with its activator CDH1 (APC/C-Cdh1). Necessary for ensuring proper chromosome segregation and binding to BUB3 is essential for this function. Can regulate chromosome segregation in a kinetochore-independent manner. Can phosphorylate BUB3. The BUB1-BUB3 complex plays a role in the inhibition of APC/C when spindle-assembly checkpoint is activated and inhibits the ubiquitin ligase activity of APC/C by phosphorylating its activator CDC20. This complex can also phosphorylate MAD1L1. Kinase activity is essential for inhibition of APC/CCDC20 and for chromosome alignment but does not play a major role in the spindle-assembly checkpoint activity. Mediates cell death in response to chromosome missegregation and acts to suppress spontaneous tumorigenesis. Essential during early and later stages of embryonic development. Necessary for postimplantation embryogenesis and proliferation of primary embryonic fibroblasts and plays an important role in spermatogenesis and fertility.[UniProtKB/Swiss-Prot Function]</p>