

Product datasheet for MR211632

Smarcc2 (NM_198160) Mouse Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Smarcc2 (NM_198160) Mouse Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	Smarcc2
Synonyms:	5930405J04Rik
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
ORF Nucleotide Sequence:	>MR211632 ORF sequence Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCC**CGATCGCC**

ATGGCGGTGCGGAAGAAGGACGGCGGCCCAACGTGAAGTACTACGAGGCCGGGACACCGTGACCCAGT
TCGACAACGTGCGGCTCTGGCTCGGCAAGAACAAGAAGTACATACAAGCAGAACCGCCAACCAACA
GTCTCTGTCCAGCCTGGTGGTGCAGTTGCTCCAGTTTCAGGAAGAGGTTTTGGCAAACATGTCAGCAAC
GCACCGCTTAACTAACTGCCGATCAAATGTTTCCTAGATTTCAAAGCAGGAGGATCCCTCTGCCATATTC
TTGCAGCTGCCTACAAATTCAGAGTGACCAGGATGGCGGCGTTACGATTTCCAGAATCCATCAGCAT
GGACCGCAATGTGAAATGTTTCATGACCATTGAGAAGTCCTTGGTACAGAATAATTGCCTGTCACGACCT
AACATTTTCTCTGCCCAGAAATGAGCCAAACTGCTAGGGAAATTAAGACATTGTTAAGAGACACC
AGGGAACCATCTCTGAGGATAAGAGCAATGCCTCCCATGTTGTGTATCCTGTCCCAGGGAACCTAGAAGA
AGAGGAATGGGTACGGCCAGTCAAGAAGGGATAAACAGGTTCTTCTGCACTGGGGCTACTATCCTGAC
AGCTACGACACGTGGATCCCAGCGAGTGAATGAAGCATCTGTGGAGGACGCTCCCCTCTGAGAAAC
CGAGGAAGGTCCATGCGAAGTGGATCCTCGACACCGACACATTCAACGAGTGGATGAATGAGGAAGACTA
CGAAGTCAGTGACGACAAAAGCCAGTCTCCCGCAGGAAGAAGATCTCAGCCAAGACGCTGACAGACGAG
GTAACAGCCAGATTCAGACAGACGAGACAAGAAGGGGGCAACTATAAGAAGAGGAAGCGCTCTCCCT
CTCCTTACCCACCCAGAGGCTAAGAAGAAAACGCTAAGAAAGGACCCTCAACACCTTATACCAAGTC
AAAGCGAGGCCACAGAGAAGAGGAACAAGAAGACCTGACAAAAGACATGGATGAGCCCTCTCCAGTCCCA
AACGTGGAAGAGGTGACACTCCCCAAAACAGTCAACACTAAAAGGACTCTGAGTCAGCCCCAGTCAAAG
GCGGCACCATGACTGACCTGGATGAACAGGACGATGAAAGCATGGAGACCACCGCAAGGACGAGGATGA
GAACAGCACGGGCAACAAAGGCGAGCAGACGAAGAACCCGACCTGCATGAGGACAATGTGACCGAGCAG
ACCCACCACATCATCCCCAGCTACGCCGCTGGTTTGACTACAACAGCGTCCATGCCATTGAACGGA
GGGCTCTTCTGAGTTCTTCAACGGCAAGAACAAGTCTAAGACTCCAGAGATCTACCTGGCGTATCGGAA
CTTCATGATTGACTTACCGACTGAATCCCAGGAGTATCTAACATCTACTGCCTGTCGGCGGAATTTG



GCGGGTATGTCTGCGCTATCATGAGGGTCCATGCCTTCCTGGAACAGTGGGGTCTTATTAACACCAGG
 TAGATGCTGAGAGCCGACCAACCCCAATGGGGCCTCCACCACCTCTCACTTCCATGTCTTGGCGGACAC
 ACCATCAGGGCTGGTTCCCTTTCCAGCCGAAGCCTCCACAGCAGAGCTCTGCTTCCAGCAAATGTGAAC
 TTCCCTGAGAAGGGCAAGGAGAAACCAGCAGACATGCAGAATTTTGGGCTGCGCACAGACATGTACAAA
 AGAAGAACGTCCCTCCAAGAGCAAAGCTGCAGCAAGTCCACTCGGGAATGGACGGAGCAGGAGACTCT
 GCTGCTCCTGGAGGCTTTGAAAATGTACAAGGACGACTGGAACAAAGTATCTGAGCACGTGGGAAGCCGC
 ACGCAGGACGAGTGCATTTGCATTTTCTCCGCTTCCCATTGAAGACCCATACCTGGAGACTCGGAGG
 CTCTCTAGGCCCTCTGGCCTACCAACCCATCCCCTTCAGTCAGTCAGGCAACCCGTATTGAGCACCGT
 TGCTTCTCGCCTCTGTCTGATCCCGAGTTGCCTCTGCTGCTGCGAAGTCAGCCCTAGAAGAGTTC
 TCAAAAATGAAGGAAGAGGTGCCACAGCTTTGGTGAAGCCACGTGCGTAAGTGAAGAAGCGGCCA
 AAGTCACAGGCAAGGCCGACCCAGCCTTTGGTCTGGAGAGTAGCGGCATCGCAGGGACTGCCTCTGATGA
 GCCTGAGCGCATTGAGGAAAGCGGGACTGAGGAGGCACGGCCAGAGGGCCAGGCAGCAGATGAGAAGAAG
 GAGCCTAAGGAACCAGGGAAGGAGGGGGCGCTGTGGAGGAAGAAGCAAAGGAGGAAATAAGTGAGGTCC
 CCAAGAAAGATGAAGAGAAAGGGAAGAAGGTGACAGTGAGAAGGAGTCTGAGAAGAGTGACGGGGACCC
 GATAGTTGATCCTGAGAAAGACAAGGAACCAACAGAAGGGCAGGAGGAAGTCTAAAGGAAGTGGCAGAG
 CCAGAGGGGGAGAGGAAAACCAAGGTGGAGCGTGACATTGGTGAAGGCAACCTGTCCACAGCTGCAGCCG
 CAGCCCTGGCCGCTGCTGCAGTCAAGGCCAAGCACTTGGCTGCAGTTGAGGAGAGAAAGTCAAGTCTTT
 GGTGGCTCTGCTGGTAGAGACCCAAATGAAGAACTAGAGATCAAACCTCCGACATTTTGGAGAGCTGGAG
 ACAATAATGGACCGGGAGCGAGAGGCGCTGGAATACCAGAGGCAGCAGCTCCTGGCCGACCCGCAAGCCT
 TCCACATGGAGCAGCTGAAGTATGCAGAGATGAGGGCCCGGCAGCAGCACTTCCAGCAGATGCACCAGCA
 GCAGCAGCAGCAGCCACCAACCTTGCCCCAGGCTCCCAGCCATACCTCCCACCGGGGCTGTGGACCA
 CCTACAGTCCATGGTCTAGCTGTGCCTCCAGCCGCTGTGGCCTCTGCCCTCTGGCAGTGGGGCCCTC
 CTGGAAGCTTGGGCCCTTCTGAACAGATTGGGCAGGCAGGGAACCTGCAGGGCCACAGCCACAACA
 AGCTGGAGCCCTCAGCCTGGGGCAGTCCACACGGGGTACCCCCCTGGACCCCATGGCCCTCACCG
 TTCCCAACCAACCAACTCCTCCCTCAATGATGCCAGGGCAGTGCCAGGCAGCGGGCACCCAGGCGTGG
 CGGACCCAGGCACCCCGCTGCCTCCAGACCCACAGCTCCAAGCCAGGCACAGTCACCCCTGTGCCACC
 TCCACAG

ACGCGTACGCGGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT
 ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence:

>MR211632 protein sequence
 Red=Cloning site Green=Tags(s)

MAVRKDKGGPNVYEEAADTVTQFDNVRLWLGNKYKYYIQAEPTNKSLSSLVVQLLQFQEEVFGKHVSN
 APLTKLPIKCFDFKAGGSLCHILAAAYKFKSDQWRRYDFQNP SRMDRNVEMFMTIEKSLVQNCLSRP
 NIFLCPEIEPKLLGKLDIVKRHQGTISEDKSNASHVVYPVPGNLEEEWVRPVMKRDKQVLLHWGYYPD
 SYDTWIPASEIEASVEDAPTPEKPRKVHAKWILD TDTFNEMNEEDYEVSDDKSPVSRKKISAKLTDE
 VNSPDSRRDKKGGNYKRRKSPSPSPTPEAKKNAKKGPTPYTKSKRGHREEEQEDLTKDMDEPSPVP
 NVEEVTLPKTVNTKKDSEAPVKGGM TDLDEQDDESMETTGDENSTGNKGEQTKNPD LHEDNVTEQ
 THHIIIPSYAAWFDYNSVHAIERRALPEFFNGKNKSKTPEIYLAYRNF MIDTYRLNPQEYLTSTACRRNL
 AGDVCAIMRVHAFLEQWGLINYQVDAESRPTPMGPPPTSHFHLADTPSGLVPLQPKPPQSSASQMLN
 FPEKGKEKPADMQNFGRLRTDMYTKKNVPSKSKAAAASATREWTEQETL LLEALEMYKDDWNKVSEHVGS
 TQDECILHFLRLPIEDPYLEDSEASLGPLAYQPIPFSSQGNPVMSTVAF LASVVDPRVASAAAKSALEEF
 SKMKKEEVP TALEAHVRVVEAAKVTGKADPAFGLLESSGIAGTASDEPERIEESGTEEARPEGQAAD EKK
 EPKEPREGGGAVEEEAKEEISEVPKKDEEKGEKGDSEKSEKSDGPIVDPEKDKPETEGQEEVLKEVAE
 PEGERTKVERDIGEGNLSTAAAAAALAAAVKAKHLAAVEERKIKSLVALLVETQMKKLEIKLRHFEELE
 TTMDREREAL EYQRQQLADRQAFHMEQLKYAEMRARQQHFQMQHQQQQQPPTLPPGSQP I PPTGAAGP
 PTVHGLAVPPAAVASAPPGSGAPPGLPSEQIGQAGTTAGPQQPQQAGAPQPGAVPPGVP PPGPHGSPS
 FPNQTPPSMMPGAVPGSGHPGVADPGTLPDPD TAPSPGTVTPVPPPQ

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Restriction Sites: SgfI-MluI

Cloning Scheme:



ACCN: NM_198160

ORF Size: 3300 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_198160.2](#)

RefSeq Size: 4622 bp

RefSeq ORF: 3300 bp


Locus ID: 68094

UniProt ID: [Q6PDG5](#)

Cytogenetics: 10 D3
MW: 121.4 kDa

Gene Summary: Involved in transcriptional activation and repression of select genes by chromatin remodeling (alteration of DNA-nucleosome topology). Component of SWI/SNF chromatin remodeling complexes that carry out key enzymatic activities, changing chromatin structure by altering DNA-histone contacts within a nucleosome in an ATP-dependent manner. Can stimulate the ATPase activity of the catalytic subunit of these complexes. May be required for CoREST dependent repression of neuronal specific gene promoters in non-neuronal cells. Belongs to the neural progenitors-specific chromatin remodeling complex (npBAF complex) and the neuron-specific chromatin remodeling complex (nBAF complex). During neural development a switch from a stem/progenitor to a postmitotic chromatin remodeling mechanism occurs as neurons exit the cell cycle and become committed to their adult state. The transition from proliferating neural stem/progenitor cells to postmitotic neurons requires a switch in subunit composition of the npBAF and nBAF complexes. As neural progenitors exit mitosis and differentiate into neurons, npBAF complexes which contain ACTL6A/BAF53A and PHF10/BAF45A, are exchanged for homologous alternative ACTL6B/BAF53B and DPF1/BAF45B or DPF3/BAF45C subunits in neuron-specific complexes (nBAF). The npBAF complex is essential for the self-renewal/proliferative capacity of the multipotent neural stem cells. The nBAF complex along with CREST plays a role regulating the activity of genes essential for dendrite growth (PubMed:17640523). Critical regulator of myeloid differentiation, controlling granulocytopoiesis and the expression of genes involved in neutrophil granule formation (PubMed:28369036).[UniProtKB/Swiss-Prot Function]

Product images:



Circular map for MR211632