

Product datasheet for MR211635

Jak3 (NM_010589) Mouse Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Jak3 (NM_010589) Mouse Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	Jak3
Synonyms:	fae; wil
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
ORF Nucleotide Sequence:	>MR211635 ORF sequence Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCC**CGATCGCC**

ATGGCACCTCCAAGTGAGGAGACACCTCTGATCCCTCAGCGCTCTTGACGCTCTCATCCTCAGAGGCAG
GAGCCCTGCATGTGCTCCTTCTCCCGGGGACCTGGGCCTCCCGAGCGATTGTCATTCTTTTGGGGA
CTACTTGGCTGAGGATTTATGTGTGCGAGCTGCCAAGGCCTGTGGCATCCTGCCTGTTTATCATTGCTT
TTCGCTCTGGCCACTGAGGACTTCTCTTGCTGGTTTCCCCAAGCCACATCTTCTGCATAGAGGACGTGG
ACACTCAAGTCTTGGTCTACAGGCTACGCTTTTATTTCCCTGACTGGTTTGGGCTGGAGACATGTCACCG
CTTTGGGCTGCGCAAAGATTTGACCAGTGCCATCCTTGACTTACATGTTTAGAACATCTTTTGCTCAG
CACCGCAGTGACCTGGTGTGAGTGGGCGCCTCCCGGTGGGCCTTAGCATGAAGGAGCAGGGAGAGTTCTGA
GCCTGGCCGTGCTGGACTTGGCCAGATGGCTCGTGAGCAGGCCAGCGCCAGGAGAGCTGCTGAAGAC
GGTCAGTTACAAAGCCTGTCTGCCGCCAGCCTGCGCGATGTGATCCAGGGCCAGAACTTCGTGACACGC
AGGCGCATCCGCAGGACCGTGGTCTTGGCGCTGCGCCGTGGTGCCTGCCAGGCCGACCGCTACGCGC
TCATGGCCAAGTATATTTCTGGACCTGGAGCGGCTACATCCAGCGGCCACCACCGAGACCTTCCGTGTGGG
GCTCCCGGGCGCCAGGAGGAGCCGGGGCTTCTGCGTGTGGCGGGGACAACGGCATCTCCTGGAGCTCC
GGGGACCAGGAGCTTTTCCAGACCTTCTGTGACTTTCGGAAATCGTGGATGTCAGCATCAAGCAGGCC
CACGTGTGGTCCGGCAGGGGAGCACCGGCTGGTCACTGTCACCAGGATGGACGGCCACATCCTGGAAGC
GGAGTTTCCGGGCTGCCTGAGGCGCTGTCTTTCTGCGCCCTCGTGGATGGTACTTCCGCCTGATCTGC
GACTCCAGGCATTATTTCTGCAAGGAGGTGGCGCCACGGCTGCTGGAGGAGGAGCGGAGCTGTGCC
ATGGACCCATCACGTTAGACTTTGCCATCCACAAGCTGAAGGCCGCTGGCTCCCTCCAGGCACCTATAT
TCTCCGCCGAGCCGACGACTATGACAGCTTCTTCTTACCCTGCGTCCAGACTCCTTTGGCCCC
GACTACAAGGGCTGCCTCATCCGCCAGGACCCAGCGGGCTTTCTCCCTGGTTGGCCTCAGCCAGCCCC
ACAGAAGCCTGCGGGAGCTGCTGCAGCCTGCTGGAATTCTGGGCTGCGAGTAGACGGTGTGCCCTGAA
CCTAACATCCTGTGCGCTCCAGACCCAAGGAAAAGTCCAATTTGATCGTGGTGGGAGGGGCTGCACC



[View online »](#)

```

CCCCGCGCTGCCCTGGCTGCTCCCCGTCTGCTGTGCGCTGACACAGCTGAGCTTCCACACAATCCAA
CGGACAGCTGGAGTGGACGAGAACCTGGGTACGGTCTTTTACCAAGATCTTCCGTGGCCGACGGCG
GGAGGTGATGGTGGTGGACACATGACTCGGAAGTCTCTGAAGGTATGACTCCAGACATCGGAAC
TGCATGGAGTCTTTTCTGGAAGCCGAAGCTTGATGAGCCAAGTATCCTACCCGCACCTGGTGTACTGC
ACGGCGTCTGCATGGCTGGAGACAGCATCATGGTGCAGGAATTTGTGTATCTAGGAGCAATTGACATGTA
CCTGCGCAAGCGTGGCCACCTGGTGTGACCCAGCTGAAACTGCAGGTGACCAAGCAGCTGGCATATGCC
CTTAACTACTTGGAGACAAAGGCCCTTCTCACGGCAACGTCTCAGCACGGAAGTCTCTGGCTCGTG
AGGGGGTGTGATGGGAATCCACCTTTTATTAAAGCTGAGTGATCCTGGTGTGACAGTCCCACTGTGCTGAGCCT
GGAATGCTCACCGACAGAATACCTGGGTGGCCCCGAATGTCTCCAGGAGGCTCAGACACTCTGCTTG
GAGGCTGACAAGTGGGGCTTTGGAGCCACCACGTGGGAGGTGTTGAGCGGGGACCCGCCACATCACCT
CGCTGGAGCCCGCAAAAAGCTGAAGTTCTATGAGGACCAGGGACAGCTGCCCGTCTCAAATGGACAGA
ACTGGCGGACTTATCACACAGTGCATGGCGTATGATCCTGGCCGGCGCCCTCTTCCGAGCTATCCTC
AGAGACCTCAACGGCCTATTACATCAGATTACGAGCTCCTCTCAGACCCACACCTGGCATCCCGAGTC
CTCGAGATGAGCTGTGCGGTGGCGCCAGCTCTATGCCTGCCAGGACCCCGCCATATTGAGGAGAGACA
CCTTAAGTACATCTTTTGTGGCAAGGGCAACTTTGGCAGCGTGGAGCTGTGCCGCTATGACCCCTG
GGGACAATACGGGACCCCTGGTGGCAGTGAAACAGCTACAGCACAGCGGCCAGACCAGCAGAGGGACT
TCCAGCGGGAGATTAGATCCTTAAGGCTCTGCACAGCGACTTATCGTCAAGTACCGGGGAGTCAGCTA
TGGGCCAGGTGCGCAGAGCCTGCGGTGGTGTGAGTACCTGCCAGCGGCTGCCTGCGAGACTTCTG
CAGCGCCATCGCGCGCGCTGCACACCGACCGCTACTGCTGTTGCTGGCAGATCTGCAAGGGCATGG
AGTACCTGGGTGCGCGCGCTGCGTACACCGTACCTGGTGGCGCAACATCTTGGTGGAGAGCGAGGC
TCATGTGAAGATCGCGGACTTCGGCCTCGTAAGCTGTGCCCTGGAAAGGACTACTACGTGGTCCGC
GAGCCTGGCCAAAGCCCCATCTTTGGTATGCCCGGAGTCCCTATCTGACAACATCTTCCCGCCAACT
CTGACGTGTGGAGCTTCGAGTGGTGTGTACGAGCTTTCACCTACTGCGACAAGAGCTGCAGCCATC
CGCTGAGTTCTGCGCATGATGGGCTGAGCGTGAAGGACCCCGCTCTGCCGCTCTGGAGCTGCTG
GCAGAGGGCCGACGCTCCACACCTCCACCTGCCACCGAGGTTGAGGAGCTCATGACGTGTGCT
GGGCGCCAGCCGACGACCGCCAGCCTTCGGCACCTGAGCCCCAGCTGGACGCGCTGTGGCGTGG
AAGACCCGGA
    
```

ACGCGTACGCGGGCCGCTCGAGCAGAAAACATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT
ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence:

>MR211635 protein sequence
 Red=Cloning site Green=Tags(s)


```

MAPPSEETPLIPQRSCSLSSSEAGALHVLLPPRGPQPRLSFSFGDYLAEDLCVRAAKACGILPVYHSL
FALATEDFSCWFPPSHIFCIEDVDQVLVYRLRFYFPDWFLETCRFLRDKDLTSAIDLHLVLEHLFAQ
HRSDLVSGRLPVGLSMKEQGEFLSLAVLDAQMAREQAQRPGELLKTVSYKACLPPSLRDVIQGNFVTR
RRIRRTVVLALRRVVACQADRYALMAKYILDLELRLHPAATTETFRVGLPGAQEEPGLLRVAGDNGISWSS
GDQELFQTFCDFPEIVDVSIAKQAPRVGPAGEHRLVTVTRMDGHILEAEFPGLPEALSFVALVDGYFRLIC
DSRHYFCKEVAPPRLLEEEAELCHGPITLDFAIHKLKAAGSLPGTYILRRSPQDYDSFLLTACVQTPGPG
DYKGCLIRQDPSGAFSLVGLSQPHRSLRELLAACWNSGLRVDGAALNLTSCCAPRPKEKSNLIVVRRGCT
PAPAPGCSPPCCALTQLSFHTIPTDSLEWHENLGHGSFTKIFRGRREVVVDGETHDSVLLKVMDSRHRN
CMESFLEAASLMSQVSYPHLVLLHGVCMAGDSIMVQEFVYLGAIDMYLRKRHLVSASWKLQVTKQLAYA
LNYLEDKGLPHGNVSARKVLLAREGGDGNPPFIKLSDPGVSPTVLSLEMLTDRIPWVAPECLQEAQTLCL
EADKWFGATTWEVFSGGPAHITSLEPAKLLKFYEDQQLPALKWTELAGLITQCMAYDPGRRPSFRAIL
RDLNGLITSDYELLSDPTPGIPSPRDELCGGAQLYACQDPAIFEERHLKYISLLGKGNFGSELCRYDPL
GDNTGPLVAVKQLQHSGPDQQRDFQREIQILKALHSDFIVKYRGSYSGRQSLRLVMEYLPSCCLRDFL
QRHRARLHTDRLLLFAWQICKGMEYL GARRCVHRDLAARNILVESEAHVKIADFLAKLLPLGKDYVVVR
EPGQSPIFWYAPESLSDNIFSRQSDVWSFGVVLYELFTYCDKSCSPSAEFLRMMGPEREGPPLCRLELL
AEGRRLPPPTCPTEVQELMQLCWAPSPHDPAFGTLSPLDALWRGRPG
    
```

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Restriction Sites: SgfI-MluI

Cloning Scheme:



ACCN: NM_010589

ORF Size: 3303 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_010589.2](#), [NM_010589.3](#), [NM_010589.4](#), [NM_010589.5](#), [NM_010589.6](#), [NP_034719.2](#)

RefSeq Size: 3950 bp

RefSeq ORF: 3303 bp

Locus ID: 16453


UniProt ID: [Q62137](#)

Cytogenetics: 8 34.43 cM

MW: 122.6 kDa

Gene Summary: Non-receptor tyrosine kinase involved in various processes such as cell growth, development, or differentiation. Mediates essential signaling events in both innate and adaptive immunity and plays a crucial role in hematopoiesis during T-cells development. In the cytoplasm, plays a pivotal role in signal transduction via its association with type I receptors sharing the common subunit gamma such as IL2R, IL4R, IL7R, IL9R, IL15R and IL21R. Following ligand binding to cell surface receptors, phosphorylates specific tyrosine residues on the cytoplasmic tails of the receptor, creating docking sites for STATs proteins. Subsequently, phosphorylates the STATs proteins once they are recruited to the receptor. Phosphorylated STATs then form homodimer or heterodimers and translocate to the nucleus to activate gene transcription. For example, upon IL2R activation by IL2, JAK1 and JAK3 molecules bind to IL2R beta (IL2RB) and gamma chain (IL2RG) subunits inducing the tyrosine phosphorylation of both receptor subunits on their cytoplasmic domain. Then, STAT5A AND STAT5B are recruited, phosphorylated and activated by JAK1 and JAK3. Once activated, dimerized STAT5 translocates to the nucleus and promotes the transcription of specific target genes in a cytokine-specific fashion.[UniProtKB/Swiss-Prot Function]

Product images:



Circular map for MR211635