

Product datasheet for MR211676

Atp11c (NM_001037863) Mouse Tagged ORF Clone

Product data:

Product Type: Expression Plasmids
Product Name: Atp11c (NM_001037863) Mouse Tagged ORF Clone
Tag: Myc-DDK
Symbol: Atp11c
Synonyms: A330005H02Rik; AI315324; Ig
Mammalian Cell Selection: Neomycin
Vector: pCMV6-Entry (PS100001)
E. coli Selection: Kanamycin (25 ug/mL)
ORF Nucleotide Sequence: >MR211676 representing NM_001037863
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
 GCCCGGATCGCC

ATGTTCCGCCGGACCCTCAACCGTTTGTGTGCTGGAGAAGAGAAACGAGTTGGTACACGCACAGTGTGTTG
 TTGGCAATCATCCCATTCTGGAACAGAACCTTATTGCGCAAAGATTTGTGATAATAGAATAGTCTC
 ATCTAAGTATACACTTTGGAATTCCTCCCTAAGAATTTGTTGAACAGTTTGAAGAATTGCGAATTTT
 TATTTCTCATCATTTTCTTGTACAGGTCACAGTAGACACACCAACCAGCCAGTTACCACTGGACTTC
 CACTTTTTTTCGTTATACTGTTACAGCAATCAAGCAGGGGTATGAAGATTGGCTTAGACACAGAGCTGA
 TAATGAAGTTAACAAAAGTGCTGTTTATATTGAAAAATGCAAAGCGAGTGAGGAAAGAAAGTGAAAAA
 ATCAAGTTGGTGATGTAGTAGAAGTACAGGCAATGAAACCTTTCCCTGTGATCTTATACTTCTGTTCAT
 CCTGCACAACCTGATGGAACCTGTTATGTCACTACAGCCAGTCTTGATGGTGAATCTAATTGCAAGACACA
 TTATGCAGTACGAGATACCATTGCACTGTGTACAGCCGAATCCATTGATAATCTCCGAGCAACAATTGAA
 TGTGAGCAGCCTCAACCTGATCTCTACAGGTTTGTGGGCGAATCAGTATCTATAGTAATAGTATTGAGG
 CTGTTGCCAGGCTTTGGGACCTGAAAACTTTTGTCTGAAAGGAGCCACACTTAAAAATACCAAGAAGAT
 ATATGGAGTTGCTGTTTACACTGGGATGGAACCAAAAATGGCTTTGAACTACCAAGGAAATCTCAGAAA
 TGTTCTGCTGTGAAAAATCTATTAATGCCTTCTGATTGTTTATTTATTTACTGACCAAAAGCTG
 CAGTATGCACAACCTTAAAGTATGTTGGCAAAGTTCCCATACAATGATGAACCATGGTATAACCAAAA
 GACTCAAAGGAACGGGAAACTTTTCAGGTTTTGAAAAATGTTCACTGACTTTTTATCATTATGTTCTT
 TTCAACTTCATTATACCTGTCTCCATGTATGTCACAGTAGAAATGCAGAAATTTTTAGGGTCATTCTTTA
 TTTTCATGGGATAAAGACTTTTTTGTGAAAGAAATTAATGAAGGAGCCTTGGTTAATACATCAGACCTTAA
 TGAAGAAGTTGGTCAGGTGGACTATGTATTTACAGATAAGACTGGGACACTCACTGAAAAATAGCATGGAA
 TTCATTGAATGCTGCATAGATGGGCACAAATATAAAGGCACAACCTCAGGAAGTTGATGGATTATCTCAGA
 CTGATGGGCCCTTAGCCTATTTTGATAAAGCAGATAAAGAACCGAGAGGCACTCTTCTCCGTGCCCTATG
 CTTATGTCACACTGTAGAAATGAAAACAAATGATGATGTTGATGGACCTGTAGAAGGAGCCGGATTACACA



[View online »](#)

TATATCTCCTCCTCACCAGATGAAATAGCTTTGGTGAAAGGAGCTAAAAGGTTTGGGTTACATTTTTGG
GAAATCAGAATGGATATATCAGAGTAGAGAACCAAGAAAAGAAATAGAAGAGTATGAACTTCTCCACAC
CTTAAATTTTGATTCTGTCCGCCGACGTATGAGTGAATTGTAAGGACCCAAAAGGAGATATTCTACTT
TTCTGTAAAGGAGCAGATTATCAATTTTTCCAGGGTACATAGCCATCAAATTGAGTTAACCAAAGACC
ATGTGGAACGTAATGCAATGGATGGGTATCGGACTCTTTGTGTAGCCTTCAAAGAAATTCCTCCAGATGA
TTTTGAAAGAATCAATGCACAAC TAGTAGAGGCAAAAATGGCCCTACAAGATAGAGAAGAAAACTGGAA
AAGGTTTTTGATGAGATTGAGACTAACATGAATTTAATTGGAGCCACTGCTGTGGAAGACAAGCTGCAAG
ATCAGGCTGCAGAGACCATTGAAGCTCTCCATGCAGCTGGCTTAAAAGTCTGGGTGCTTACTGGGGACAA
GATGGAACAGCCAAATCTACTTGCTATGCCTGCCGCTTTTCCAAACCAATACTGAGCTTTGGAAGT
ACCACAAAACCATTGAAGAGAGTGAAAGGAAAGAAGATCGATTACATGAACTGCTAATAGAATATCGTA
AGAAGTTGCTGCATGAATTTCTAAAAGCACTAGAAGCCTTAAAAAGCATGGACAGAACATCAGGAATA
TGGATTAATCATTGATGGCTCCACATTGCTACTCATACTAAATTCTAGTCAAGATTGTAGTTCAAACAAC
TATAAAAGTATTTTTCTACAACTGTATGAAATGCACGTCAGTCTGCTGCCGGATGGCACCATTAC
AAAAGCCAGATTGTCAGAATGGTGAAGAACTGAAAGGCAGCCCATAACTGTCAATAGGTGATGG
TGCCAATGATGTCAGTATGATTTTGAATCCCATGTGGGAATAGGTATTAAGGAAAAGAAGGCCGTCAA
GCAGCCAGGAATAGTGATTATTCTGTTCCAAAGTTAAGCATTTAAAGAACTGCTATTGGTTCATGGAC
ATCTATACTATGTGAGAATAGCACATCTTGTAACAATTTCTTCTACAAGAACCTTTGTTTCATTTTGGC
ACAATTTTGTACCAGTTCTTCTGTGGATTCTCACAACAGCCACTCTATGATGCTGCTTATCTTACAATG
TACAATATCTGTTTCACATCCCTGCCATCCTGGCTTATAGTCTACTGGAACAGCACATCAACATTGATA
CTCTGACCGCAGACCCTCGATTGTATATGAAAATTACCGGTAATGCTATGTTACAGTTGGGGCCCTTCTT
ACATTGGACATTTCTGGCTGCATTTGAAGGGACAGTATTCTTCTTTGGGACTTATTTCTTTTTCAGACT
TCATCCTTAGAAGACAATGGAAAGATTTATGAAAATTGGACATTTGGAACCATTGTTTTACAGTCTTAG
TATTCACCGTAACCTGAAGCTCGCCTTGATACCCGGTCTGGACATGGATAAATCATTTTGTGATTTG
GGGTTCTTAGCCTTTTATGTTTTTTTCTCATTCTTCTGGGAGGAATTATTTGGCCTTTTCTGAAACAA
CAGAGAATGTATTTGTGTTTGCTCAAATGCTCTGTTCTGTATCCACATGGTTGGCTATAATCCTTTTAA
TATTTATCAGCCTTTTCCCTGAGATTCTCCTAATAGTTGTAAAGAATGTTCAAGAAGAAGTGCCAGGAG
AAATCTGAGCTGTAGAAGGCATCTGACTCATTATCCGCCAGACCTTCAGTCAGACCTCTTCTTTTACGA
ACATTCTCAGACGAATCTAATATATTG

ACGGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAATGATATCCTGGATT
ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence: >MR211676 representing NM_001037863
 Red=Cloning site Green=Tags(s)

MFRRTLNRLCAGEEKRVRTVVFVGNHPISGTEPYIAQRFCDNRIVSSKYTLWNFLPKNLFEQFRRIANF
 YFLIIFLVQVTVDTPSPVTSGLPLFFVITVTAIKQGYEDWLRHRADNEVNKSAVYIIENAKRVRKESEK
 IKVGDVVEVQANETFPICDLILLSSCTTDGTCYVTTASLDGESNCKTHYAVRDTIALCTAESIDNLRATIE
 CEQPQPDLYRFVGRISIIYSNSIEAVARSLGPENLLLKGATLKNKTKKIYGVAVYTGMEKMLNMQGKSQK
 CSAVEKSINAFLLVYLFILLTKAAVCTTLKYVWQSSPYNDEPWYNQKTQKERETFQVLKMFDFLSFMVL
 FNFIIIPVSMYVTVEMQKFLGSFFISWDKDFDEEINEGALVNTSDLNEELGQVDVYFTDKTGTLTENSME
 FIECCIDGHKYGTTQEVDGLSQTGDPLAYFDKADKNREALFLRALCLCHTVEMKTNDDVDGPEVAGFT
 YISSSPDEIALVKGAKRFGFTFLGNQNGYIRVENQRKEIEEYELLHTLNFDSVRRRMSVIVRTQKGDILL
 FCKGADSSIFPRVSHQIELTKDHVERNAMDGYRTLCAVAFKEIPPDDFERINAQLVEAKMALQDREEKLE
 KVDFEIEETNMNLIGATAVEDKLQDQAAETIEALHAAGLKVVWLTGDKMETAKSTCYACRLFQNTLELLEL
 TTKTIEESERKEDRHELLIEYRKLLHEFPKSTRSLKKAWEHQEYGLIIDGSTLSLILNSSQDCSSNN
 YKSIFLQICMKCTAVLCCRMAPLQKAQIVRMVKNLKGSPITLSIGDGANDVSMILESHVIGIGKKEGRQ
 AARNSDYSVPKFKHLKLLLVHGHLYYVRI AHLVQYFFYKNLCF ILPQFLYQFFCGFSQQPLYDAAVLT
 YNICFTSLPILAYSLLEQHINIDTLTADPRLYMKITGNAMLQLGPFLHWTFLAAFEGTVFFFGT YFLFQT
 SSLEDNGKIYGNWTFGTIVFTVLVFTVTLKALDTRFWTWINHFVIWGLAFYVFFSFFWGGIIPFLKQ
 QRMFYVFAQMLCSVSTWLAIIILLIFISLFPEILLIVVKNVRRRSARRNLSRRASDSLARSVSRPLLLR
 TFSDESNIL

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Chromatograms: https://cdn.origene.com/chromatograms/mm9027_h07.zip

Restriction Sites: SgfI-MluI

Cloning Scheme:




ACCN: NM_001037863

ORF Size: 3387 bp

OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_001037863.2
RefSeq Size:	6070 bp
RefSeq ORF:	3390 bp
Locus ID:	320940
UniProt ID:	Q9QZW0
Cytogenetics:	X A6
MW:	129.7 kDa
Gene Summary:	Catalytic component of a P4-ATPase flippase complex which catalyzes the hydrolysis of ATP coupled to the transport of aminophospholipids from the outer to the inner leaflet of various membranes and ensures the maintenance of asymmetric distribution of phospholipids. In the cell membrane of erythrocytes, it is required to maintain phosphatidylserine (PS) in the inner leaflet preventing its exposure on the surface. This asymmetric distribution is critical for the survival of erythrocytes in circulation since externalized PS is a phagocytic signal for splenic macrophages (By similarity). Phospholipid translocation seems also to be implicated in vesicle formation and in uptake of lipid signaling molecules. Required for B cell differentiation past the pro-B cell stage (PubMed:21423173). Seems to mediate phosphatidylserine (PS) flipping in pro-B cells (PubMed:21423172). May be involved in the transport of cholestatic bile acids (PubMed:21518881).[UniProtKB/Swiss-Prot Function]

Product images:



Circular map for MR211676