

Product datasheet for MR211700L4

Inoc1 (BC061495) Mouse Tagged Lenti ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Inoc1 (BC061495) Mouse Tagged Lenti ORF Clone
Tag:	mGFP
Symbol:	Inoc1
Synonyms:	Ino80
Mammalian Cell Selection:	Puromycin
Vector:	pLenti-C-mGFP-P2A-Puro (PS100093)
E. coli Selection:	Chloramphenicol (34 ug/mL)
ORF Nucleotide Sequence:	The ORF insert of this clone is exactly the same as(MR211700).
Restriction Sites:	SgfI-MluI
Cloning Scheme:	

Cloning sites used for ORF Shuttling:



* The last codon before the Stop codon of the ORF.

ACCN:	BC061495
ORF Size:	3423 bp



[View online »](#)

OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	BC061495
RefSeq Size:	4385 bp
RefSeq ORF:	3425 bp
Locus ID:	68142
Cytogenetics:	2 E5
Gene Summary:	ATPase component of the chromatin remodeling INO80 complex which is involved in transcriptional regulation, DNA replication and DNA repair. Binds DNA. As part of the INO80 complex, remodels chromatin by shifting nucleosomes. Regulates transcription upon recruitment by YY1 to YY1-activated genes, where it acts as an essential coactivator. Involved in UV-damage excision DNA repair. The contribution to DNA double-strand break repair appears to be largely indirect through transcriptional regulation. Involved in DNA replication. Required for microtubule assembly during mitosis thereby regulating chromosome segregation cycle.[UniProtKB/Swiss-Prot Function]