

Product datasheet for MR211869

Dctn1 (BC066061) Mouse Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Dctn1 (BC066061) Mouse Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	Dctn1
Synonyms:	p150, Glued
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
ORF Nucleotide Sequence:	>MR211869 representing BC066061 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCC**CGATCGCC**

ATGAGTACGGAGGCAAGCGCCCGCCCTGCGGGTTGGCTCCCGCGTGGAGGTGATTGGGAAGGGCCACC
GAGGCACTGTGGCTATGTTGGAGCCACACTCTTGGCACTGGCAAAATGGGTGGGCGTGATTCTGGATGA
AGCAAAAGGCAAAAATGATGGCACTGTCCAGGGAAGGAAGTATTTACATGTGATGAAGGCCACGGCATC
TTTGTACGCCAGTCCCAGATCCAAGTATTTGAAGATGGAGCAGATACTACTTCCCTAGAGACTCCTGATT
CTTCTGCTTCAAAGGTCCTCAAGAGAGAGGGAGCCGATGCAGCTGCAAAGACCAGCAAATGCGGGGACT
GAAGCCTAAGAAGGCACCGACAGCCGAAAGACCAACAACTCGACGGCCCAAGCCTACTCGCCAGCCAGC
ACTGGGGTGGCTGGGCCAGTAGCTCCCTTGGCCCTCTGGCTCAGCGTCAGCCGGGAACTAAGCAGCA
GTGAGCCAGCACCCAGCTCAGACTCCGCTGGCAGCACCCATCATCCCCACACCGGCCCTCACCTCTCC
TGGAGCAGCACCCCACTTCCATCTCCCTTAAGGAAGAGGAAGGGCTGAGGGCTCAGGTACGGGACCTG
GAGGAGAAGCTGGAGACCCTGCGCCTAAAACGCTCAGAAGACAAAGCAAGCTGAAAGAGCTGGAGAAGC
ACAAGATCCAGCTGGAGCAGGTGCAGGAATGGAAGAGCAAAATGCAGGAGCAGCAGGCAGACCTGCAGCG
GCGCCTCAAGGAGGCTCGAAGGAAGCCAAGGAGGCGCTAGAGGCAAAGGAACGCTACATGGAGGAGATG
GCCGACACAGCCGACGCTATCGAGATGGCACTCTGGACAAGGAGATGGCTGAAGAGCGCGCTGAGTCTC
TGACGCAAGAGGTGGAGGCACTGAAGGAACGGGTAGACGAGCTACCACAGACCTGGAGATTCTCAAGGC
TGAAATCGAAGAGAAAGGCTCTGATGGGCGCATCAAGCTACCAGCTCAAGCAGCTGGAGGAGCAGAAT
GCCCGCTGAAGGATGCCTGGTGGAGGATGCGAGACCTCTCTTCCCTCAGAGAAGCAGGAGCACGTGAAGC
TGCAGAAACTCATGAAAAGAAAACCAGGAGCTGGAGGTCGTGCGGCAGCAGCGGAGCGTCTTCAGGA
GGAGCTGAGCCAGGCTGAGAGCACCATCGATGAGCTCAAAGAGCAGGTGGACGCCCTCTGGGAGCCGAG
GAGATGGTGGAGATGCTGACCGACCGAACCTGAATCTAGAGGAGAAAGTGGGGAGTTACGGGAGACTG
TGGGGACTTGAAGCCATGAACGAGATGAACGATGAGCTGCAGGAGAACGCACGGGAGACGGAGCTGGA
ACTCCGAGAGCAGCTGGACATGGCGGGCGCCGAGTGAGGAAGCGCAGAAGCGAGTGGAAGCCGCCAG



[View online »](#)

GAGACAGTCGCCGACTACCAGCAGACCATCAAGAAGTACCGCCAGTTGACTGCCACCTACAGGATGTCA
ATCGGGAGCTGACAAACCAGCAGGAAGCGTCTGTAGAGAGGCAGCAGCAGCCGCCAGAGACTTTTGA
TTTCAAATCAAGTTTGGCTGAGACCAAGGCTCATGCCAAGGCCATTGAGATGGAGTTGAGACAGATGGAA
GTTGCCCAGGCCAACCGGCACATGTCCCTGCTGACAGCCTTTATGCCTGACAGCTTCCTTCGGCCAGGTG
GAGACCAGACTGTGTCTGGTGTCTGCTCATGCCCGACTCATTGCAAGGCAGAGCTCATCCGGAA
GCAGGCCCAGGAGAAGTTTGACCTGAGCGAGAAGTGTTCGGAGCGGCCCGGGCTGCGGGGAGCTGCCGGG
GAGCAGCTGAGCTTTGCTGCTGGACTGGTGTACTCGCTGAGTCTGCTGCAGGCCACGCTGCACCCGATG
AGCATGCCCTCTCTCAGTGCAGTGTGGACGTGTATAAGAAGGTCGGCAGCCTGTACCCCGAGATGAGCGC
CCACGAGCGCTCCTTAGATTTCCTCATTGAGCTGCTGCACAAGGATCAGCTGGATGAGACTGTCAACGTG
GAGCCCTCACCAAGGCCATCAAGTATTACCAGCATCTGTACAGCATCCACCTCGCTGAACAACCCGAGG
ACTCCACCATGCAGCTGGCTGACCACATCAAGTTCACCCAGAGTGCCCTGGACTGCATGGCGTGGAGGT
GGGGCGGTGCGTGCCTTCTGCAGGGTGGCAGGAGGCAACAGATATTGCCCTTCTTCCGAGACCTG
GAAACATCATGTAGTGACACCCGTCAGTCTGCAAGAAGATCCGAAGCGGATGCCGGGACGGATGCTC
CTGGGATCCCAGCAGCGTGGCCTTTGGCTCACAGGTATCCGACACACTCTGGACTGCAGGAAGCACTT
GACGTGGGTGGTAGCTGTTCTGCAGGAGGTGGCAGCTGCAGCCGCCAGCTTATTGCCCTTGGCAGAG
AACGAGGGGCTGCCTGTGGCTGCACTGGAGGAGCTGGCCTTCAAAGCAAGCGAGCAGATCTACGGGAGCC
CCTCCAGCAGCCCTATGAGTGTCTACGCCAGTATGCACCATCCTCATCAGCACGATGAACAAGCTGGC
CACAGCCATGCAAGAAGCGAGTATGACGCAGAGCGACCCCGAGCAAGCCTCCTCCGGTTGAACCTCGG
GCTGCAGCCCTGCGTGCAGAGATCACAGATGCTGAAGGTCTGGGTTTGAAGCTTGAGGATCGAGAGACAG
TTATCAAGGAGTTAAAGAAGTCACTCAAGTAAAGGGAGAGGAGCTGAGTGAGGCCAACGTGCGGCTCAG
CCTCCTGGAGAAGAAGTTGGACAGCGCTGCCAAGGATGCAGACGAGCGAATCGAGAAAGTTCAGACACGG
CTGGACGAGACTCAGACCCTGCTGCGGAAGAAGGAGAAAGACTTTGAGGAGACAATGGACGCACTCCAGG
CTGACATCGACCAGCTGGAGGCAGAGAAGGCAGAGCTCAAGCAGCGCCTGAACAGCCAGTCCAAGCGCAC
AATCGAGGGGCTCCGGGGCCCCCTCCGTCAAGCATCGCTACCCTGGTCTCTGGCATCGCTGGTGAGGAA
CCACAGCGAGGGGGCGCTCCTGGCAGGCTCCGGGCGCCTTGCCAGGCCCGGGGCTGGTGAAGGACTCCC
CACTGCTGCTTACAGCAGATCTCTGCTATGAGGCTACACATCTCTCAGCTCCAGCATGAGAACAGCATCCT
CAGAGGAGCCCAGATGAAGGCGTCTTGGCAGCTCTGCCCTCTGCATGTTGCAAAGCTTTCCTCCCA
CCCCATGAGGGCCCCGGTGGTAACCTAGTGGCTGGGGCACTGTACCGCAAGACCAGCCAGCTCCTGGAGA
AACTAAACCAGCTGAGTACCCACACCCACGTGGTGGATATCACTCGGAGCAGCCAGCTGCCAAGAGCCC
GTCAGCTCAGCTTATGGAACAAGTGGCTCAGCTCAAGTCCCTGAGTGACACCATTGAGAAGCTCAAGGAT
GAGGTCTCAAGGAGACAGTGACTCAGCGCCCTGGAGCCACTGTGCCACCGACTTGGCACTTTCCTT
CATCTGCCTTCTCAGGGCCAAGGAAGAGCAGCAAGATGACACAGTCTACATGGGCAAAGTGACCTTTTC
ATGCGCGGCGAGGCTAGGACAGCGACACCGCCTGGTGTGACCCAGGAGCAGCTGCACCAGCTTACAGT
CGCCTCATCTCC

ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT
ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence: >MR211869 representing BC066061
 Red=Cloning site Green=Tags(s)

MSTEASARPLRVGSRVEVIGKGHRTVAYVGATL FATGKWWGVILDEAKGKNDGTVQGRKYFTCDEHGHI
 FVRQSQIQVFEDGADTT SLETPDSSASKVLKREGADAAKTSKLRGLKPKKAPTARKTTTRRPKPTRPAS
 TG VAGPSSSLGPSGSASAGELSSSEPSTPAQTPLAAPIIPTPAL TSPGAAPPLPSPSKEEEGLRAQVRDL
 EEKLETLRLKRSEDKAKLKELEKHKIQLEQVQEWKSKMQEQADLQRRLEKARKEAKEALEAKERYMEEM
 ADTADA IEMATLDKEMAERAESLQQEVEALKERVDELTTDLEILKAEIEEKGS DGAASSYQLKQLEEQN
 ARLKDALVRMRDLSSEKQEHVKLQKLEKKNQELVVRQQRERLQEEL SQAESTIDELKEQVDAALGAE
 EMVEMLTDRNLNLEEKVRELRETVGDLEAMNEMNDELQENARETELELREQLDMAGARVREAQKRVEAAQ
 ET VADYQQTIKKYRQLTAHLQDVNREL TNQEEASVERQQQPPPETFDKIKFAETKAHAKAIEMELRQME
 VAQANRHMSLLTAFMPDSFLRPGGDHDCVLVLLMPRLICKAEL IRKQAQEKFDL SENC SERPGLRGAAG
 EQLSFAAGLVYLSLLQATLHRYEHALSQCSVDVYKKGVS LYPMSAHERSLDFL IELLHKDQLDETVNV
 EPLTKAIKYYQHLYSIHLAEQPEDSTMQLADHIKFTQSALDCMGVEVGR LRAFLQGGQEATDIALLLRDL
 ETSCSDTRQFCCKIRRRMPGTDAPGIPAALAFGSQVSDTL LDCRKH L TWVAVLQEVAAAAAQLIAPLAE
 NEGLPVAALEELAFKASEQIYGSPSSSPYECLRQ SCTILISTMNKLATAMQEGEYDAERPPSKPPVELR
 AAALRAEITDAEGLGLKLEDRETVIKELKSLKIKGEEL SEANVRLS LLEKLD SAAKDADERIEKVQTR
 LDETQTLRLKKEKDFEETMDALQADIDQLEAEKAE LKQRLNSQSKRTIEGLRGPPPSGIATLVSGIAGEE
 PQRGGAPGQAPGALPGPGLVKDSPLLLQQISAMRLHISQLQHENSILRGAQMKASLAALPPLHVAKLSLP
 PHEGPGGNLVAGALYRKTSQ LLEKLNQLSTHTHVVDITRSSPAAKSPSAQLMEQVAQLKSLSDTIEKLD
 EVLKETVTRPGATVPTDFATFPSSAFLRAKEEQDDTVYMGKVF SCAAGLQQRHRLVL TQEQLHLHLS
 RLIS


TRTRPLEQKLI SEEDLAANDILDYKDDDDKV

Restriction Sites:

Sgfl-MluI

Cloning Scheme:

Cloning sites used for ORF Shuttling:



* The last codon before the Stop codon of the ORF


ACCN: BC066061

ORF Size: 3792 bp

OTI Disclaimer:	<p>Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at custsupport@origene.com or by calling 301.340.3188 option 3 for pricing and delivery.</p> <p>The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info</p>
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none"> 1. Centrifuge at 5,000xg for 5min. 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA. 3. Close the tube and incubate for 10 minutes at room temperature. 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom. 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	BC066061.1
RefSeq Size:	4220 bp
RefSeq ORF:	3794 bp
Locus ID:	13191
Cytogenetics:	6 35.94 cM
MW:	154.7 kDa

Gene Summary:

Plays a key role in dynein-mediated retrograde transport of vesicles and organelles along microtubules by recruiting and tethering dynein to microtubules. Binds to both dynein and microtubules providing a link between specific cargos, microtubules and dynein. Essential for targeting dynein to microtubule plus ends, recruiting dynein to membranous cargos and enhancing dynein processivity (the ability to move along a microtubule for a long distance without falling off the track). Can also act as a brake to slow the dynein motor during motility along the microtubule. Can regulate microtubule stability by promoting microtubule formation, nucleation and polymerization and by inhibiting microtubule catastrophe in neurons. Inhibits microtubule catastrophe by binding both to microtubules and to tubulin, leading to enhanced microtubule stability along the axon. Plays a role in metaphase spindle orientation. Plays a role in centriole cohesion and subdistal appendage organization and function. Its recruitment to the centriole in a KIF3A-dependent manner is essential for the maintenance of centriole cohesion and the formation of subdistal appendage. Also required for microtubule anchoring at the mother centriole. Plays a role in primary cilia formation. [UniProtKB/Swiss-Prot Function]

Product images:


Circular map for MR211869