

Product datasheet for MR211886

Smchd1 (NM_028887) Mouse Tagged ORF Clone

Product data:

Product Type: Expression Plasmids
Product Name: Smchd1 (NM_028887) Mouse Tagged ORF Clone
Tag: Myc-DDK
Symbol: Smchd1
Synonyms: 4931400A14Rik; AW554188; mKIAA0650; MommeD1
Vector: pCMV6-Entry (PS100001)
E. coli Selection: Kanamycin (25 ug/mL)
Cell Selection: Neomycin
ORF Nucleotide Sequence: >MR211886 representing NM_028887
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
 GCC**CGATCGCC**

ATGCAGAACTCCAGGGACAAGTCATGGAGGGTCAAAGAAGCTGCTGGTGGAACTTAAAGTCATACTGC
 ACACTTCAAGTGGAAATAAGAAATCATTTACATATCAGTCAGCATGGAGGAAATGGCCTTACTGGTT
 TAAAAAATGGAAATATCCAGAACTGGGTAATTATACATTGAAATTACAAGTTGTATTGAATGAAAGT
 AATGCAGATACCTATGCAGGAAGATCACTACCGTCCAAAGTAATTAATTTCTCTGTTAAAGAGGGCAAGC
 CAGAAAAGTTTTCGTTTGGTCTTCTGGACTCTCCTTTCCGTGTTGGAGTCCATTTAATTTCTCTGGA
 GTTACAGGATGAATTTGGTCACTACCAACTATTGTCTGATATTGAGCCAGTCTTGAAGCAAGTGGT
 CTGTCTTTACATTATGAAGGAATAACCAAAGGCCCGAATTGTGTAATCAAGGTGTCGTAGCTAAAGGTC
 CAGTTAACTCTTGCCAGGGCAAGAATTTAATCTGAAGGTTATTTCTTCTGGTTTAAAAGAAGACTCACA
 GATTTTGAAGATTAGATTGCTACCTGGTCCCCCTCATCACTAAAGGTGAAACCTGACTCAGAAGTTCTG
 GTTATAGAGAATGGAACAGCTTTCCATTTCAAGTGTGAGGATGAGTCAGACAACATAACAGCAC
 AACCAAAGCTGATCGTCCACTGTAAGTTTCTAGGTGCTCCAACCTACCAGTCTACTGTGGATTGCGAG
 TAGCTCTGGAAGTACATCCTAACAGGGTCACCCATTCAAGTTCAGAACATTAAGAAAGACCAGAAGACA
 CTGACCGCCAGGATTGAGATACCTAGCTGTAAAGATGTGTCACCTGTTGAAAAGACGATCAAGTTACTTC
 CCAGTAGCCACGCTGCTTGCCTGCAGATCTTTAGTGTAGAGGAGCAAAGGCGATCCAGATCAAACATCA
 GGATGAGGTTACTTGGTAGCAGGTGATGTAATACGCAATCTAATTTTTCAAATGTATGACGAAGGAGAA
 AGAGAAATCAATATTACACCATCCTTGGCAGAAAAAATTAAGGTTAATTGGACTCCTGAGGTGAACAAAG
 AACATTTGGTACAAGTCTCCTTCTGATGTGCAAGTACCAACATCTGTGAAAGATGTCGCTACTGCCA
 TGTTTCTTCCAAGATGACCACGTGTCTGGAGAGCGCCTTTACAGTAAGACCCTTCTGATGATCCC
 AAACATTTAAAATGTGAATTAAGGAGGAAAAACAGTGCAGATGGGCCAAGAGCTTCAAGGAGAAATAG
 TTGTAATAATTGCAGATCAGTATGGAAATCAGATTTTCATATTTTACCTGATTCTTACTTTGTC
 GATTACTGGAGATGGCCTTGACAGCTCAAACCTGAAAATCACCTTGGAGGCCAACTCACAGAGCGTAAGT
 GTGCAAGGCATCAGGTTTACTCCAGGGCCTCTGGACCAAGGATCTGTGTTTTACTTGGCGAGAGTTTT



[View online >](#)

CTGACTTTCTGCGCTGCAACTGGTTTCTGGACCTCCAACCAAGCTGCTGCTTATGGACTGGCCAGAGCT
GAAAGAGTCCATTCTGTGATTAATGGAAGACAATTAGAGAACCCTCTCATTGTTCAACTTTGTGATCAG
TGGGATAATCCTGCTTTAGTCCCAAACGTTAAAAATATGTCTCATAAAAAGCAAGCAGCTTAAGGCTACTAC
CTTCAAACCAGCAGCATAAAACAGATGATAAGGGCAGAGCTAATTTGGGGGTGTTCACTGTTTGTGCTCC
AAGGGGAGAACACTGTGCAGGTTAAAGGTGTCTATAATAAGAGCACTATAGAAGGGCCTACAATTAAG
TTAACAATTCCTCCAGACCCTGAAAAGCCATTGCGCTCAATGTTAAATATGACCAAGATGCCTCTTTTA
TAGCAGGGGACATATTCCTGATTTTATGTTAGTGTGATTTCTGAAAAGTGGTAGTGTCATCAAAAATAT
TAATCCAACACGATTTTCCATGAAAATGTGGAAGCTGTCCAGTGGCATGAGCCGGCCACCAGCAAAATGCA
GAAACCTTTAGTTGTAATAAAAATAAAGGTAACGACAAGGAAGATGGCTGCTTCTATTTACAGGGAGAAAA
CTATCCCTAACAAAGTGGGAGCATATTGTATCCAGTTTGTATTCATGATTGATAAGACAAAATATTCTAAG
CAGCCAACAGGTTATAGTTGATGTTCTCCCAACCAGCCTATGAAGTTGGTTCTGACAGCCAACCAGCT
ACCCAGCTGTTTCTAATGTCCGTTCAATTGCCAGCAGGACCTTGGTCAAAGACCTGCGCCTCAGTATCA
CAGATAATTATGGTAATCACACTGGAATGGATCTGGTTGGCACTGTAGTAGCAACCATTAAGGCTTTAA
TGAGGAGGACACTGATACCCCACTTTCATCGGAAGGTTAGGACGCTTGAGTTTCCCTTTGTGAAAGGC
TCTGCTGAAATCAGACTCTAGTGTGGCAGAAAATAGTCTGGAAGGGATAGTACTGAATACTTTATTA
TCTTTGAGCCTCGCTGTCAACTGTATCAGGAACATTAGAATCATATAGCCTGCCATTTATGTTTTACAA
TGATGTTAAGAAGCAGCAACAAATGGCAGCGCTTACGAAGGAGAAGGACGAGTTATCCAAGTCCATCACT
ATGTACAGAAGTCTTTCGATGCCAACAAAGCAGCTTGTGGATGAAATGAAATGCCAAGCTGAAGAAGCAA
AGTTAAAAGAGACCCAGCTACGAAATGAACTAAAAGCGTACAATATTGATTTCTGCGACACAACAGAC
AACTCATATTGAAGCACTTTTGGAAAAAAGATAACAGAACAGAACGAGCTTAAAAGAGGGCCAGAAAGG
TTGTGACTCTTCCAACTACACTAAACGAGTGGAGATATTTTGGGAAAGATTGCACATCTAGCACAAA
TTGAAGATGATCGAGCTGCCATGGTTATCTCTTGGCATCTGGCAAGTGACATGGACTGTGTGGTTACCT
AACCACTGATGCCGCACGCGCTATCTATGACGAACTCAAGTTCGCCAGCAAGTGTGCCCTTGATTCT
ATTTACAGGAAAACCTTCCAGATTGAAAAGACCTCTACCTCATTTCCGAAATGGTAAATTACACTTTA
AGCCCTTTGAAAATCCAGTCTTTGCCCGAGATTTGTTAACATTCCAGATAATATTGAACATTGTGAAAC
AGTTTTTGGTATGCTGTTAGGAGACACCATTATTTTGGATAATCTGGATGCAGCCAATCATTATAGAAAA
GAGGTTGTTAAAATCACACTGCCCCACTCCTGACTAGAGATGGAGATAGAATTAGAAGTAATGGGA
AGTTTGGGGCCCTTCAAGATAAAGCTCCGCCAATGGACAACTTCGGGGAATGGTCTTCGGAGCTCCAGT
ACCAAAGCAGTGTGTGGTCTTGGGAAACAAAATAGATCTTATTCAGCAGTATCGCACTGCTGTACAGG
CTGAGCTCTGTGAACGAGGACTTGGACAATCAGCTGCAGTACCTTCACACTCCTGATATGAAGAAGAAAA
AGCAAGAACTTGATGAACAGGAAAAAGTCTGAAACGAATAGAGCAGAACTCGGAATGACTCCTGTGCG
CAGGTGTAATGAGTCACTTTGTCACTACCAAAGATTGAGGTGACAGAGTGCCCAATCCCTACTAAAAGA
ATGAGAAGAGAATCCACCAGACAGAATAGAAGGCCAAAAGGTGACGTACCAAAC

ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAATGATATCCTGGATT
ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence: >MR211886 representing NM_028887
 Red=Cloning site Green=Tags(s)

MQKLPGTSHGGSKLLVELKVILHTSSGNKEIISHISQHGKWPYWFKKMENIQKLGNYTLKLVVLNES
 NADTYAGRSLPSKVIKFSVKEGKPEKFSFGLLDSPFRVGFNIPELELQDEFHTTQLLSDIEPVLEASG
 LSLHYEGITKGNPCVIQGVVAKGPVNSCQGNFNKLVILPGLKEDSILKIRLLPGPPHQLKVKPDSEVL
 VIENGTAFPFQVEVVDESDNITAQPKLIVHCKFLGAPNLPVYTVDCSSSGTSILTGSPIQVQNIKKDQKT
 LTARIEIPSCKDVPVEKTIKLLPSSHAACLQIFSVEEQKAIQIKHQDEVTWVAGDVIRNLIFQMYDEGE
 REINITPSLAEKIKVNWTPENVKEHLVQGLLPDVQVPTSVDVRYCHVSFQDDHVCLSAFTVRPLPDDP
 KHLKCELKGGKTVQMGEQELQGEIVVVIADQYGNQISSFSPDSLSTLSITGDGLDSSNLKITLEANSQSVS
 VQGIRFTPGPPGPKDLCTWREFSDFLRVQLVSGPPTKLLMDWPPELKEIPVINGRQLENPLIVQLCDQ
 WDNPALVPNVKICLIKASSLRLLPSNQHKHTDDKGRANLGVFTVCAPRGEHTVQVKGVYKSTIEGPTIK
 LTILPDPEKPIRLNVKYDQDASF IAGDIFTDFMVSVISESGSVIKNINPTRISMKMWKLSSGMSRPPANA
 ETFSCNKIKGNDKEDGCFYFREKTIIPNKVGAYCIQDFMIDKTNILSSQQVIVDVLNPQPMKLVPSQPA
 TPAVSNVRSIASRTLKDLRLSITDNYGNHTGMDLVGTVVATIKGFNEEDTDTPLFIGKVRTLEFPFVKG
 SAEITTLVLAENSPGRDSTEYFIIFEPRLSTVSGTLESYSLPFMFYNDVKKQQQMAALTKEKDELKSKSIT
 MYRSLFDANKQLVDEMKQAEAAKLKETQLRNLKAYNIDIPATQQTTHIEALLEKKITEQNELKKRPRR
 LCTLPNYTKRSGDILGKIAHLAQIEDDRAAMVISWHLASDMDCVVTLTTDAAARIYDETQGRQVPLDS
 IYRKTLPDWKRPLPHFRNGKLFKPFGNPVFARDLLTFPDNIEHCETVFGMLLGDITIIDNLDAANHRYK
 EVVKITHCPTLLTRDGDRIKNGKFGGLQNKAPMDKLRGMVFGAPVPKQCVVLGKQIDL IQQYRTALYR
 LSSVNELDNQLYLHTPDMKKKKQELDEQEKSLKRIEQKLGMPVRRCNESLCHSPKIEVTECPIPTKR
 MRRESTRQNRPKGDVFN

TRTRPLEQKLISEEDLAANDILDYKDDDDKV


Restriction Sites:

Sgfl-MluI

Cloning Scheme:



Plasmid Map:



ACCN: NM_028887

ORF Size: 3834 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_028887.2](#)

RefSeq Size: 7053 bp

RefSeq ORF: 6024 bp

Locus ID: 74355

UniProt ID: [Q6P5D8](#)

Cytogenetics: 17 E1.3

MW: 225.6 kDa

Gene Summary: Non-canonical member of the structural maintenance of chromosomes (SMC) protein family that plays a key role in epigenetic silencing by regulating chromatin architecture (PubMed:26091879, PubMed:29887375). Promotes heterochromatin formation in both autosomes and chromosome X, probably by mediating the merge of chromatin compartments (PubMed:23754746, PubMed:23819640, PubMed:26391951, PubMed:28587678, PubMed:29887375). Plays a key role in chromosome X inactivation in females by promoting the spreading of heterochromatin (PubMed:18425126, PubMed:22841499, PubMed:26391951, PubMed:29887375). Recruited to inactivated chromosome X by Xist RNA and acts by mediating the merge of chromatin compartments: promotes random chromatin interactions that span the boundaries of existing structures, leading to create a compartment-less architecture typical of inactivated chromosome X (PubMed:29887375). Required to facilitate Xist RNA spreading (PubMed:29887375). Also required for silencing of a subset of clustered autosomal loci in somatic cells, such as the DUX4 locus (PubMed:23754746, PubMed:23819640, PubMed:28587678). Has ATPase activity; may participate in structural manipulation of chromatin in an ATP-dependent manner as part of its role in gene expression regulation (PubMed:26391951, PubMed:27059856). Also plays a role in DNA repair: localizes to sites of DNA double-strand breaks in response to DNA damage to promote the repair of DNA double-strand breaks (By similarity). Acts by promoting non-homologous end joining (NHEJ) and inhibiting homologous recombination (HR) repair (By similarity). Required during preimplantation development, probably acts by regulating chromatin architecture (PubMed:29900695).[UniProtKB/Swiss-Prot Function]