

Product datasheet for MR212055

Smarca4 (NM_001174079) Mouse Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Smarca4 (NM_001174079) Mouse Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	Smarca4
Synonyms:	b2b508.1Clo; b2b692Clo; Brg1; HP1-BP72; SNF2beta; SW1/SNF
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
ORF Nucleotide Sequence:	>MR212055 representing NM_001174079 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCCCGGATCGCC

ATGTCTACTCCAGACCCACCTTGGGTGGGACTCCTCGGCCTGGTCTTCCCCAGGCCCTGGTCTTAC
CTGGTGAATGCTGGGTCTAGCCCTGGCCCTCACCAGGTTCTGCCACAGCATGATGGGGCAAGCCC
AGGACCTCTTCCAGCAGGACATCCCATGCCACCCAGGGGCTGGAGGGTACCCAGGACAACATGCAT
CAGATGCACAAGCCTATGGAGTCCATGCACGAGAAGGGCATGCCTGATGACCCACGATACAACCAGATGA
AAGGGATGGGCATGCGGTGAGGGGCCACACAGGCATGGCACCTCCACCTAGTCCCATGGACCAGCATTC
TCAAGGTTACCCCTCACCCTCGGCGGCTCTGAACATGCCTCCAGTCTGTCCCAGCCAGTGGCCCATCT
TCAGGCCCCAGATGTCTCTGGGCCAGGAGGGGCCCACTAGATGGTCTGATCCCCAGGCCTTGGGAC
AGCAAAACAGAGGCCCAACCCATTTAACCAGAACCAGCTGCATCAACTCAGAGCTCAGATAATGGCCTA
CAAGATGTTGGCCAGGGGCCAGCCATTGCCCGACCACCTGCAGATGGCCGTGCAAGGCAAGCGGCCGATG
CCTGGAATGCAGCAACAGATGCCAACACTACCTCCACCCTCAGTGTCCGCCACAGGACCCGGACCTGGAC
CCGGCCCTGGCCCTGGCCCTGGCCAGGACCAGCCCTCCAAATTACAGTAGACCCCATGGTATGGGAGG
GCCCAACATGCCTCCCCAGGACCCTCAGGTGTGCCCCCGGGATGCCTGGTCCAGCCCTGGAGGGCCT
CCCAAGCCATGGCCTGAAGGACCATGGCCAATGCTGCTGCCCCACAAGCACCCACAGAACTGATTC
CTCCGCAACCAACAGGCCGTCTTCACTGCACCTCCTGCTGTCCCGCCTGCTGCCTCACCTGTAATGCC
ACCACAAACACAGTCCCCAGGGCAGCCAGCCAGCCTGCTCCATTGGTGCCACTGCACCAGAAGCAGAGC
CGAATCACCCCATCCAGAAGCCCGAGGCCTTGACCCTGTGGAGATCCTACAAGAGCGGGAGTACAGGC
TTCAGGCTCGAATCGCACACAGAATTCAGGAACCTGAAAACCTCCCTGGGTCCCTGGCTGGGGACCTTCG
AACCAAAGCAACCATCGAACTCAAGGCCCTTAGGTTGCTGAACTCCAGAGGCAGCTGCGCCAGGAGGTG
GTGGTGTGCATGCGAAGAGACACAGCCCTGGAGACAGCCCTCAATGCCAAGGCCTACAAGCGCAGCAAAC
GTCAGTCACTACGGGAGGCCCGCATCACTGAGAAGTTGGAGAAGCAGCAGAAGATTGAACAGGAGCGCAA
GCGCCGCCAGAAGCACCAGGAGTACCTCAACAGCATTCTGCAGCATGCCAAGGACTTCAGGGAGTATCAC



[View online >](#)

AGATCAGTCACAGGCAAACCTCCAGAACTACCAAGGCTGTGGCCACCTACCATGCCAACACTGAGCGGG
 AGCAGAAGAAAGAAAATGAGCGCATTGAGAAGGAGCGAATGCGGAGGCTTATGGCTGAAGATGAGGAGGG
 CTACCGCAAACCTCATTGACCAGAAGAAGGACAAGCGCCTGGCCTACCTTCTGCAGCAGACAGATGAGTAT
 GTGGCCAACTCACAGAGCTGGTGCAGCAGCACAAGCTGCCAGGTTGCCAAGGAGAAGAAGAAGAAA
 AGAAAAAGAAGAAGGCAGAAAAATGCTGAAGGACAGACACCTGCTATTGGACCAGATGGTGAAGCTCTGGA
 TGAGACCAGCCAGATGAGTGACCTCCCTGTGAAGGTGATCCACGTGGAGAGTGGCAAGATCCTCACTGGC
 ACAGATGCCCCAAAAGCCGGCAGCTGGAAGCCTGGCTTGAATGAACCCAGGGTATGAAGTAGCCCCCA
 GGTGACAGCAGTGAAGAAAGTGGCTCTGAAGAGGAGGAGGAGGAGGAAGAGGAGCAGCCTCAGCCCGC
 ACAGCCCTTACACTGCCTGTGGAAGAAAAGAAGATTCCAGACCCAGACAGCGATGATGTCTCTGAG
 GTGGACGCCGACACATTATTGAGAACGCCAAGCAAGATGTGGACGATGAGTACGGTGTGTCCCAGGCC
 TTGCTCGTGGCCTGCAGTCTTACTATGTGTGGCCATGCAGTACAGAGAGAGTATGATAAGCAGTCCGC
 CCTCATGGTCAACGGTGTCTCAAACAGTACCAGATCAAGGGTTTGGAGTGGCTGGTGTCCCTGTACAAC
 AACACCTGAATGGCATCCTGGCTGATGAGATGGGGCTGGGAAGACCATCCAGACCATCGCGCTCATCA
 CATACCTCATGGAGCACAAGCGCATCAACGGCCCTTCCCTCATCATCGTCCCTCTCTCGACTGTCAA
 CTGGGCGTATGAATTTGACAAGTGGGCCCTCTGTGGTGAAGGTTTCTACAAGGGCTCTCCAGCTGCA
 AGGCGAGCTTTTGTCCCACAGCTTCGCAGTGGGAAGTTCAACGTCTTACTGACCCTATGAATATATCA
 TCAAAGACAAGCATATCCTAGCCAAGATCCGCTGGAAGTACATGATTGTGGATGAAGGCCACCGCATGAA
 AAACCACCACTGCAAGTTGACGCAGGTCCTTAACACACACTACGTGGCCCTCGGCGCCTGCTTCTTACA
 GGCACACCCTGCAGAACAAGCTACCGGAGCTCTGGGCCCTGCTTAACTTCTGTCTCCCACTATCTTCA
 AGAGCTGCAGCACCTTCGAACAGTGGTTCAATGCACCTTTGCCATGACTGGAGAAAAGGTGGACCTGAA
 TGAAGAGGAGACTATCCTCATTATTCGTCGCCTACACAAAGTTCTGCGGCCCTTCTGTGCGGCGGCTC
 AAGAAGGAAGTTGAAGCCAGCTCCCTGAGAAGGTAGAGTATGTCATCAAATGCGACATGCAGCCCTGC
 AGCGTGTGCTGTACCGTCACATGCAGGCAAAGGTGTGCTGCTGACTGACGGCTCCGAGAAGCAAGAA
 GGGCAAAGGTGGCAACCAAGACACTGATGAACACTATTATGCAACTGCGTAAAGATCTGCAACCACCCCTAC
 ATGTTCCAGCACATCGAGGAGTCCTTTTCTGAGCACTTGGGGTTCACCGCGGCATCGTGAAGGATTGG
 ACCTTTACCGTGCCTCAGGGAATTTGAACTTCTTGATAGAATTCTACCCAACTCCGTGCAACGAACCA
 TAAAGTGTCTCTTTTGCCAAATGACCTCCCTCATGACCATCATGGAAGACTACTTTGCATACCGTGGC
 TTCAAATACCTCAGGCTTGATGGAACCACAAAAGCAGAAGACCGGGGCATGCTGTTGAAAACCTTTAATG
 AACCTGGCTCTGAGTATTTCAATTTCTGCTCAGTACCCGTGCTGGGGGCTGGGCTGAATCTGCAGTC
 AGCTGACTGTGATCATCTTTGACAGTACTGGAATCCCAACCAGGACCTGCAAGCACAGGATCGAGCC
 CATCGCATTGGACAGCAGAAATGAGGTGCGTGTCTTCGCTGTGCACGGTCAACAGTGTGGAAGAGAAGA
 TACTGGCTGCTGCCAAATACAACTCAATGTGGATCAGAAGGTGATCCAGGCAGGATGTTCCGACCAGAA
 GTCGTCCAGCCATGAGAGGCGTGCCTTCTGCAGGCCATCCTGGAGCACGAGGAGCAGGATGAGGAGGAA
 GATGAGGTGCCTGATGATGAGACCGTCAACCAGATGATTGCCCGGCACGAAGAAGAGTTTGACCTTTCA
 TGCGCATGGACTTGGACCGCCGGCTGAAGAAGCCCGCAACCCCAAGCGGAAGCCACGCCTGATGGAAGA
 GGATGAGTCCCATCCTGGATCATCAAGGATGATGCCGAGGTGGAGCGGTGACATGTGAAGAGGAAGAG
 GAGAAGATGTTTCGGCCGTGGTTCTCGCCACCGCAAGGAGGTAGACTACAGCGACTCACTGACAGAGAAGC
 AGTGGCTCAAGGCTATCGAGGAGGACGCTGGAGGAGATCGAAGAGGAGGTCCGGCAGAAGAAAATCTTC
 ACGTAAGCGTAAGCGAGACAGCGAGGCCGGCTCCTCACCCCGACCACCAGCACCCGACCCGTCGACAAG
 GATGAGGAGAGCAAGAAGCAGAAGAAACGTGGGCGGCCACTGCTGAGAAGCTGTCCCAAAACCCACCTA
 ACCTCACCAAGAAGATGAAGAAGATCGTGGATGCTGTGATCAAGTACAAAGACAGCAGTGGACGTGAGT
 CAGCGAGGTGTTTCCAGCTCCCTCTCGCAAGGAGCTTCTGAGTACTATGAGCTCATCCGAAAGCCT
 GTGGACTTCAAGAAGATCAAGGAACGCATCCGAAACCACAAGTACCGCAGCCTCAATGACCTGGAGAAGG
 ATGTGATGCTGTGCCAGAACGCTCAGACGTTCAACCTCGAGGGTTCCCTGATCTATGAGGACTCCAT
 CGTCTGCAGTCTGTCTTACCAGCGTACGGCAGAAGATTGAGAAGGAGGACGACAGTGAAGGCGAGGAA
 AGCGAGGAGGAGGAGGAGGGCGAGGAGGAAGGCTCCGAGTCTGAGTCCCCTCCGTCAAGGTGAAGATCA
 AGCTGGGCGCAAGGAGAAGGCCAGGACCGACTCAAGGGGGGCCCGCGGCCAAGCCGGGGATCCCG
 GGCCAAGCCGGTGTGAGTGACGATGACAGTGAAGGAGGAGGAGGAGGAGGACCGCTCAGGAAGTGGCAGT
 GAGGAAGAC

ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT
 ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence: >MR212055 representing NM_001174079
 Red=Cloning site Green=Tags(s)


```
MSTDPPLGGTPRPGSPGPGSPGAMLGPSGPGSPGSAHSMGSPGPPSAGHPMPTQGGPGYPQDNMH
QMHPKPMESMHEKGMPDDPRYNQMKGMGRSGAHTGMAPPSPMDQHSQGYPSPLGGSEHASSVPASGPS
SGPQMSSGGPGLDGSDFQALGQNRGPTFPNQNLHQLRAQIMAYKMLARGQPLPDHLQMAVQKGRPM
PGMQQQMPTLPSPSVSATGPGPGPGPGPGPGPAPPNYSRPHGMGPNMPPPGSGVPPGMPGQPPGGP
PKPWPEGPMANAAAPTSTPQKLIPPQTPGRSPAPPVPPAASPVMPPQTQSPGQPAQPAPLVPLHQKQS
RITPIQKPRGLDPEILQEREYRLQARIAHRIQELENLPGSLAGDLRTKATIELKALRLLNFQRQLRQEV
VVMRRTALEALNAKAYKRSKRQSLREARITEKLEKQKQIEQERKRRQKHQEYLNLSILQHAQDFREYH
RSVTGKLQKLTAVATYHANTEREQKENERIEKERMRLMADEEGYRKLIDQKKDKRLAYLLQQTDEY
VANLTELVRQHKAAQVAKEKKKKKKKAENAEGQTPAIGPDGEPLDETSQMSDLPVKVIHVESGKILTG
TDAPKAGLEAWLEMNPGYEVAPRSDSEESGSEEEEEEEEEEQPQAPPTLPVEEKKIPDPDSDVSE
VDARHIENAKQVDDEYGVSQLARGLQSYAVAHAVTERVDKQSALMVNGVLKQYQIKGLEWLVSLYN
NNLNGILADEMGLKTIQTIALITYLMEHKRINGPFLIIVPLSTLSNWAYEFDKWAPSVVKVSYKGPAA
RRAFVPLRSGKFNVLTTYEYI IKDKHILAKIRWKYMI VDEGHRMKNHHCKLTQVLNTHYVAPRLLLT
GTPLQNKLPPELLWALLNLLPTIFKSCSTFEQWFNAPFAMTGEKVDLNEEETILIRRLHKVLRPFLRLR
KKEVEAQLPEKVEYVIKCDMSALQRVLYRHMQAQGVLLTDGSEKDKKGGTKTLMNTIMQLRKICNHPY
MFQHIIEESFSEHLGFTGGIVQGLDLYRASGKFELLDRIPLKLRATNHNKVLFFCQMTSLMTIMEDYFAYRG
FKYLRLDGTTKAEDRGMLLKTTFNEPGSEYFIFLLSTRAGGLGNLQSADTVIIFDSDWNP HQDLQAQDRA
HRIGQQNEVRVRLRLCTVNSVEEKILAAAKYKLNVDQKVIQAGMFDQKSSSHERRAFLQAILEHEEQDEEE
DEVPDDET V NQMIARHEEEFDL FMRMDLDRRREEARNPKRKPRLMEDELPSWIKDDAEVERLTCEEEE
EKMFGRGSRHRKEVDYSDSLTEKQWLKAIIEEGTLEEIEEEVROKKSSRKRKRKRDSEAGSSTPTTSTRSRDK
DEESKQKQRGRPPAEKLSNPNNLTKMKKIVDAVIKYKDSGRQLSEVFIQLPSRKELPEYYELIRKP
VDFKKIKERIRNHKYSRLNDLEKDVMLLCQNAQTFNLEGLSIYEDSIVLQSVFTSVRQKIEKEDDSEEGE
SEEEEEEEEGSESESRVVKIKLGRKEKAQDRKGGRRRPSRGSRAKPVVSDDDSEEEQEEDRSVSGS
EED
```

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Chromatograms: https://cdn.origene.com/chromatograms/mm9037_d07.zip

Restriction Sites: SgfI-MluI

Cloning Scheme:



ACCN: NM_001174079

ORF Size: 4839 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_001174079.1](#), [NP_001167550.1](#)

RefSeq Size: 6364 bp

RefSeq ORF: 4842 bp

Locus ID: 20586

UniProt ID: [Q3TKT4](#)


Cytogenetics: 9 7.84 cM

MW: 181.9 kDa

Gene Summary:

Involved in transcriptional activation and repression of select genes by chromatin remodeling (alteration of DNA-nucleosome topology). Component of SWI/SNF chromatin remodeling complexes that carry out key enzymatic activities, changing chromatin structure by altering DNA-histone contacts within a nucleosome in an ATP-dependent manner. Component of the CREST-BRG1 complex, a multiprotein complex that regulates promoter activation by orchestrating the calcium-dependent release of a repressor complex and the recruitment of an activator complex. In resting neurons, transcription of the c-FOS promoter is inhibited by SMARCA4-dependent recruitment of a phospho-RB1-HDAC repressor complex. Upon calcium influx, RB1 is dephosphorylated by calcineurin, which leads to release of the repressor complex. At the same time, there is increased recruitment of CREBBP to the promoter by a CREST-dependent mechanism, which leads to transcriptional activation. The CREST-BRG1 complex also binds to the NR2B promoter, and activity-dependent induction of NR2B expression involves the release of HDAC1 and recruitment of CREBBP (By similarity). Belongs to the neural progenitors-specific chromatin remodeling complex (npBAF complex) and the neuron-specific chromatin remodeling complex (nBAF complex). During neural development, a switch from a stem/progenitor to a postmitotic chromatin remodeling mechanism occurs as neurons exit the cell cycle and become committed to their adult state. The transition from proliferating neural stem/progenitor cells to postmitotic neurons requires a switch in subunit composition of the npBAF and nBAF complexes. As neural progenitors exit mitosis and differentiate into neurons, npBAF complexes which contain ACTL6A/BAF53A and PHF10/BAF45A, are exchanged for homologous alternative ACTL6B/BAF53B and DPF1/BAF45B or DPF3/BAF45C subunits in neuron-specific complexes (nBAF). The npBAF complex is essential for the self-renewal/proliferative capacity of the multipotent neural stem cells. The nBAF complex along with CREST plays a role in regulating the activity of genes essential for dendrite growth. SMARCA4/BAF190A may promote neural stem cell self-renewal/proliferation by enhancing Notch-dependent proliferative signals, while concurrently making the neural stem cell insensitive to SHH-dependent differentiating cues. Acts as a corepressor of ZEB1 to regulate E-cadherin transcription and is required for induction of epithelial-mesenchymal transition (EMT) by ZEB1 (By similarity). Binds via DLX1 to enhancers located in the intergenic region between DLX5 and DLX6 and this binding is stabilized by the long non-coding RNA (lncRNA) Evf2 (PubMed:26138476). Binds to RNA in a promiscuous manner (PubMed:26138476). Binding to RNAs including lncRNA Evf2 leads to inhibition of SMARCA4 ATPase and chromatin remodeling activities (PubMed:26138476).[UniProtKB/Swiss-Prot Function]

Product images:



Circular map for MR212055