

## Product datasheet for MR212056

### Dnmt1 (NM\_010066) Mouse Tagged ORF Clone

#### Product data:

Product Type:	Expression Plasmids
Product Name:	Dnmt1 (NM_010066) Mouse Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	Dnmt1
Synonyms:	Cxxc9; Dnmt; Dnmt1o; m.Mmul; MCMT; Met-1; Met1; MommeD; MommeD2; MTa; MTase
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
ORF Nucleotide Sequence:	>MR212056 representing NM_010066 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCCGCCGCGATCGCC

ATGCCAGCGGAACAGCTCCAGCCGAGTGCCTGCGCTTGCCTCCCCGGCAGGCTCGCTCCCGGACCATG  
TCCGCAGGCGGCTCAAAGACTTGGAAAGAGATGGCTTAACAGAAAAGGAGTGTGTGAGGGAGAAATTA  
CTTACTGCATGAATTCCTGCAAACAGAAATAAAAAGCCAGTTGTGTGACTTGGAAACCAATTACATAAA  
GAGGAATTATCTGAGGAAGGCTACCTGGCTAAAGTCAAGTCCCTCTAAATAAGGATTTGCTTGGAGA  
ACGGAACACACACTCTCACTCAAAAAGCCAACGGTTGTCCGCCAACGGGAGCCGCCAACCTGGAGAGC  
AGAAATGGCAGACTCAAATAGATCCCAAGATCCAGGCCAACGCCCTCGGGGACCCAGGAGAAGCAAGTCC  
GACAGTGACACCCCTTTCAGTTGAAACTTCACTAGTTCGGTGGCTACGAGGAGAACCACAGGCAGACCA  
CCATCACGGCTCACTTCAGAAAGGGCCCACTAAACGAAACCAAGGAAGAGTCGGAAGAGGGGAACTC  
GGCTGAGTCGGCTGCAGAGGAGAGACCAGGATAAGAAACGCAGAGTTGTAGACACAGAGAGTGGTGTCT  
GCAGCTGCTGTGGAGAACTGGAAGAGGTAACAGCGGGAACCCAGCTGGGTCCGGAAGAGCCATGTGAAC  
AGGAAGATGACAACAGGAGTCTTCGACGTCACACCAGAGAGCTATCATTGAGCGGAAATCAAAGGAGGA  
TCCAGACAGAGAAGCAAGACCGGAACTCACTTGGACGAGGACGAGGACGGAAAAAGGATAAAAAGAAAT  
TCCAGACCCAGGAGCCAGCCAGAGATCCAGCTGCCAAACGGAGACCCAAGGAAGCAGAGCCAGAGCAGG  
TAGCTCCAGAGACTCCCGAGGACAGAGACGAGGATGAGAGGGAGGAGAAGAGACGAAAAACGACACGTAA  
AAAAGTGGAGTACACACCGTTCCTCCGTTAGAGCAGATCGGAGAGAAAAGCCGCTCAAAGCAAAGTGTG  
ATCCCGAAGATCAACTACCAAAGTGCCCGAGTGTGGCCAGCACCTAGACGACCCTAACCTGAAGTACC  
AGCAGCACCCCTGAGGATGCTGTGGATGAACCCAGATGTTGACCAGTGAGAACTGTCCATCTACGACTC  
CACCTCGACCTGGTTTGATACTTATGAAGATTCTCCATGCATAGGTTCACTTCCCTTCAGTGTGACTGC  
AGTCGCGGGCACCTGTGCTGTCGACACCGGTCTCATTGAGAAGATGTAGAGCTCTACTTTCTGGGT  
GTGCCAAAGCAATTCATGACGAGAATCCATCTATGGAAGGTGGTATTAATGGCAAAAACCTCGGGCCAA  
CAATCAGTGGTGGCTCAGTGGCTTGTGATGGTGGCAGAAAGGTGCTCATTGCTTCTCCACTGCATTTGCT



[View online »](#)

GAATACATTTTGTGAGGCCAGCAAAGAGTATGAGCCAATATTTGGGCTGATGCAGGAGAAAATTTACA  
 TCAGCAAGATTGTTGTTGAGTTCCTGCAAAAACAATCCTGATGCTGTATATGAAGACCTGATCAATAAGAT  
 TGAGACCACTGTTCTCCTTCTACCATTAATGTGAACCGTTACAGAGGACTCCCTTTACGCCACGCC  
 CAGTTTGTAGTGAGCCAGGTAGAGAGTTACGACGAAGCCAAGGACGATGATGAGACCCCCATCTTCTGT  
 CTCCTGTATGAGAGCCCTGATCCATTTGGCTGGTGTCTCCCTGGGACAGAGGCGAGCAACAAGGCGGT  
 CATGGGTGCTACCAAGGAGAAGGACAAAGCACCACGAAAGCCACCACCACCAAGCTGGTCTATCAGATC  
 TTTGACACTTTTCTCAGAGCAGATTGAGAAGTATGATAAGGAGGACAAGGAGAATGCCATGAAGCGCC  
 GCCGCTGTGGTGTGTGAGGTCTGTACGACGCTGAGTGTGGGAAGTGCAAGGCGTGCAAAAGATATGGT  
 GAAGTTTGGTGGCACTGGACGGAGTAAGCAGGCTTGCCTCAAGAGGAGGTGTCCTAACTTGGCGGTGAAG  
 GAGGCAGACGACGATGAAGAGGCTGATGATGATGTGTCAGAGATGCCATCACCAAAAAGCTGCATCAGG  
 GGAAGAAGAAGAAGCAGAACAAGGACCGCATCTCCTGGCTTGGGCAGCCTATGAAGATTGAAGAGAATAG  
 AACTTACTATCAGAAGGTGAGCATCGATGAGGAGATGCTAGAGGTGGGCGACTGCGTCTCGGTCTTCCA  
 GATGATTCCTCAAACCACTCTATCTAGCCAGGTCACAGCTCTGTGGGAAGACAAAATGGTCAGATGA  
 TGTTCCATGCGCACTGGTCTGCGCTGGGACAGACACAGTCTGGGAGCCACCTCCGACCCCTGGAAC  
 GTTCTGTGGGCGAGTGCAGAAACATGCAGCTTCTACATCCACAGCAAGGTCAAGGTCTACAAA  
 GCCCTTCTGAAAACCTGGGCCATGGAGGAGGCACAGACCCTGAGACCACACTGCCTGGGCTGAGGATG  
 GCAAGACTTACTTCTCCAGCTCTGGTACAACCAGGAGTACGCAAGGTTTGAATCCCCACCAAGACCCA  
 GCCGACCGAGGACAACAAGCACAAGTCTGCCTATCTTGTATCCGGCTGGCTGAGCTGAGACAAAAGAA  
 ATGCCAAAGTCTGGAACAAAATGAGGAGGTGGATGGCCGGTCTACTGCAATCCATCACCAAGAATG  
 GTGTTGTCTACCGACTGGGTGACAGTGTGTACCTTCTCCGAGGCTTTACTTTCAACATCAAAGTGGC  
 TAGCCCGTGAAACGCCAAAGAAGGATCCTGTGAACGAGACCCTGTACCTGAGCACTACCGCAAGTAT  
 TCTGACTACATCAAGGGGAGCAACCTGGATGCTCCAGAGCCCTATCGCATCGGTCCGATAAAAGAGATCC  
 ACTGTGGCAAGAAGAAGGCAAGGTCAACGAGGACAGACATCAAGCTGAGGCTCTACAAGTTCTACAGGCC  
 TGAGAATACCCACAGTCTACAACGGATCCTATCACACTGACATCAACATGCTTTACTGGAGCGCAGAG  
 GAAGCTGTGGTGAACCTCAGCGACGTGCAGGGCCGCTGTACCGTGGAGTACGGGGAAGACCTACTTGAGA  
 GCATCCAGGATTATCACAAGGGGGCCCTGACCGTCTACTTCTCGAGGCTACAATCAAAGACCAA  
 GAACCTTGAAGACCCACCAACCATGCCCGCAGCCCTGGGAACAAGGGAAAGGGGAAAGGGGAAG  
 GGAAGGGGAAGCATCAGGTGTCAGAGCCAAAGAGCCTGAGGCAGCCATCAAAGTCCCAAGCTCCGGA  
 CCCTGGATGTGTTTTCCGGCTGTGGAGGTTATCGGAAGGATTCCACCAAGCAGGCATCTCGAAACGCT  
 GTGGGCCATCGAGATGTGGGACCCGCGACCCAGGCATTTCCGGTGAACAACCCCGCACCACAGTGTTC  
 ACAGAGGACTGCAACGTGCTTCTAAGCTGGTCAATGGCTGGGAGGTGACCAACTCTCTGGCCAAAGGC  
 TGCCACAGAAGGGCGATGTGGAGATGCTGTGTGGTGGGCCACCCTGCCAGGGCTTCAGTGGCATGAACCG  
 TTCAACTCCCGCACTTACTCCAAGTTCAAAACCTCCCTAGTGGTCTCCTTCTCAGTACTGTGACTAC  
 TACCGGCTCGGTCTTCTTCTTGGAGAAGCTCAGGAACCTTCGTGTCTACAGACGCTCCATGGTGTGA  
 AGCTCACACTGCGCTGCCTGGTCCGATGAGGCTACCAAGTGCACCTTTGGTGTGCTCCAGGCTGGACAGTA  
 TGGCGTGGCCAGACACGAAGGAGGGCCATCATTTGGCTGCAGCCCCAGGAGAAAAGCTGCCTCTGTTC  
 CCAGAGCCTCTGCATGTGTTTGCGCCCGTGCCTGCCAGCTGAGCGTTGTGGTGGATGACAAGAAGTTG  
 TTAGCAACATAACGAGGCTGAGCTCGGGCCCTTCCGAACCATCACCGTGCAGACACCATGTCTGACCT  
 CCCCAGATCCAGAATGGAGCCTCGAATTCAGATCCCCTACAATGGAGAGCCACTGCTGTTCCAG  
 AGGCAGCTGCGAGGATCACACTACCAGCCATCCTCAGGGACCATATCTGCAAGGACATGAGCCACTGG  
 TGCTGCCCGCATGCGGCACATCCCACTGTTCCAGGATCAGATTGGCGTACCTGCCAACATACAGGT  
 GCGGCTGGGAGATGGCGTCATAGCCATAAGCTACAGTACACCTTTCATGATGTGAAAAATGGTACAGC  
 AGCACCGGTGCCCTGCGTGGAGTCTGTTCTGTGAGAAGGCAAGGCCTGCGACCTGAGTCCAGGCAAT  
 TCAGCACCCCTCATCCCCTGGTGCCTGCCGCACTGGGAACCGGCACAACCACTGGGCTGGCCTCTACGG  
 GCGTCTGGAGTGGGATGGCTTCTCAGCACCCTGTACCAACCCCTGAGCCATGGGCAAGCAGGGTCGG  
 GTGCTCCACCCGAGCAGCACCGGGTCGTGAGTGTTCGGGAATGTGCCCGCTCCAGGGCTTCCAGATA  
 GCTACCGTCTTTCGGCAACATCCTGGACAGACCCGGCAGGTGGTAATGCTGTGCCACCACCCCTGGC  
 CAAAGCCATTGGCTGGAGATTAAGCTCTGCCTGTGTCCAGTGTCTGGGAGAGCCATCAGCTGCAGTT  
 AAAGCAAAAGAGGAGGCTGCTACCAAGGAC

ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT  
 ACAAGGATGACGACGATAAGGTTAA

**Protein Sequence:** >MR212056 representing NM\_010066  
 Red=Cloning site Green=Tags(s)



MPARTAPARVPALASPAGSLPDHVRRRLKDLERDGLTEKECVREKLNLLHEFLQTEIKSQLCDLETKLHK  
 EELSEEGYLAKVKSLLNKDLSENGHTLTLQKANGCPANGSRPTWRAEMADSNRSPRSRPKPRGPRRSKS  
 DSDTL SVETSPSSVATRRTRQTITAHFTKGPTRKPKKEESEEGNSAESAEEERDQDKRRVVDTE SGA  
 AAAVEKLEEVTAGTQLGPEEPEQEDDNRSRLRRHTREL SLRRKSKEDPDREARPE THLDEDEDGKKDKRS  
 SRPRSQPRDPAAKRRPKEAEPEQVAPETPEDRDEDEREEKRRKTRRKLESHTVPVQSRSERKAAQSKSV  
 IPKINSPKCECGOHLDDPNLKYQQHPEDA VDEPQMLTSEKLSIYDSTSTWFDTYEDSPMHRFTSFVYVC  
 SRGHLCPVD TGLIEKNVELYFSGCAKAIHDENPSMEGGINGKNLGPINQWWL SGFDGGEKVLIGFSTAF A  
 EYILMEPSKEYEPIFGLMQEKIYISKIVVEFLQNNPDVYEDL INKIETTVPSTINVNRFTEDSL LRHA  
 QFVVSQVESYDEAKDDDETPIFLSPCMRALIHLAGVSLGQRRATRVMGATKEKDKAPTATTTKLVYQI  
 FDTFFSEQIEKYDKEDKENAMKRRRCGVCEVCQPCEGKCKACKDMVKFGGTGRSKQA CLKRRCPNLAVK  
 EADDDEEADDDVSEMPSPKLLHQGKKKQNKDRI SWLGQPMKIEENRTYYQKVSIDEEMLEVGD C VSVIP  
 DDSSKPLYLARVTALWEDKNGQMMFHAWFCAGTDTVLGATSDPLELFLVGE CENMQLSYIHSKVKVIYK  
 APSENWAMEGGTDPETTLPGAEDGKTYFQLWYNQEYARFESPPKTQPTEDNKHKFCLSCIRLAELRQKE  
 MPKVLQEIEVDGRVYCSSITKNGVVYRLGDSVYL PPEAFTFNIVASPVKRPKDPVNETLYPEHYRKY  
 SDYIKGSLDAPEPYRIGRIKEIHC GKKGKVN EADIKLRLYKFRPENTHRSYNGSYHTDINMLYWSDE  
 EAVVNFSDVQGRCTVEYGEDLLESIQDYSQGGPDRFYFLEAYNSKTKNFEDPPNHARSPGNKGGKGGK  
 GKGGKHQVSEPKPEAAIKLPLKRLTLDVFSGCGGLSEGFFHQAGISETLWAIEMWDPAAQAFRLNPNPTTF  
 TEDCNVLLKLV MAGEVTNSL GQRLPQKGDVEMLCGGPPCQGFSGMNRFN SRTYSKFKNSL VVSFLSYCDY  
 YRPRFFLEENVRNFVSYRRSMVLKLT LRCLVRMGYQCTFGVLQAGQYGAQTRRRRAIILAAPGEKLP LF  
 PEPLRVFAPRACQLSVVDDKKFVSNITRLSSGPFRTITVRDTMSDLPEIQNGASNSEIPYNGEPLSWFQ  
 RQLRGSHYQPILRDHICKDMSPLVAARMRHIPLFPGSDWRDL PNIQVRLGDGVI AHKLQYTFHDVKN GYS  
 STGALRGVCSAEGKACDPESRQFSTLIPWCLPHTGNRHNHWAGLYGRLEWDGFFSTTVTNPEPMGKQGR  
 VLHPEQHRVSVRECAR SQGFPDSYRFFGNILDRHRQVGNVPPPLAKAIGLEIKLCLLSSARESASAAV  
 KAKEEAATKD

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

**Restriction Sites:**  
**Cloning Scheme:**

SgfI-MluI

Cloning sites used for ORF Shuttling:



\* The last codon before the Stop codon of the ORF


**ACCN:** NM\_010066

<b>ORF Size:</b>	4860 bp
<b>OTI Disclaimer:</b>	<p>Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at <a href="mailto:custsupport@origene.com">custsupport@origene.com</a> or by calling 301.340.3188 option 3 for pricing and delivery.</p> <p>The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <a href="#">More info</a></p>
<b>OTI Annotation:</b>	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
<b>Components:</b>	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
<b>Reconstitution Method:</b>	<ol style="list-style-type: none"> <li>1. Centrifuge at 5,000xg for 5min.</li> <li>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li> <li>3. Close the tube and incubate for 10 minutes at room temperature.</li> <li>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li> <li>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li> </ol>
<b>RefSeq:</b>	<a href="#">NM_010066.1</a>
<b>RefSeq Size:</b>	5367 bp
<b>RefSeq ORF:</b>	4860 bp
<b>Locus ID:</b>	13433
<b>UniProt ID:</b>	<a href="#">P13864</a>
<b>Cytogenetics:</b>	9 7.66 cM
<b>MW:</b>	183.6 kDa

**Gene Summary:**

This gene encodes a methyltransferase that preferentially methylates cytosines of CpG residues in hemimethylated DNA to generate fully methylated CpG base pairs during DNA replication. This enzyme plays roles in diverse cellular processes including cell cycle regulation, DNA repair, and telomere maintenance. The encoded protein is composed of an N-terminal domain with a nuclear localization sequence and replication fork-targeting domain, a DNA-binding CXXC domain, two bromo-adjacent homology domains, and a C-terminal catalytic domain. Mouse embryonic stem cells mutant for this gene are viable, but when introduced into the germ line, cause a recessive lethal phenotype with mutant embryos displaying stunted growth and developmental defects. Alternative splicing results in multiple transcript variants. [provided by RefSeq, Sep 2015]

**Product images:**



Circular map for MR212056