

## Product datasheet for MR213010L3

### Fance (NM\_001163820) Mouse Tagged Lenti ORF Clone

#### Product data:

Product Type:	Expression Plasmids
Product Name:	Fance (NM_001163820) Mouse Tagged Lenti ORF Clone
Tag:	Myc-DDK
Symbol:	Fance
Synonyms:	2810451D06Rik; AI415634; AW209126
Mammalian Cell Selection:	Puromycin
Vector:	pLenti-C-Myc-DDK-P2A-Puro (PS100092)
E. coli Selection:	Chloramphenicol (34 ug/mL)
ORF Nucleotide Sequence:	The ORF insert of this clone is exactly the same as(MR213010).
Restriction Sites:	SgfI-MluI
Cloning Scheme:	

Cloning sites used for ORF Shuttling:



\* The last codon before the Stop codon of the ORF.


ACCN:	NM_001163820
ORF Size:	1452 bp



[View online »](#)

<b>OTI Disclaimer:</b>	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <a href="#">More info</a>
<b>OTI Annotation:</b>	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
<b>Components:</b>	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
<b>Reconstitution Method:</b>	<ol style="list-style-type: none"><li>1. Centrifuge at 5,000xg for 5min.</li><li>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li><li>3. Close the tube and incubate for 10 minutes at room temperature.</li><li>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li><li>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li></ol>
<b>RefSeq:</b>	<a href="#">NM_001163820.1</a> , <a href="#">NP_001157292.1</a>
<b>RefSeq Size:</b>	1890 bp
<b>RefSeq ORF:</b>	1455 bp
<b>Locus ID:</b>	72775
<b>Cytogenetics:</b>	17 A3.3
<b>Gene Summary:</b>	<p>This gene encodes the complementation group E subunit of the multimeric Fanconi anemia (FA) nuclear complex composed of proteins encoded by over ten Fanconi anemia complementation (FANC) group genes: FANCA, FANCB, FANCC, FANCD1 (also called BRCA2), FANCD2, FANCE, FANCF, FANCG, FANCI, FANCJ (also called BRIP1), FANCL, FANCM and FANCN (also called PALB2). The FA complex is necessary for protection against DNA damage. This gene product is required for the nuclear accumulation of FANCC and provides a critical bridge between the FA complex and FANCD2. Defects in the related human gene are a cause of Fanconi anemia, a genetically heterogeneous recessive disorder characterized by cytogenetic instability, hypersensitivity to DNA crosslinking agents, increased chromosomal breakage, and defective DNA repair. Translation of this protein is initiated at a non-AUG (CUG) start codon, which is inferred from the related human gene and the notion that this protein is functionally indispensable. Multiple transcript variants encoding different isoforms have been identified. [provided by RefSeq, Aug 2009]</p>

Product images:



Circular map for MR213010L3