

## **Product datasheet for MR213945L3V**

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## Klhl15 (NM\_001039060) Mouse Tagged ORF Clone Lentiviral Particle

**Product data:** 

**Product Type:** Lentiviral Particles

**Product Name:** Klhl15 (NM\_001039060) Mouse Tagged ORF Clone Lentiviral Particle

Symbol: Klhl15

Synonyms: 6330500C13Rik

Mammalian Cell

Selection:

Puromycin

**Vector:** pLenti-C-Myc-DDK-P2A-Puro (PS100092)

Tag: Myc-DDK

**ACCN:** NM\_001039060

ORF Size: 744 bp

**ORF Nucleotide** 

The ORF insert of this clone is exactly the same as(MR213945).

Sequence:

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through

naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**RefSeq:** <u>NM 001039060.1</u>, <u>NP 001034149.1</u>

RefSeq Size: 4001 bp
RefSeq ORF: 747 bp
Locus ID: 236904
UniProt ID: A2AAX3

**Cytogenetics:** X C3







## **Gene Summary:**

Substrate-specific adapter for CUL3 E3 ubiquitin-protein ligase complex. Acts as an adapter for CUL3 to target the serine/threonine-protein phosphatase 2A (PP2A) subunit PPP2R5B for ubiquitination and subsequent proteasomal degradation, thus promoting exchange with other regulatory subunits and regulating PP2A holoenzyme composition. Acts as an adapter for CUL3 to target the DNA-end resection factor RBBP8/CtIP for ubiquitination and subsequent proteasomal degradation. Through the regulation of RBBP8/CtIP protein turnover, plays a key role in DNA damage response, favoring DNA double-strand repair through error-prone non-homologous end joining (NHEJ) over error-free, RBBP8-mediated homologous recombination (HR).[UniProtKB/Swiss-Prot Function]