



## Product datasheet for MR214081L3

### Dusp28 (NM\_175118) Mouse Tagged Lenti ORF Clone

#### Product data:

|                           |                                                                |
|---------------------------|----------------------------------------------------------------|
| Product Type:             | Expression Plasmids                                            |
| Tag:                      | Myc-DDK                                                        |
| Symbol:                   | Dusp28                                                         |
| Synonyms:                 | 0710001B24Rik; AV005521                                        |
| Mammalian Cell Selection: | Puromycin                                                      |
| Vector:                   | pLenti-C-Myc-DDK-P2A-Puro (PS100092)                           |
| E. coli Selection:        | Chloramphenicol (34 ug/mL)                                     |
| ORF Nucleotide Sequence:  | The ORF insert of this clone is exactly the same as(MR214081). |
| Restriction Sites:        | SgfI-RsrII                                                     |
| Cloning Scheme:           |                                                                |

Cloning sites used for ORF Shuttling:




\* The last codon before the Stop codon of the ORF.

|           |           |
|-----------|-----------|
| ACCN:     | NM_175118 |
| ORF Size: | 489 bp    |



|                               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|-------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>OTI Disclaimer:</b>        | The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <a href="#">More info</a>                                                                      |
| <b>OTI Annotation:</b>        | This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>Components:</b>            | The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).                                                                                                                                                                                                                                                                                                                                    |
| <b>Reconstitution Method:</b> | <ol style="list-style-type: none"> <li>1. Centrifuge at 5,000xg for 5min.</li> <li>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li> <li>3. Close the tube and incubate for 10 minutes at room temperature.</li> <li>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li> <li>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li> </ol> |
| <b>Note:</b>                  | Plasmids are not sterile. For experiments where strict sterility is required, filtration with 0.22um filter is required.                                                                                                                                                                                                                                                                                                                                                                                                |
| <b>RefSeq:</b>                | <a href="#">NM_175118.3</a> , <a href="#">NP_780327.1</a>                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| <b>RefSeq Size:</b>           | 1491 bp                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>RefSeq ORF:</b>            | 492 bp                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| <b>Locus ID:</b>              | 67446                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| <b>UniProt ID:</b>            | <a href="#">Q8BTR5</a>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| <b>Cytogenetics:</b>          | 1 D                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| <b>Gene Summary:</b>          | Has phosphatase activity with the synthetic substrate 6,8-difluoro-4-methylumbelliferyl phosphate (in vitro). Has almost no detectable activity with phosphotyrosine, even less activity with phosphothreonine and displays complete lack of activity with phosphoserine. The poor activity with phosphotyrosine may be due to steric hindrance by bulky amino acid sidechains that obstruct access to the active site.[UniProtKB/Swiss-Prot Function]                                                                  |

Product images:



Circular map for MR214081L3