

Product datasheet for **MR214602**

Olfr1018 (NM_146586) Mouse Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Tag:	Myc-DDK
Symbol:	Olfr1018
Synonyms:	MOR260-5
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)

ORF Nucleotide Sequence: >MR214602 representing NM_146586
Red=Cloning site Blue=ORF Green=Tags(s)

TTTGTGAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCC**CGCATCGC**

ATGGACCATATGAAAACAAATTCACAGTGACTGAGTTGTGTTTCTGGGGCTTTCATCTGATCCCAAGG
TACAGCTGGTTCTCTTTTTGTATTCTGTTTTCTATATGTTGTCAGTGGTTGGCAATATCATCATTAT
TACTATTATTCAGATAGAACCCCGCTGAAAACCCCATGACTTCTTCTTGCTAAGTTGCTTTCTG
GACATCTGCTACATCCACTAATGTTCCGCAGATGCTTCCAACATGGTGGGAGTAAGAAGACCATCC
CTTTTGCCAGCTGTGCCACGCAGATGATTTCTCACTCTCCTTTGGAATGATTGAATGTGTTCTTCTGG
TGTTATGGCTTATGACAGATATGTAGCCATCTGTCATCCTCTCCACTACACTGTTATTATGGACAAAAC
ACCTGTATCCAAGTGGCAGCCATTTCTGGTCCAGTAGCTTCTCAGTTCCATGGTTATCAATGTTCTCA
CCTTGAGTTTGCCCTACTGTGGACAAATGCTGAATCACTTTTCTGTGAGGTTCTTTCAGTTCTGAG
ACTGGCTTGACTGACACTTCACTCACTGAGCTGGTGGTTTTGTATTTAGTATCATCATTGCTTCATT
CCTTCTCTCTTATTATTGTTTCTATGCCCGCATCCTTCTTCTGTTCTCAGGATGCGATCAGCCTCTG
GGAGACACAAGGCTCTCTCCACCTGTGCCTCCCATCTCACAGTTGTGACCTTATTCTACGGAAGTCCAT
CTTTATGTACATGAGACCACAGTCAAAGTCTCCAGGGCTGGTGGGAAGGTCATTGCAGTATTCTACACT
GTAGTTACACCTATGCTTAACCCATTAATTTATAGCCTAAGGAACAGGATGTCAAAGGATCTCTGAGGA
GAGCTATCAGAAAACAGAAGACA

ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT
ACAAGGATGACGACGATAAGGTTTAA



Protein Sequence:

```
>MR214602 representing NM_146586
```

Red=Cloning site Green=Tags(s)

MDHMKTNFTVTEFVFLGLSSDPKVQLVLFVFLFFYMLSVVGNIIITIIQIEPRLKTMYFFLANLSFL
DICYTSTNVPQMLSNMVGSKKTIPFASCATQMYFSLSGFMIECVLLGVMAVDYVAICHPLHYTVIMDQN
TCIQLAATSWSSSFLSSMVINVLTLSPYCGPNVLNHFHCEVPSVLRACDTSLTELVVVFSSIIIVFI
PFLLIIVSYARILLSVLRMRASRGRRAALSTCASHLTVVTLFYGTAFIMYMRQSKSSRAGGKVIADVFT
VPTMLNPLIYSLRNODYKGSRLHAIKTOKT

TRTRPLEOKLISEEDLAANDILDYKDDDDKV

Chromatograms:



https://cdn.origene.com/chromatograms/mm9084_c02.zip

Restriction Sites:

Sgfl-MluI

Cloning Scheme:

Cloning sites used for ORF Shuttling:



* The last codon before the Stop codon of the ORF

ACCN:

NM_146586

ORF Size:

933 bp

OTI Disclaimer:

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info

OTI Annotation:

This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components:

The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:	1. Centrifuge at 5,000xg for 5min. 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA. 3. Close the tube and incubate for 10 minutes at room temperature. 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom. 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
Note:	Plasmids are not sterile. For experiments where strict sterility is required, filtration with 0.22um filter is required.
RefSeq:	<u>NM_146586.2, NP_666797.2</u>
RefSeq Size:	936 bp
RefSeq ORF:	936 bp
Locus ID:	258579
Cytogenetics:	2 D
MW:	35 kDa
Gene Summary:	Olfactory receptors interact with odorant molecules in the nose, to initiate a neuronal response that triggers the perception of a smell. The olfactory receptor proteins are members of a large family of G-protein-coupled receptors (GPCR) arising from single coding-exon genes. Olfactory receptors share a 7-transmembrane domain structure with many neurotransmitter and hormone receptors and are responsible for the recognition and G protein-mediated transduction of odorant signals. The olfactory receptor gene family is the largest in the genome. The nomenclature assigned to the olfactory receptor genes and proteins for this organism is independent of other organisms. [provided by RefSeq, Jul 2008]

