

Product datasheet for **MR215452**

Flrt3 (NM_178382) Mouse Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Flrt3 (NM_178382) Mouse Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	Flrt3
Synonyms:	5530600M07Rik; C430047I10Rik; mKIAA1469
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)



[View online »](#)

ORF Nucleotide Sequence:

>MR215452 representing NM_178382
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
 GCC**GCGATCGCC**

ATGATCAGCCCAGCCTGGAGCCTTTCCTCATCGGGACTAAAATTGGGCTGTTCTTCCAAGTGGCACCTC
 TGTCAAGTTGGCTAAATCCTGTCCATCTGTATGTCGCTGTGACGAGGCTTCATTTACTGTAACGATCG
 CTCTCTGACATCCATTCCAGTGGGAATTCGGAGGATGCTACAACACTCTACCTTCAAGAACAACCAATA
 AACAAATGTTGGGATTCCTTCCGATTTGAAGAACTTGCTGAAAGTACAAAGAATATACCTATACCACAACA
 GTTTAGATGAATTCCTACCAACCTTCAAAGTATGTCAAAGAGTTACATTTGCAAGAGAATAACATAAG
 GACTATCACCTATGATTCACCTTTCGAAAATTCGTATCTGGAAGAGTTACACTTGGATGATAACTCAGTC
 TCGGCTGTAGCATCGAAGAGGGAGCATTTGAGACAGTAACTATCTGCGGCTGCTTTTTCTGTCCCGTA
 ACCACCTTAGCACAATCCCGGGGGCTTGCCAGGACTATTGAGGAATTACGCCTGGATGACAATCGCAT
 ATCAACGATCTTCCCCATCACTTCATGGTCTACAAGCCTGAAACGCCTGGTTTTAGATGGAAACTTG
 TTGAACAACCATGGTTTGGGTGACAAAGTTTTCTCAACTTAGTAACTTAACAGAGCTGTCCCTGGTGA
 GGAATTCCTTGACAGCAGCGCCAGTGAACCTTCCCGGCACAAGCCTGAGGAAGCTTTACCTTCAAGACAA
 CCATATCAACCGGTACCCCAAATGCTTTTTCTTATTTAAGGCAGCTGTATCGACTCGATATGTCTAAT
 AATAACCTAAGCAATTTACCTCAGGGTATCTTTGATGATTTGGACAATAAACCCAACTGATTCTTCGCA
 ACAATCCTTGGTATTGTGGATGCAAGATGAAATGGGTACGAGACTGGTTACAGTCGCTACCGGTGAAGGT
 CAATGTGCGTGGGCTCATGTGCCAAGCCCCAGAAAAGTCCGTGGAATGGCTATCAAGGACCTCAGTGCA
 GAACTGTTTATTGTAAGACAGTGGGATTGTGAGCACCATTAGATAACCACTGCAATACCCAACACAG
 CATATCTGTCAAGGACAGTGGCCAGCTCCTGTGACCAACAACAGATATTAACCAACCCCAAGCTCAT
 TAAGGATCAGCGAACTACAGGCAGCCCTCACGGAAAACAATTTAATTACTGTGAAATCTGTACCCCT
 GACACAATCCACATATCCTGGAGACTTGCTCTGCCTATGACTGCTCTGCGACTCAGCTGGCTTAACTGG
 GCCATAGCCAGCCTTTGGATCTATAACAGAAACAATCGTAACAGGAGAACGAGTGAATACTTGGTCAC
 CGCCCTAGAACCTGAATCACCTATAGAGTATGCATGGTTCCTGGAACCAAGTAACTTTACCTGTTT
 GATGAAACACCTGTTTGTATTGAGACCCAACTGCCCTCTTCAATGTACAACCCACAACCACCTCA
 ATCGAGAGCAAGAGAAAGAACCTTACAAAAATCCAAATTTACCTTTGGCTGCCATCATTGGTGGGCTGT
 GGCCCTGGTAAGCATCGCCCTCCTTGTCTTGGTGTGTTGGTATGTGCATAGGAACGGTCACTGTTTCA
 CGGAAGTGTGCGTACAGCAAAGGGCGGAGGAGAAAGGATGACTATGCAGAAGCCGTAAGAAAGACA
 ACTCCATCCTGGAAATCAGGGAACTTCTTCCAGATGCTACCGATAAGCAATGAACCCATCTCCAAGGA
 GGAGTTTGTAAATACACACCATATTTCTCCGAATGGGATGAATCTGTACAAGAACAACCTCAGTGAGAGC
 AGTAGTAACCGGAGCTACAGAGACAGTGGCATCCAGACTCGGACCACTCACACTCA

ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAATGATATCCTGGATT
 ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence: >MR215452 representing NM_178382
 Red=Cloning site Green=Tags(s)


MISPAWSLFLIGTKIGLFFQVAPLSVVAKSCPSVCRCDAGFIYCNDRLSLSIPVGPEDATTLYLQNNQI
 NNVGIPSDLKNLLKVQRIYLYHNSLDEFPTNLPKYVKELHLQENNIRTIYDSLKIPYLEELHLDNSV
 SAVSIEEGAFRDSNYLRLLFLSRNHLSTIPGGLPRTIEELRLDDNRISTISSPSLHGLTSLKRLVLDGNL
 LNNHGLGDKVFFNLVNLTELSLVRNSLTAAPVNLPGTSLRKLQLQDNHINRVPPNAFSYLRQLYRLDMSN
 NNLNLNLPQGIFFDDLNIQILRNNPWYCGCKMKWVRDWLQSLPVKVNVRGLMCQAPEKVRGMAIKDL
 ELFDCKDSGIVSTIQITTAIPNTAYPAQGQWPAPVTKQPDIKNPKLIKDQRTTGSRSRKTILITVKS
 VTPDTIHISWRALPMTALRLSWLKLGHSPAFGSITETIVTGERSEYLVTALEPESPYRVCMPMETS
 NLYLFDETPVCJETQTAPLRMYNPTTTLNREQEKEPYKNPNLPLAAIIGGAVALVSIALLALVCWYV
 HRNGSLFSRNCAYSKGRRRKDDYAEAGTKKDNSILEIRETSFQMLPISNEPISKEEFVIHTIFPPN
 GMNLYKNNLSESSNRSYRDSGIPDSHSHS

TRTRPLEQKLI SEEDLAANDILDYKDDDDKV

Chromatograms: https://cdn.origene.com/chromatograms/mm9028_b11.zip

Restriction Sites: SgfI-MluI

Cloning Scheme:



ACCN: NM_178382

ORF Size: 1947 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_178382.4](#), [NP_848469.1](#)

RefSeq Size: 3984 bp

RefSeq ORF: 1950 bp

Locus ID: 71436


UniProt ID: [Q8BGT1](#)

Cytogenetics: 2 F3

MW: 73.3 kDa

Gene Summary: Functions in cell-cell adhesion, cell migration and axon guidance, exerting an attractive or repulsive role depending on its interaction partners (PubMed:19056886, PubMed:25374360). Plays a role in the spatial organization of brain neurons (PubMed:25374360). Plays a role in vascular development in the retina (PubMed:25374360). Plays a role in cell-cell adhesion via its interaction with ADGRL3 and probably also other latrophilins that are expressed at the surface of adjacent cells (PubMed:22405201, PubMed:25374360). Interaction with the intracellular domain of ROBO1 mediates axon attraction towards cells expressing NTN1 (PubMed:24560577). Mediates axon growth cone collapse and plays a repulsive role in neuron guidance via its interaction with UNC5B, and possibly also other UNC-5 family members (PubMed:21673655, PubMed:25374360). Promotes neurite outgrowth (in vitro) (By similarity). Mediates cell-cell contacts that promote an increase both in neurite number and in neurite length (By similarity). Plays a role in the regulation of the density of glutamergic synapses (PubMed:22405201). Plays a role in fibroblast growth factor-mediated signaling cascades (PubMed:16872596). Required for normal morphogenesis during embryonic development, but not for normal embryonic patterning (PubMed:19056886). Required for normal ventral closure, headfold fusion and definitive endoderm migration during embryonic development (PubMed:18448090). Required for the formation of a normal basement membrane and the maintenance of a normal anterior visceral endoderm during embryonic development (PubMed:19056886).[UniProtKB/Swiss-Prot Function]

Product images:



Circular map for MR215452