

Product datasheet for MR215637L3

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com

OriGene Technologies, Inc.

Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Osbp (NM_001033174) Mouse Tagged Lenti ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: Osbp (NM 001033174) Mouse Tagged Lenti ORF Clone

Tag: Myc-DDK

Symbol: Osbp

Synonyms: 1110018F06Rik; AW559088; mKIAA4220

Mammalian Cell Puromycin

Selection:

Vector: pLenti-C-Myc-DDK-P2A-Puro (PS100092)

Sgfl-Mlul

E. coli Selection: Chloramphenicol (34 ug/mL)


ORF Nucleotide The ORF insert of this clone is exactly the same as(MR215637).

Sequence:

Restriction Sites:

Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF.

ACCN: NM_001033174

ORF Size: 2415 bp





Osbp (NM_001033174) Mouse Tagged Lenti ORF Clone - MR215637L3

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: NM 001033174.1, NP 001028346.1

 RefSeq Size:
 4590 bp

 RefSeq ORF:
 2418 bp

 Locus ID:
 76303

 UniProt ID:
 Q3B7Z2

 Cytogenetics:
 19 8.58 cM

Gene Summary: Lipid transporter involved in lipid countertransport between the Golgi complex and

membranes of the endoplasmic reticulum: specifically exchanges sterol with

phosphatidylinositol 4-phosphate (PI4P), delivering sterol to the Golgi in exchange for PI4P, which is degraded by the SAC1/SACM1L phosphatase in the endoplasmic reticulum. Binds cholesterol and a range of oxysterols including 25-hydroxycholesterol. Cholesterol binding


promotes the formation of a complex with PP2A and a tyrosine phosphatase which

dephosphorylates ERK1/2, whereas 25-hydroxycholesterol causes its disassembly. Regulates

cholesterol efflux by decreasing ABCA1 stability.[UniProtKB/Swiss-Prot Function]



Product images:



Circular map for MR215637L3