

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product datasheet for MR215768L4V

Ell2 (NM_138953) Mouse Tagged ORF Clone Lentiviral Particle

Product data:

Product Type:	Lentiviral Particles
Product Name:	Ell2 (NM_138953) Mouse Tagged ORF Clone Lentiviral Particle
Symbol:	EII2
Mammalian Cell Selection:	Puromycin
Vector:	pLenti-C-mGFP-P2A-Puro (PS100093)
Tag:	mGFP
ACCN:	NM_138953
ORF Size:	1917 bp
ORF Nucleotide Sequence:	The ORF insert of this clone is exactly the same as(MR215768).
OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <u>More info</u>
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
RefSeq:	<u>NM 138953.2, NP 620403.2</u>
RefSeq Size:	3660 bp
RefSeq ORF:	1920 bp
Locus ID:	192657
UniProt ID:	Q3UKU1
Cytogenetics:	13 C1



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

CRICENEEll2 (NM_138953) Mouse Tagged ORF Clone Lentiviral Particle - MR215768L4VGene Summary:Elongation factor component of the super elongation complex (SEC), a complex required to
increase the catalytic rate of RNA polymerase II transcription by suppressing transient
pausing by the polymerase at multiple sites along the DNA. Component of the little
elongation complex (LEC), a complex required to regulate small nuclear RNA (snRNA) gene
transcription by RNA polymerase II and III (By similarity). Plays a role in immunoglobulin
secretion in plasma cells: directs efficient alternative mRNA processing, influencing both

proximal poly(A) site choice and exon skipping, as well as immunoglobulin heavy chain (IgH) alternative processing. Probably acts by regulating histone modifications accompanying transition from membrane-specific to secretory IgH mRNA expression.[UniProtKB/Swiss-Prot Function]

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US