

Product datasheet for **MR216083**

Osbp2 (NM_152818) Mouse Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Osbp2 (NM_152818) Mouse Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	Osbp2
Synonyms:	1700095P05Rik; C630001G20Rik; Gm244; ORP-4; OSBPL1
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)



[View online »](#)

ORF Nucleotide Sequence:

>MR216083 representing NM_152818
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
 GCC**CGGATCGCC**

ATGGGAAAGCGGCCGCTCTGAGCCGAGGCGGCCGCTGCGCTGGCCGCTCCCGGGCTCTCGTCGCTGT
 TCACGGTTGTGCCCTGCTTGTCTCGCCACACGGCGGCCGGGCATGAACTCATCCGCGTTCGGCTCAGG
 ACCAGCGTCAAAGCCTCAGCTCCAGCCTGTGCAGGCACCAGAGCGGGAGTTGCTGTGCAAACAGGTGTGC
 CAGCCAATTTCTGAGCCGGCGTCGAGATCCGAACCTGGGTCCCAGACGACGTCTGTGCCAAGCCTTCAG
 GGGTTGGCAGGAATCGGAACTACAGGGCTTGTGGCCGGGGTCAGAGAACGGCACAAGGTCTGTGCCAT
 CATCAAAGCTTCGCCAGAGCTGGCAATGCCGTCCCGCTGCAGTCAACAGTAGGGAGTTTCCCCGTACC
 AAACCCGAGTCCAAGCTGGTCCAAAGACCCAGTCTTTTCTGCGACAAGGACAGGCGAAGATTTCTGTCC
 GGACTCCGGTGTAGGGATTGGTGTCAAATGGTCTCACACCTCTGGACAGCTACAAGGGTTGGCTCCT
 CAAGTGGACTAACTACCTGAAGGGCTACCAGCGCGTTGGTTCGTCTCGCAATGGCCTGCTGTCTAC
 TACAGAAACCAGGGTGAATGGCCACACCTGCCGTGCGACCATCAACTTGGCCTCCACACACTTTGAAA
 CAGAGGACTCTTGTGGAATCCTTCTATGCAACGGGGCAAGGACCTACCACCTCAAGGCCAGCTCAGAGGT
 GGACCGCAGCATTGGATCACCGCTCTGGAGCTGGCCAAGGCCAAGGCTATCCGTGTGATGAAAACCTCAG
 TCAGATGATTCTGGGGACGACGACGAAGAGCCTGCTGCCCCAGCTGACAACAGTGAACCTCCACCACACTC
 TTAAGACCCTCTCACTGAAGTTAAATGACCTCAGCACGTGCAATGACCTCATTGCCAAGCATGGCGCTGC
 CCTCCAGCGCTCCCTGAATGAGCTGGACAGCCTCAAGATCCCATCAGAGTGGGGGAGAACTGAAGTT
 GTAACGAGCGGGCCACCCTCTCCGCATCACATCAAATGCTATGATCAACGCTGTAGGGACTTCCCTGG
 AACTGTGAGACTCACAGCCGAAATGGCAGCGGGCTCAAATATGAGCAGGAGCAGCTGTCCACCT
 GGAAGAGACAATTGAGCAGTTGGCCAAGCAGCACAAACAGTCTTGAACGGGCTTCTGCAACACCCCTGGC
 GGGCCAGCCAGCTCCAGCAAGAGCTTACGCGAGGGAAAGCTTCTTGACTTCAAAGGAGAGAACAGTGAGG
 AAGATGAAGATACTGAGTACTTTGACGCCATGGAAGACTCTACATCTTTTATCACCGTAGTCACTGAGGC
 CAAGGAAGACAGAAAGCCTGAGAGTGGACCTGGGACCACCCTGTGGACTGGACCTCAGCAGATAATGTA
 TTAGATGGTGCCTCATTGATGCCAAGAATTGATGCAAAGTTAAGAGGCGAGTCCGCATCCCTGACAAAAC
 CCAACTATAGCCTAACCTCTGGAGCATCATGAAGAATTGATTGGCCGAGAGCTTCCCGGATCCCCAT
 GCCGGTGAACCTCAATGAGCCCCTGTCCATGCTCCAGCGACTTACAGAGGACCTGGAGTACCACCACCTG
 CTGGACAAGGCGGTGAAGTGCACCAGCTCGGTGGAGCAGATGTGCTGGTAGCCGCTTTTCTGTGTCTCT
 CCTACTCCACCAGGTGCACCGCATCGCCAAGCCCTTCAACCCTATGCTCGGGGAGACCTTCGAGCTGGA
 CCGTATGGAGGACATGGGCTGCGTTCCCTCTGTGAGCAGGTGAGCCACCACCCCGTCTGCTGCCAC
 CACGTGTTCTCTAAGCATGGCTGGAGCCTCTGGCAAGAAATCACCATCGCCAGCAAGTTCGAGGGAAAT
 ACATCTCTATCATGCCACTCGGTGCCATCCACCTAGAATCCAGGCCAGTGGCAATCACTACGTGTGGAG
 GAAGAGCACCTCCACCGTGCACAACATCATCGTGGCAAGCTCTGGATTGACCAGTCAAGGGACATTGAG
 ATTTGTAACCACAAGACCAAGGACCGGTGCCAGCTGAAGTTTGTACCCTACAGCTACTTCTCAAAGAGG
 CAGCCCCAAAGGTGACTGGAGTGGTGGTGGTGCACAGCCAGGGCAAGGCCACTACGTGCTGTGAGTTCTGT
 GGATGACCAGATGGAATGTTCTAAGATTGTGCACAGCAGCCAGCTCTGATGGGAGACAGAAAACCGTG
 TACCAGACACTGCCCCCAAACCTGCTCTGGAGGAAATACCCACTGCCGGAGAATGCGGAGAACATGTACT
 ATTTCTCCGAGCTAGCCCTGACCCTCAACGAGCAGGAGGACGGCGTGGCGCCACCAGACTCGCCTGCG
 GCCAGACCAGCGCTTATGGAGAGGGGACGCTGGGACGAGGCCAACACCGAGAAGCAACGGCTGGAGGAG
 AAGCAGCGCTGTCCAGGCGACGGCGGTGGAGTATGCACGGCAGGCTGCGGTGGGAGGAAGAGAAGG
 AGTCAGATGGCTATGTGCCGCTCTGGTTCGAGAAGAGGCTGGACCCGCTGACTGGGGAGATGGCCTGCAT
 GTACAAGGGCGGCTACTGGGAGGCCAAGGAGAAGAAGGACTGGCAGATGTGCCCAACATCTTC

ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAATGATATCTGGATT
 ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence: >MR216083 representing NM_152818
Red=Cloning site Green=Tags(s)

```
MGKAAALSRGGGCAGRSRGLSSLFTVVPCLSCHTAAPGMNSSAFGSGPASKPQLQPVQAPERELL SKQVC
QPISEPARSEPGSQTTSVPRPSGVGQSESELQGLWPGSENGTRSVSIIKASPELAMPSPQLQSTVGS LPVT
KPESKLVPKTQSFRLRQGQAKISVGTPTVSGIGVQMVSPPLDSYKGWLLKWTNYLKGYQRRWFVLGNLLSY
YRNQGEMAHTCRATINLASTHFETEDSCGILLCNGARTYHLKASSEVDROHWITALELAKAKAIRVMKTQ
SDDSGDDDEEPAAPADNSELHHTLKTLSLKLNDLSTCNDLIAKHGAALQ RSLNELDSLKIPSECGEKLV
VNERATLFRITSNAMINACRDFLELAETHSRKWQRALN YEQQRVHLEETIEQLAKQHNSLERAFcntpg
GPASSSKSFSEGSFLTskgenseeededeyfdamedstsfITVVTEAKEDRKPEsgpgtttvdwtsadnv
LDGASFMpknscvkrrvrIPDKPNySLNLWSIMKNCIGREL SRIPMPVNFNEPLSMLQRLTEDLEYHHL
LDKAVNCTSSVEQMCLVAAFsvssysttVHRIAKPFNPMLGETFELDRMEDMGLRSLCEQVSHHPPSAAH
HVFskHGWSLWQEITIIASKFRGKYISIMPLGAIHLEFQASGNHYVWRKSTSTVHNIIVGKLWIDQSGDIE
IVNHKTKDRCQLKfVPYSYFSKEAARKVTGVVSDSQGKAHYVLSGSWDDQMECSKIVHSSPSSDGRQKTV
YQTLPAKLLWRKYPLPENaENMYyfSELALTLNEQEDGVAPTDSRLRPDQRLMERGRWDEANTEKQRL EE
KQRLSRRRRESCTAGCGGEEEEKSDGYVPLWFEKRLDPLTGEMACMYKGGYWEAKEKDWHMCPNIF
```

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Restriction Sites:

SgfI-MluI


Cloning Scheme:



ACCN: NM_152818

ORF Size:	2724 bp
OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_152818.3
RefSeq Size:	4138 bp
RefSeq ORF:	2727 bp
Locus ID:	74309
UniProt ID:	Q5QNO6
Cytogenetics:	11 A1
MW:	101.8 kDa
Gene Summary:	The protein encoded by this gene belongs to the oxysterol-binding protein-related family of proteins, which are defined by a C-terminal sterol domain with a highly conserved EQVSHHPP motif. Oxysterols are oxygenated derivatives of cholesterol that are involved in mechanisms that include apoptosis, cholesterol homeostasis, lipid trafficking and cell differentiation. This protein is selectively expressed at high levels in the brain and testis. Within the testis, the mRNA is localized to postmeiotic germ cells, including spermatids and spermatozoa, but is not detectable in somatic cells. Mice homozygous mutant for a targeted deletion in this gene do not exhibit overt developmental phenotypes but are male sterile. Females display normal fertility. Alternative splicing results in multiple transcript variants. [provided by RefSeq, Oct 2014]

Product images:



Circular map for MR216083