

Product datasheet for **MR216206**

Phc3 (NM_001165955) Mouse Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Phc3 (NM_001165955) Mouse Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	Phc3
Synonyms:	E030046K01Rik; Edr3; Hph3
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)



[View online »](#)

ORF Nucleotide Sequence:

>MR216206 representing NM_001165955
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
 GCC**CGGATCGCC**

ATGGATAGTGAGCCGAGCTCTGGAACATCCGTGTCAACAACAGCCAGCAGTACCACCACCACCACCATCA
 CCACATCCTCCTCCGAATGCAGCAGCCACAGATCTCTGTCTACAGCGGGTCAGACCACATGCTGTTC
 GGTAATTCAGCAGGCCTTGCATCGGCCCCAGCTCGGCAGCTCAGTACCTGCAGCAGATGTACGCGGT
 CAGCAGCAGCACCTGATGCTGCACACGGCTGCTCTGCAGCAGCAGCACCTAAGCAGCTCGCAGCTCCAGA
 GCCTTGCGGTGTCCAGGCAAGTTGTCCAGTGGAAAGACCATCTACATCCCCACAGGCAGTGTTACACA
 ACAGTCAAGTATGTCCAGACATCTATCCTGTCCGCTTCTCTGCACCTGCTCAGCTGATGAACCGCTCC
 CAGACGTCAGTCTACCAGCGCAGTATTACCCAGCAGACTATGCTACTCGGGAGTACCTCTCCACCC
 TAACTGCCAGCCAAGCCAGATGTATCTCCGAGCTCAGATGGTTCAGAATTTAACCTTACGACGCCAGAA
 GCTGGGTGCTTATCTAGCTCACAGAATGGCTCACAAAAAGCGCTGGTCAAACCCAGTCCCTTGACAATT
 TGCCATAATAAAAACAACAGTGACCAGTCTAAAAATCAGCCAACGAGACCTTCTCCAGAGAGCAAGAAGG
 GAGGAAGCCCAGGTCTGGAATCTCGGAGCACGGCCGCTACTCGGACATCAAGCATCCACCAGTAAATAGC
 ACCAGTTCATATTCTCAATTCAGCCTCATTCTTAATCAAACATCAGCAGATTCTCTTCATTACCA
 CCTCTAAAGTTTCCCATCATCAGCTGCTATTACAACAGCAACAACAGCAAATTCAGCCAATCACCTTC
 AGAGTCCAAGTCAAGATCCACCCCATCCAGCACTGTATCCACTCCAAACCATGGCCTTTCTCCGGC
 TCCAGTAATGCCAGCCGACGATTGCTCCCAAGTTCAGAGCCATCCTCCGCTTTAACTGTGTCTCC
 AACCCAGGCACAGTCCGCACAGCAGTCTGTAGTGGTGTCTCCTCCCCCCTCATTCCCAAGTCAGTCTC
 TACTATAATATCCATCCACAAGCATTATCCAGCCACACCTCTTGTGTCTTCAAGCTTCAAACAGG
 GCCAAATTTGCAGCAGGCTGCTGCTGATCAGGTACAGTCCACCGCACAGCTGAATCTTCCATCCCATCTT
 CCACTTCCAGCATCCCCTGTTGTACACATTGGCCCTGTCCAGCAGTCTGCCTTGGTGTCCCTGGTCAGC
 AGATGGTGTCCCAACATCACACCAGCAGTATTACGCCCTACAGTCTCTCAATTCATCGGACCCC
 TCCACAGATGTCGGCATCTCCTCCAGCTCAGCTCCACCCTGCCCCTGAGTCTATGCAGTCTTTACAA
 GTGCAGCCTGAAATCTATCCAGGGCCAGGTTTTGGTGCAGAATGCTTTGGTGTGAGAAGAGGAGTAC
 CTGCTGCAGAAGCTTTGGTCCAGTTGCCATTTAGACTCTTCTCCTCCACAGACTGTTGCGGTAATCT
 ACAAGTACAGCCGCCAGCACCTGTTGATCCACCAGTGGTTTATCAAGTAGAAGATGTGTGTGAGGAAGAA
 ATGCCAGAGGAGTCCGATGAGTGTGCAAGGATGGACAGAACCCCCACCCCCACCTTGTCTCCAGCAG
 CTGTCAGTGTGGGAGGGGAGAGACTTGACATCCGAACATCCTTTGTTAGAGCAAGTGGAGTTGCCTGC
 TGTGGCCTCAGTCAAGTCTCCGTGATCAAGTCTCCATCAGACCCACCCATGCCTCTGCTCCTGCACCT
 CCCCTCTAATCCCTGCTGCCTCCACCAGGAGCAGCAGCACTTCTCTGGCCAGCAGCACTCCAGCCTGG
 AAAACAAGCCTCCACAGGCTATTGTGAAACCACAGATTTTGACCCACGTTATAGAAGGCTTTGTGATTCA
 GGAGGGGCTGGAGCCGTTTCTGTGAGTCGATCATCACTGCTGATAGAACAACCTGTGAAGAAGAGGCT
 CTCTTGGATAATCAGGTGGTAACTCTGTGTGTGTCAGCCAGAGTTACAGAATAACACAAAGCATGCAG
 ATAACTCATCCGACACAGAGATAGAAGACATGATGGCTGAAGAGACATTGGAAGAAATGGATAGCGAGTT
 ACTCAAGTGTGAATCTGTGAAAAATGGGATATCCTAATGAATTTTTACGGTCCAAACGATTCTGTACT
 ATGTCATGTGCCAAAAGGTACAACGTTAGCTGTTCTAAAAAATTTGCACCTTAGTCGTTGGAATCGTAAGC
 CTGATAATCAGAGTCTTGGGCATCGGGCCGCTCCTCAAGTGGCCCTGAAGGGGCAGCAAGAGAACATAT
 CCTTAGGCAGCTTCCAATTACTTATCCATCTGCAGAAGAAGACGTGGCCTCTCATGAAGATCCTGTGCCT
 TCTGCTATGACGACCCGCTCTGCGAAGGCAGAGCGAGCGGAAAGAGAGCGAGAGCTTCGGGATGTGAGGA
 TTAGGAAGATGCCTGAGAATAGTGACTTGTCTCCAGTCGCACAGACTGAGCCCTCCATATGGACAGTCGA
 CGACGCTGGGCCTTATCCATTCTTGGCCGGCTGCCAGGACGTTGCAGATGAGTTCAGGGCACAAGAG
 ATTGATGGGCAGGCCCTGCTCTTGCTAAAAGAAGACCATCTCATGAGTGAATGAACATGAAGCTGGGCC
 CAGCCCTGAAGATTTGTGCACGCATCAACTCTCTGAAGGACTCT

ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT
 ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence: >MR216206 representing NM_001165955
 Red=Cloning site Green=Tags(s)

```


MDSEPSSGTSVSTTASSTTTTTITSSSRMQQPQISVYSGSDRHAVQVIQQALHRPPSSAAQYLQQMYAA
QQQHLMLHTAALQQHLSSSQLQSLAAVQASLSSGRPSTPTGSVTQQSSMSQTSILSASPAPQLMNRS
QTSSSTSGSITQQTMLLGSTPTLTASQAQMYLRAQMVQNLTLRSQKLGVLSSSQNGSPKSAGQTSQSLTI
CHNKTTVTSSKISQRDPSPESKKGSGPLESRSTAVTRTSSIHQLIAPASYSPIQPHSLIKHQIPLHSP
PPKVSHHQLLLQQQQQIQPITLQSPSQDPPPSQHCIPLPNHGLSPAPSNAQPQHCSVPVQSHPPPLTVSP
NQAQSAQQSVVVSPPPHSPSQSPTII IHPQALIQPHPLVSSALQTGPNLQAAAADQVQSTAQLNLPShL
PLPASPVVHIGPVQQSALVSPGQMVSPSTSHQQYSALQSSPIPIATPPQMSASPPAQLPPLPLQSMQSLQ
VQPEILSQGQVLVQNALVSEEELPAAEALVQLPFQTLPPPQTVAVNLQVQPPAPVDPPVVVYQVEDVCEEE
MPEESDECARDRTPPPPTLSPAAVTVGRGEDLTSEHPLLEQVELPAVASVSASVIKSPSDPTHASAPAP
PLLIPAASTRSSSTSLASSTPSLENKPPQAIKVPQILTHVIEGFVIQEGLEFPVSRSSLLIEQPVKKRP
LLDNQVNSVCVQPELQNNTKHADNSSDTEIEDMMAEETLEEMSELLKCEFCKMGYPNEFLRSKRFCCT
MSCAKRYNVSCSKKFFALSRWNRKPDNQLGHRGRRPSGPEGAAREHILRQLPITYPSAEEDVASHEDPVP
SAMTTRLRRQSERERERELRDVIRKMPENDLLPVAQTEPSIWTVDDVWAFIHSPLPGCQDVAFEDFRAQE
IDGQALLLLKEDHLMSAMNMKLGPAKICARINSLKDS
    
```

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Restriction Sites:

SgfI-MluI

Cloning Scheme:




ACCN: NM_001165955

ORF Size: 2844 bp

OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_001165955.1 , NP_001159427.1
RefSeq Size:	10967 bp
RefSeq ORF:	2847 bp
Locus ID:	241915
Cytogenetics:	3 A3
MW:	102.6 kDa
Gene Summary:	Component of a Polycomb group (PcG) multiprotein PRC1-like complex, a complex class required to maintain the transcriptionally repressive state of many genes, including Hox genes, throughout development. PcG PRC1 complex acts via chromatin remodeling and modification of histones; it mediates monoubiquitination of histone H2A 'Lys-119', rendering chromatin heritably changed in its expressibility (By similarity).[UniProtKB/Swiss-Prot Function]

Product images:



Circular map for MR216206