

Product datasheet for MR216306L3

Nek9 (NM_145138) Mouse Tagged Lenti ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: Nek9 (NM_145138) Mouse Tagged Lenti ORF Clone

Tag: Myc-DDK

Symbol: Nek9

Synonyms: C130021H08Rik

Mammalian Cell Puromycin

Selection:

Vector: pLenti-C-Myc-DDK-P2A-Puro (PS100092)

E. coli Selection: Chloramphenicol (34 ug/mL)

ORF Nucleotide The ORF insert of this clone is exactly the same as(MR216306).

Sequence:

Restriction Sites: Sgfl-Mlul

Cloning Scheme:





st The last codon before the Stop codon of the ORF.

ACCN: NM_145138

ORF Size: 2952 bp



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Nek9 (NM_145138) Mouse Tagged Lenti ORF Clone - MR216306L3

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

Note: Plasmids are not sterile. For experiments where strict sterility is required, filtration with

0.22um filter is required.

RefSeq: <u>NM 145138.2</u>, <u>NP 660120.2</u>

RefSeq Size: 5403 bp
RefSeq ORF: 2955 bp
Locus ID: 217718
UniProt ID: Q8K1R7
Cytogenetics: 12 D1

Gene Summary: Pleiotropic regulator of mitotic progression, participating in the control of spindle dynamics


and chromosome separation. Phosphorylates different histones, myelin basic protein, betacasein, and BICD2. Phosphorylates histone H3 on serine and threonine residues and beta-

casein on serine residues Important for G1/S transition and S phase progression.

Phosphorylates NEK6 and NEK7 and stimulates their activity by releasing the autoinhibitory functions of Tyr-108 and Tyr-97 respectively (By similarity).[UniProtKB/Swiss-Prot Function]



Product images:



Circular map for MR216306L3