

## Product datasheet for **MR216630**

### H1f4 (NM\_015787) Mouse Tagged ORF Clone

#### Product data:

Product Type:	Expression Plasmids
Product Name:	H1f4 (NM_015787) Mouse Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	H1f4
Synonyms:	H1-4; H1.4; H1e; H1s-; H1s-4; H1v; H1var2; Hist1h; Hist1h1e
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
ORF Nucleotide Sequence:	>MR216630 ORF sequence Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCCGCC**CGATCGCC**

ATGTCCGAGACCGCGCCTGCTGCGCCCGCCGACCGGCCCGCCGAGAAGACACCCGTCAAGAAGAAGGCCCGCAAGGCCGAGGTGGCGGAAGCGCAAACCTCCGACCCCGGTGTCCGAACATCACCAAGGCTGTGGCCGCTCCAAGGAGCGCAGCGCGTGTCCCTGGCTGCGCTCAAGAAGGCGCTGGCGGCCGGGGTACGATGTGGAGAAGAACAACAGCCGCATCAAGCTCGGCCTGAAGAGCCTGGTGACAAGGGTACCCTGGTGCAGACCAAGGGCACCGCGCCTCCGGCTCCTCAAACCTCAACAAGAAGGCGGCTTCCGGTGAGGCTAAGCCAAAAGCAAAAAGGGCAGGCGCGCCAAGGCGAAGAAGCCTGCGGGCGCAGCCAAGAAGCCAAAGAAGGCTGCGGGGACAGCCACCGCCAAGAAGAGCACCAAGAAGACTCCAAGAAAGCGAAGAAGCCAGCTGCAGCTGCAGGAGCCAAAAAGCTAAGAGCCCGAAGAAGGCAAAAGGCAACTAAGGCTAAGAAGGCGCCCAAGAGCCCTGCCAAGGCGAAAACGGTAAAGCCTAAAGCGGCCAAACAAAACCTCAAGCCTAAGGCAGCTAAGCCAAAGAAAACCGCAGCCAAGAAAAAG

**ACGCGT**ACGCGGCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAATGATATCCTGGATTACAAGGATGACGACGATAAGGTTTAA



[View online »](#)



**Reconstitution Method:**

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

**RefSeq:** [NM\\_015787.4](#), [NP\\_056602.1](#)

**RefSeq Size:** 782 bp

**RefSeq ORF:** 660 bp

**Locus ID:** 50709


**UniProt ID:** [P43274](#)

**Cytogenetics:** 13 A3.1

**MW:** 22 kDa

**Gene Summary:** Histones are basic nuclear proteins responsible for nucleosome structure of the chromosomal fiber in eukaryotes. Two molecules of each of the four core histones (H2A, H2B, H3, and H4) form an octamer, around which approximately 146 bp of DNA is wrapped in repeating units, called nucleosomes. The linker histone, H1, interacts with linker DNA between nucleosomes and functions in the compaction of chromatin into higher order structures. This gene is intronless and encodes a replication-dependent histone that is a member of the histone H1 family. Transcripts from this gene lack polyA tails but instead contain a palindromic termination element. [provided by RefSeq, Aug 2015]

### Product images:



Circular map for MR216630