

Product datasheet for **MR216773**

Foxk2 (NM_001080932) Mouse Tagged ORF Clone

Product data:

| | |
|---------------------------|--|
| Product Type: | Expression Plasmids |
| Product Name: | Foxk2 (NM_001080932) Mouse Tagged ORF Clone |
| Tag: | Myc-DDK |
| Symbol: | Foxk2 |
| Synonyms: | 1110054H05Rik; 5730434B08Rik; 6230415M23Rik; ILF; Ilf1 |
| Mammalian Cell Selection: | Neomycin |
| Vector: | pCMV6-Entry (PS100001) |
| E. coli Selection: | Kanamycin (25 ug/mL) |



[View online »](#)

ORF Nucleotide
Sequence:

>MR216773 representing NM_001080932
Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCCGCGATCGCC

ATGGCGGCGCGCGCGGCTCTCGGGCGGGCGCCCTCCCGGGCGGCGGGCGGGGCGGGCGGAT
CCCCGCCGGCGGCTGGGCCGTGGCGCGGCTCGAAGGCCGCGAGTTCGAGTACCTCATGAAGAAGCGGTC
GGTGACCATCGGCCCAACTCATCGCAGGGCTCGGTAGATGTGAGCATGGGCCACTCGAGCTTCATCTCG
CGGCGCCACTGGAGATCTTACGCCCCCGGGCGGCGCCATAGCGCGGCCGCCCGGAACCCGCGCAGC
CCCGGCCGACGCGGGCGGCGACTTCTACCTGCGCTGTCTCGGCAAGAACGGCGTGTTCGTGGACGGGT
GTTCCAGCGGGGGGGCGCCGCGCTGCAGCTGCCGCGCGTGTGCACTTTCAGGTTTCCGAGCACAAAT
ATCAAGATAACATTACAGCCCTATCCAGCGAGAAGAGAGAAGCAGGAAGCACCTGAGTCGCCAGTGA
AGCCTGTGCAGCCACACATCTACCCCTGACCATCAACATTCAGACACGATGGCCACCTCATCAGCCC
CCTTCTTCCCCACGGGAATATCAGTGTGCCAACTCTGCCATCCAGTCTCGCGGAGCAGGGTCT
TCAGGGTACAAAGTGGGCGGTGTGATGCCATCGGACCTCAGTTTAAATGGCTGACAACCTCCAGCCAGAAA
ATGAAAAGGAAGCGTCAGGTGGAGACAGCCAAAGGATGACTCAAAGCCACCTTACTCCTATGCACAGTT
GATAGTACAAGCAATTACAATGGCTCCTGATAAACAACCTACCCTAAATGGGATTTATACACACATCACT
AAAAACTATCCATACTACAGGACTGCGGACAAGGGCTGGCAGAATTCAATTCGCCACAATCTCTCTCTGA
ACCGTTATTTTCATCAAAGTGCCACGTTCCAGGAAGAACCAGGCAAAAGGCTCCTTCTGGAGGATAGACCC
TGCCCTCGAGAGCAAGCTGGTAGAGCAGGCTTTTAGGAAAAGACGGCCTAGGGCGTGCCTTGCTTTAGA
ACCCCTGGGACCTCTCTCTTAGGAGTGCCCGAGCTTCTCCCAACCATGCCGAGTGCTGTCTGCTC
ACTCCAGTGGCGCCAGACCCCGAGAGCCTGTGAGGGAGGGCTCCCGAGCCCTTGGAGCCTGAGCC
TGGCGCCTCACAGCCCAAGCTTGCCGTCATCCAGGAGGCCAGGTTTGCCAGAGTGCACCAGGGTACCT
CTCTCTAGTCAGCCGCTTAATTAAGTGTCCAGCGGCAGCTACCCCGGCCATTAAGCCTGTACCTACA
CTGTTGCAACCCAGTGACCACACCCACCTCTCAGCCACCTGTTGTGCAGACGGTCCATGTTGTTTCATCA
GATACCAGCAGTGTGAGTACCAGTGTGGCTGGACTGGCCCCAGCAAACACATACACAGTTGCTGGACAA
GCTGTGGTCACTCAGGCTGCGGTGCTGGCTCCTCCTAACCTGAACCACAAGAGAATGGCGACCACAGAG
AAGTCAGAGTAAAGTAGAACCTGTCCCTGCAATTAGCCAGCTACACTAGGCGTGTAGCCGAATCAT
CCAGACATCACAGGGCACCCCTGTTAGACAGTACCATAGTGCAGCAGGCGCCTTAGGTCAACACCAG
CTTCCAATAAAAAGTGAACGAAAACGGAGCTCATGTGGTACCCATGCCTACAGCAGTGCACAGCCAGG
TGAACAATGCAGCAGCAAGTCTCTCCATATGTTGGCCACCCATGCATCAGCATCGGCATCCCTGCCAC
AAAGCGCCAGAACGGTGACCAGGAGAGCAGCCAGAGCTCAAGCGAGTTAAAGCAGAAGATGGCGAGAGC
ATTGTCATTGCCCTGAGTGTGGATGCACCACCAGCAGCTGTGAGAGAAAAGGCAATCCAGAAC

ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAATGATATCCTGGATT
ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence: >MR216773 representing NM_001080932
Red=Cloning site Green=Tags(s)


```
MAAAAALSGAGAPPAGGGAGGGGSPGGWAVARLEGREFEYLMKKRSVTIGRNSSQGSVDVSMGHSSFIS
RRHLEIFTPPGGGHSAAAPEPAQPRPDAGGDFYLRCLGKNGVFDGVFQRRGAPPLQLPRVCTFRFPSTN
IKITFTALSSEKREKQEAPESPVKPVQPHISPLTINIPDTMAHLISPLPSPTGTISAANSCSPSPRGAGS
SGYKVGVRVMPSDLMLMADNSQPENEKEASGGDSPKDDSKPPYSAQLIVQAITMAPDKQLTLNGIYTHIT
KNYPYYRTADKQNSIRHNLNRYFIKVPRSQEEPGKGSFWRIDPASESKLVEQAFKRPRRGVPCFR
TPLGPLSSRSAPASPNHAGVLSAHSSGAQTPELSREGSPAPLEPEPGASQPKLAVIQEARFAQSAPGSP
LSSQPVLITVQRQLPPAIKPVITYVATPVTTPTSQPPVVQTVHVHVIQIPAVSVTSVAGLAPANTYTVAGQ
AVYVQAAVLAPPNPEPQENGDRVVRVKEVPVPAISPA TLGAASRIIQTSQGTVPVQTVTIIVQQAPLGQHQ
LPIKTVTQNGAHVVPMPMTAVHSQVNNAASPLHMLATHASASASLPTKRQNGDQAEQPELKRKVAEDGES
IVIALSVDAPPAVREKAIQN
```

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Chromatograms: https://cdn.origene.com/chromatograms/mm9036_f09.zip

Restriction Sites: SgfI-MluI

Cloning Scheme:



ACCN: NM_001080932

ORF Size: 1953 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_001080932.3](#)

RefSeq Size: 5032 bp

RefSeq ORF: 1956 bp

Locus ID: 68837


UniProt ID: [Q3UCQ1](#)

Cytogenetics: 11 E2

MW: 68.9 kDa

Gene Summary: Transcriptional regulator involved in different processes such as glucose metabolism, aerobic glycolysis and autophagy (PubMed:25402684, PubMed:29861159, PubMed:30700909). Recognizes and binds the forkhead DNA sequence motif (5'-GTAAACA-3') and can both act as a transcription activator or repressor, depending on the context (PubMed:25402684, PubMed:29861159, PubMed:30700909). Together with FOXK1, acts as a key regulator of metabolic reprogramming towards aerobic glycolysis, a process in which glucose is converted to lactate in the presence of oxygen (PubMed:30700909). Acts by promoting expression of enzymes for glycolysis (such as hexokinase-2 (HK2), phosphofructokinase, pyruvate kinase (PKLR) and lactate dehydrogenase), while suppressing further oxidation of pyruvate in the mitochondria by up-regulating pyruvate dehydrogenase kinases PDK1 and PDK4 (PubMed:30700909). Probably plays a role in gluconeogenesis during overnight fasting, when lactate from white adipose tissue and muscle is the main substrate (PubMed:30700909). Together with FOXK1, acts as a negative regulator of autophagy in skeletal muscle: in response to starvation, enters the nucleus, binds the promoters of autophagy genes and represses their expression, preventing proteolysis of skeletal muscle proteins (PubMed:25402684). In addition to the 5'-GTAAACA-3' DNA motif, also binds the 5'-TGANTCA-3' palindromic DNA motif, and co-associates with JUN/AP-1 to activate transcription (By similarity). Also able to bind to a minimal DNA heteroduplex containing a G/T-mismatch with 5'-TRT[G/T]NB-3' sequence (By similarity). Binds to NFAT-like motifs (purine-rich) in the IL2 promoter (By similarity). Positively regulates WNT/beta-catenin signaling by translocating DVL proteins into the nucleus (By similarity).[UniProtKB/Swiss-Prot Function]

Product images:



Circular map for MR216773