

Product datasheet for MR216854L4

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com

OriGene Technologies, Inc.

CN: techsupport@origene.cn

Sarm1 (NM_001168521) Mouse Tagged Lenti ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: Sarm1 (NM_001168521) Mouse Tagged Lenti ORF Clone

Tag: mGFP Symbol: Sarm1

Synonyms: A830091I15Rik; C78606; MyD885; Sarm

Mammalian Cell Puromycin

Selection:

Vector: pLenti-C-mGFP-P2A-Puro (PS100093)

E. coli Selection: Chloramphenicol (34 ug/mL)

ORF Nucleotide The ORF insert of this clone is exactly the same as(MR216854).

Sequence:

The one insert of this cione is exactly the same as(int210051)

Restriction Sites: Sgfl-Mlul

Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF

ACCN: NM_001168521

ORF Size: 2292 bp

Sarm1 (NM_001168521) Mouse Tagged Lenti ORF Clone - MR216854L4

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 001168521.1</u>, <u>NP 001161993.1</u>

 RefSeq Size:
 5164 bp

 RefSeq ORF:
 2295 bp

 Locus ID:
 237868

 UniProt ID:
 06PDS3

Cytogenetics: 11 46.74 cM


Gene Summary: Negative regulator of MYD88- and TRIF-dependent toll-like receptor signaling pathway which

plays a pivotal role in activating axonal degeneration following injury. Promotes Wallerian degeneration an injury-induced axonal death pathway which involves degeneration of an axon distal to the injury site. Can activate neuronal death in response to stress. Regulates dendritic arborization through the MAPK4-JNK pathway. Involved in innate immune response. Inhibits both TICAM1/TRIF- and MYD88-dependent activation of JUN/AP-1, TRIF-dependent activation of NF-kappa-B and IRF3, and the phosphorylation of MAPK14/p38. Can restrict West

Nile virus (WNV) pathogenesis.[UniProtKB/Swiss-Prot Function]



Product images:



Circular map for MR216854L4