

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product datasheet for MR216866L3V

Pigw (NM_027388) Mouse Tagged ORF Clone Lentiviral Particle

Product data:

Product Type:	Lentiviral Particles
Product Name:	Pigw (NM_027388) Mouse Tagged ORF Clone Lentiviral Particle
Symbol:	Pigw
Synonyms:	2610044A17Rik; Gwt1
Mammalian Cell Selection:	Puromycin
Vector:	pLenti-C-Myc-DDK-P2A-Puro (PS100092)
Tag:	Myc-DDK
ACCN:	NM_027388
ORF Size:	1509 bp
ORF Nucleotide Sequence:	The ORF insert of this clone is exactly the same as(MR216866).
OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <u>More info</u>
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
RefSeq:	<u>NM 027388.2, NP 081664.2</u>
RefSeq Size:	2677 bp
RefSeq ORF:	1512 bp
Locus ID:	70325
UniProt ID:	<u>Q8C398</u>
Cytogenetics:	11 C



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

	Pigw (NM_027388) Mouse Tagged ORF Clone Lentiviral Particle – MR216866L3V
Gene Summary:	Required for the transport of GPI-anchored proteins to the plasma membrane. Probable acetyltransferase, which acetylates the inositol ring of phosphatidylinositol during
	biosynthesis of GPI-anchor. Acetylation during GPI-anchor biosynthesis is not essential for the

proteins.[UniProtKB/Swiss-Prot Function]

subsequent mannosylation and is usually removed soon after the attachment of GPIs to

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US