

Product datasheet for **MR216891**

Sytl2 (NM_001040085) Mouse Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Sytl2 (NM_001040085) Mouse Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	Sytl2
Synonyms:	A1266830; mKIAA1597; SIp2
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)



[View online »](#)

ORF Nucleotide Sequence:

>MR216891 representing NM_001040085
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
 GCC**CGCATCGCC**

ATGATCGACTTAAGTTTCTGACAGAGGAGGAGCAAGACGCCATCTTAAGGTTCTGCAGAGGGATGCTG
 CCCTGAAGAGGGCTGAAGAGGAGAGAGTACAGACATCTGCCTGAAAAAATTAAGGATGACCAACAATAAA
 GAATATGAGTGGCCAATGGTTTTATGAAGCTAAGGCAAAAAGACACAGGGACAAAATCCACGGTGTGAC
 ATCATCAGAGCATCCATGAGAAGGAAGAAGCTCCAGCGGCAGCTGAGCAGAATAAGGACACAGCAATGA
 GGGCAAAGGAGAGCTGGGTGAATAATGTTAACAAAGATGCTGTCTTCTCCAGAGATAGCTGTTGTGGA
 AGAGCCAGAAGATGACACAGATCCCGCAGGCCAAAGTTCCAGTTTGGTGGATCCAGCTTCCAGTGTGATT
 GATATGTCCAGAAAGTACGAGGACTCCAGCTGTGTCTCTGCCAAGCAAAGGAAGAATCCATTCAACA
 GCCCAAGCTGCCGAAGATCACTCCTTGCAACAAACCAACCCGAGCAGTCAAAAAGTGGAAAAGCTGG
 TTTATTTAGATTTCAAAAGAGGGTGAAGTTGTGAGAATCAAAGAAAAGTCACTATCCAGATATGCCA
 CGTCAGCAGTTAGAGAAACCAAAGCAAACCTGTATCCACAGAGCCTGAAAAATGCGTCTCATACCAAAGCTC
 CAATCCCCAAAGCCAGAAAACCTGATCTACAAATCAAATGACTTAGAGAAAAGATGATAACCAAGTCTTTTCC
 CAGACAACGGAGGGACTCCCTGAATGCGAGAGGGGCTCCAAGAGGGATCCTAAAGCGCAACTCCAGTTCC
 AGCAGCACGGACTCAGAGACCCTCCGTTTAAATTAACAACCTTGATCCGAAAAGCAAAAATCCTATCACCTG
 GCCTAACCATCCACGAGAGAATCTCTGAGAAGGAATTTTCTTTAGAAAGCAGACTCTTCCACAAGCTCACT
 AGAGCCGTTAAGCACGTGAGATTCTCTGCCGTGAAGAATGAGCTTCCACAAAGTCTAGACCCGTCCTT
 GGCCAGGAAGTGGGAGAAATTTACTGTTTGAATCTGACCAGTTGCAAAAAGTGAAGTGAAGTGCAGGGG
 ACATAGAGGAGTTTCAAGATCACCCAGAGCTCTCCACAAAACACCTTTGTCTCATTATAGTTAGTGTCTC
 AAGCCCCAAGCGATTACAGGAAGGGAAAGAGAACAGCTGATGTCTTCTGGGTCTGCTCAAGAGATGAGATC
 CCTTGTCATTAGACATTCTACCCACAGACCTCAGTGTGTTGAGAGTTCATCCGTCATCAATGGGCAAC
 AAGAGAAATCATCACATTTTACAAAGCTTCCATCAGAATTGTCCAAAAGCCCTTCCGATGAACTGACTCA
 GTGTGGTGTGAGCCTGAGCCATCACAGACAGCAGACCACAGTTTTAGAGACCATCGGCAAGGTTCAGAAGAA
 GAGCACAGCCCTGTTTTGAAAACCTGGAAAGAAGAGCTGCTAGGAAATGCTTCCAAAAGTCTAGAAG
 ACATTCATCAGATTCATCAAATCAAGCAAAAGTAGATAATCTGCCTGAAGAATTAGTGCATGAGTGTGA
 AGATGTTTCCACAGTGCCTTCACTGCCTGATAATCAGTTTTCCACCCTGACAAAACCTCAAAGGATGAGC
 AAGTCCGTGCCAGATTTCTTCAAGATGAGAGCGATGACAGAGAAACAGACACAGCATCAGAGAGCAGCT
 ACCAGCTCAGGAGATACAAGAAGAGCCCAAGCTCATTAAACAATCTTAGCAGCTCCTCTGGCATGAGCTC
 TTGTCTCTGCGAGTGGCAGTGTGATGAGCGTTTACAGTGGAGACTTTGGCAACCTAGAAGTGAAGGA
 AGCGTGCAGTTTGCCTGACTCAGTGGAGTCCCTGAAAGAGCTGCATGTGTTTGTGGCCAGTGTAAAGG
 ATTTAGCAGCAGCAGATGTTAAGAAACAGCGCTCAGATCCGATGTAAAGACCTATCTGCTACCAGACAA
 AGGCAAAATGGGCAAGAAGAAGACACTCGTAGTGAAGAAGACCTGAATCCTGTATACAACGAGATATTG
 CGGTATAAAATGAAAGGCAATTTCTTAAAGACGCAAGTGAACCTGTCCGTTTGGCATCGGGATACAT
 TTAAGCGCAACAGCTTTCTGGGGAGGTGGAGCTCGACCTGGAACGTGGGATTGGGACAGCAAAACAGAA
 CAAACAGCTGAAGTGGTACCCACTGAAGAGGAAGACAGCACCAGTTGCCCTCGAGACAGAAAACAGAGGT
 GAAATGAAACTAGCTCTCCAGTATGTTCCGGAACCAAGCCCTGGCAAAAAGCTTCTACAACCTGGAGAAG
 TCCACATCTGGGTGAAGGAATGCCTTGACCTCCCACTGTTGAGGGGCAGCCACCTAAATCTTTTGTAA
 ATGTACCATCCTTCCAGATACCAGTAGAAAAAGTCCGCAAGACAAGAGCTGTAGGGAAAAACCAAC
 CCCGTCTTCAACCATACCATGGTGTATGATGGGTTCAGGCCTGAAGATCTGATGGAAGCCTGTGTAGAAC
 TCACAGTCTGGGACATTATAAACTAACCAACAGTTTCTGGGAGGTCTCCGGATCGGCTTTGGAACAGG
 AAAAGCTACGGGACTGAAGTGGATTGGATGGATTCTACTCTGAGGAAGTTGCTCTCTGGGAGAAGATG
 GTAACCTCTCCCAACACTGGGTTGAAGCGACGCTGCCCTCCGGATGCTTCTGATTGCCAAGCTTTCCA
 AG

ACGCGTACGCGGCCGCTCGAGCAGAAAACCTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT
 ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence: >MR216891 representing NM_001040085
 Red=Cloning site Green=Tags(s)

MIDL SFL TEEEQDAILKVLQRDAALKRAEEERVHRLPEKIKDDQQLKNMSGQWFYEAKAKRHRDKIHGAD
 IIRASMRKRLPAAAEQNKDTAMRAKESWVNNVNKDAVLPPEIAVVEEPEDDTPAGPSSSLVDPASSVI
 DMSQESTRTPAVSLPKQRKNPFNSPKLPEDHSLQQTKEQSKTGKAGLFQISKEGELSESKEKSSIPDMP
 RQQLEKPKQTVSTEPENASHTKAPIPKARKLIYKSNMLEKDDNQSFPRQRDSL NARGAPRGILKRNSSS
 SSTDSETLRLNLYNLDPKSKILSPGLTIHERISEKEFSLEDDSSSTSEPLKHVRFSAVKNELPQSPRPVL
 GQEVGFEFTVLESQQLQNGTEDAGDIEEFQNHPELSHKTPLSHYQLVSSPDSG REREQLMSSGSAPRDEI
 PCHSDILPTGPQCVESSSVINGQQEKSSHFTKLPSEL SKSPSDEL TQCGEPEPSQTADHSFRDHRQGSEE
 EHSPLVLTERRAARKLPSKSLEDIPSDSSNQAKVDNLPEELVRS AEDVSTVPSLPDNQFSHPDKLKRMS
 KSVPAFLQDESDDRETDTASESSYQLRRYKSPSSLTNLSSSSGMTSLSSASGSVMSVYSGDFGNLEVKG
 SVQFALDYVESLKELVHVAQCKDLAAADVKKQRSDPYVKTYLLPDKGKMGKKTLVVKKTLNPVYNEIL
 RYKIERQFLKTQKLNLSVWHRDTFKRNSFLGEVELDLETWDWDSKQNKQLKWYPLKRKTPVALETENRG
 EMKLALQYVPEPSPGKLPPTTGEVHIWVKECLDPLLRGSHLNSFVKCTILPDTSRKSRQKTRAVGKTTN
 PVFNHTMYVDGFRPEDLMEACVELTVWDHYKLTNQFLGGLRIGFGTGKSYGTEVDWMDSTSEEVALWEKM
 VNSPNTWVEATLPLRMLLIAKLSK

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Restriction Sites:

SgfI-MluI

Cloning Scheme:




ACCN: NM_001040085

ORF Size: 2802 bp

OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none"> 1. Centrifuge at 5,000xg for 5min. 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA. 3. Close the tube and incubate for 10 minutes at room temperature. 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom. 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_001040085.2 , NP_001035174.1
RefSeq Size:	3810 bp
RefSeq ORF:	2805 bp
Locus ID:	83671
UniProt ID:	Q99N50
Cytogenetics:	7 E1
MW:	105.5 kDa
Gene Summary:	Isoform 11 acts as a RAB27A effector protein and plays a role in cytotoxic granule exocytosis in lymphocytes. Required for cytotoxic granule docking at the immunologic synapse. Isoform 1 may play a role in melanosome transport and vesicle trafficking. It controls melanosome distribution in the cell periphery and regulates melanocyte morphology. Isoform 1 acts as a positive mediator of mucus secretion by the surface mucus cells of the stomach. Mediates basal mucus secretion by gastric surface cells by promoting the proper granule biogenesis and docking of mucus granules with the apical plasma membrane.[UniProtKB/Swiss-Prot Function]

Product images:



Circular map for MR216891