

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## Product datasheet for MR216933L3V

## Elovl1 (NM\_019422) Mouse Tagged ORF Clone Lentiviral Particle

## **Product data:**

Product Type:	Lentiviral Particles
Product Name:	Elovl1 (NM_019422) Mouse Tagged ORF Clone Lentiviral Particle
Symbol:	Elovl1
Synonyms:	AA407424; BB151133; Ssc1
Mammalian Cell Selection:	Puromycin
Vector:	pLenti-C-Myc-DDK-P2A-Puro (PS100092)
Tag:	Myc-DDK
ACCN:	NM_019422
ORF Size:	837 bp
ORF Nucleotide Sequence:	The ORF insert of this clone is exactly the same as(MR216933).
OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <u>More info</u>
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
RefSeq:	<u>NM 019422.2</u>
RefSeq Size:	1774 bp
RefSeq ORF:	840 bp
Locus ID:	54325
UniProt ID:	<u>Q9JLJ5</u>
Cytogenetics:	4 D2.1



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US



Gene Summary:Catalyzes the first and rate-limiting reaction of the four reactions that constitute the long-<br/>chain fatty acids elongation cycle. This endoplasmic reticulum-bound enzymatic process<br/>allows the addition of 2 carbons to the chain of long- and very long-chain fatty acids (VLCFAs)<br/>per cycle. Condensing enzyme that exhibits activity toward saturated and monounsaturated<br/>acyl-CoA substrates, with the highest activity towards C22:0 acyl-CoA. May participate in the<br/>production of both saturated and monounsaturated VLCFAs of different chain lengths that<br/>are involved in multiple biological processes as precursors of membrane lipids and lipid<br/>mediators. Important for saturated C24:0 and monounsaturated C24:1 sphingolipid<br/>synthesis. Indirectly inhibits RPE65 via production of VLCFAs.[UniProtKB/Swiss-Prot Function]

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US