

## Product datasheet for MR216943L3V

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## Slc14a1 (NM\_028122) Mouse Tagged ORF Clone Lentiviral Particle

**Product data:** 

Product Type: Lentiviral Particles

Product Name: Slc14a1 (NM 028122) Mouse Tagged ORF Clone Lentiviral Particle

Symbol: Slc14a1

**Synonyms:** 2610507K20Rik; 3021401A05Rik; UT-B; Utb1

Mammalian Cell

Selection:

Puromycin

**Vector:** pLenti-C-Myc-DDK-P2A-Puro (PS100092)

 Tag:
 Myc-DDK

 ACCN:
 NM\_028122

ORF Size: 1152 bp

**ORF Nucleotide** 

Sequence:

The ORF insert of this clone is exactly the same as(MR216943).

OTI Disclaimer:

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**RefSeq:** <u>NM 028122.4, NP 082398.1</u>

RefSeq Size: 3675 bp
RefSeq ORF: 1155 bp
Locus ID: 108052
UniProt ID: Q8VHL0
Cytogenetics: 18 E3







## **Gene Summary:**

Urea channel that facilitates transmembrane urea transport down a concentration gradient. A constriction of the transmembrane channel functions as selectivity filter through which urea is expected to pass in dehydrated form. The rate of urea conduction is increased by hypotonic stress. Plays an important role in the kidney medulla collecting ducts, where it allows rapid equilibration between the lumen of the collecting ducts and the interstitium, and thereby prevents water loss driven by the high concentration of urea in the urine. Facilitates urea transport across erythrocyte membranes. May also play a role in transmembrane water transport, possibly by indirect means.[UniProtKB/Swiss-Prot Function]