

Product datasheet for MR217070L4V

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Tsku (NM_001168540) Mouse Tagged ORF Clone Lentiviral Particle

Product data:

Product Type: Lentiviral Particles

Product Name: Tsku (NM_001168540) Mouse Tagged ORF Clone Lentiviral Particle

Symbol: Tsku

Synonyms: 9530051K01Rik; E2ig4; Lrrc54; Tsk

Mammalian Cell

Selection:

Puromycin

Vector: pLenti-C-mGFP-P2A-Puro (PS100093)

Tag: mGFP

ACCN: NM_001168540

ORF Size: 1065 bp

ORF Nucleotide

The ORF insert of this clone is exactly the same as(MR217070).

Sequence:

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This

clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

RefSeq: NM 001168540.1, NP 001162012.1

RefSeq Size: 2620 bp
RefSeq ORF: 1065 bp
Locus ID: 244152
UniProt ID: Q8CBR6

Cytogenetics: 7 E1







Gene Summary:

Contributes to various developmental events and other processes such as wound healing and cholesterol homeostasis through its interactions with multiple signaling pathways (PubMed:21856951, PubMed:22995554, PubMed:25159578, PubMed:31391339). Wnt signaling inhibitor which competes with WNT2B for binding to Wnt receptor FZD4 and represses WNT2B-dependent development of the peripheral eye (PubMed:21856951). Plays a role in regulating the hair cycle by controlling TGFB1 signaling (PubMed:22995554). Required for the development of the anterior commissure in the brain by inhibiting neurite outgrowth (PubMed:21055390, PubMed:23206892). Essential for terminal differentiation of hippocampal neural stem cells (PubMed:31983064). Plays a role in regulating bone elongation and bone mass by modulating growth plate chondrocyte function and overall body size (PubMed:30271858). Required for development of the inner ear through its involvement in stereocilia formation in inner hair cells (PubMed:32127020). Facilitates wound healing by inhibiting secretion of TGFB1 from macrophages which prevents myofibroblast differentiation, maintaining inflammatory cell quiescence (PubMed:25159578). Plays a role in cholesterol homeostasis by reducing circulating high-density lipoprotein cholesterol, lowering cholesterol efflux capacity and decreasing cholesterol-to-bile acid conversion in the liver (PubMed:31391339). In one study, shown to negatively regulate sympathetic innervation in brown fat, leading to reduced energy expenditure (PubMed:31535079). In another study, shown not to affect brown fat thermogenic capacity, body weight gain or glucose homeostasis (PubMed:31767170).[UniProtKB/Swiss-Prot Function]