

Product datasheet for MR217523

H2ac20 (NM 175662) Mouse Tagged ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: H2ac20 (NM_175662) Mouse Tagged ORF Clone

Tag: Myc-DDK Symbol: H2ac20

Synonyms: H2a-613; H2a-613b; Hist2h; Hist2h2ac

Mammalian Cell

Selection:

Neomycin

Vector:pCMV6-Entry (PS100001)E. coli Selection:Kanamycin (25 ug/mL)

ORF Nucleotide >MR217523 representing NM_175662

Sequence: Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC

GCCGCGATCGCC

ATGTCTGGCCGTGGCAAACAGGGAGGCAAGGCCCGCGCCAAGGCCCAAGTCGCGGTCTTCCCGGGCCGGGC TACAGTTCCCGGTGGGGCGTGTGCACCGGCTGCTGCTGCGCAAGGGCAACTACGCGGAGCGCGTGGGCGCCGG CGCCCGGTATACATGGCGGCGGTGCTGGAGTACCTAACGGCCGAGATCCTGGAGCTGGCGGCAACGACGAGGAGC CCCGCGACAACAAGAAGACGCGCATCATCCCGCGCCATCTGCAGCTGGCCATCCGCAACGACGAGGAGC TCAACAAGCTGGCCAAAGTGACGATCGCACAGGGCGGCGTCCTGCCCAACATCCAGGCCGTGCTGCT

GCCCAAGAAGACCGAGAGCCACAAGGCTAAGAGCAAG

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT

ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence: >MR217523 representing NM_175662

Red=Cloning site Green=Tags(s)

MSGRGKQGGKARAKAKSRSSRAGLQFPVGRVHRLLRKGNYAERVGAGAPVYMAAVLEYLTAEILELAGNA

ARDNKKTRIIPRHLQLAIRNDEELNKLLGKVTIAQGGVLPNIQAVLLPKKTESHKAKSK

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Chromatograms: https://cdn.origene.com/chromatograms/mm9054 c08.zip

Restriction Sites: Sgfl-Mlul



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200


CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF

ACCN: NM_175662

ORF Size: 387 bp

OTI Disclaimer:

Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at customport@origene.com or by calling 301.340.3188 option 3 for pricing and delivery.

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <u>More info</u>

OTI Annotation:

This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components:

The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

- 1. Centrifuge at 5,000xg for 5min.
- 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
- 3. Close the tube and incubate for 10 minutes at room temperature.
- 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
- 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.



RefSeq: <u>NM 175662.2</u>, <u>NP 783593.1</u>

 RefSeq Size:
 468 bp

 RefSeq ORF:
 390 bp

 Locus ID:
 319176

 UniProt ID:
 Q64523

 Cytogenetics:
 3 F2.1


 MW:
 14 kDa

Gene Summary: Histones are basic nuclear proteins that are responsible for the nucleosome structure of the

chromosomal fiber in eukaryotes. Two molecules of each of the four core histones (H2A, H2B, H3, and H4) form an octamer, around which approximately 146 bp of DNA is wrapped in repeating units, called nucleosomes. The linker histone, H1, interacts with linker DNA between nucleosomes and functions in the compaction of chromatin into higher order structures. This gene is intronless and encodes a replication-dependent histone that is a

member of the histone H2A family. [provided by RefSeq, Aug 2015]

Product images:



Circular map for MR217523