

## Product datasheet for MR217834L3V

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## Dach1 (NM\_001038610) Mouse Tagged ORF Clone Lentiviral Particle

**Product data:** 

**Product Type:** Lentiviral Particles

Product Name: Dach1 (NM 001038610) Mouse Tagged ORF Clone Lentiviral Particle

Symbol: Dach1

Synonyms: Dac; Dach

Mammalian Cell Puromycin

Selection:

**Vector:** pLenti-C-Myc-DDK-P2A-Puro (PS100092)

Tag: Myc-DDK

**ACCN:** NM\_001038610

ORF Size: 2100 bp

**ORF Nucleotide** 

The ORF insert of this clone is exactly the same as(MR217834).

Sequence:

OTI Disclaimer:

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**RefSeq:** NM 001038610.1, NP 001033699.1

 RefSeq Size:
 5310 bp

 RefSeq ORF:
 2100 bp

 Locus ID:
 13134

 UniProt ID:
 Q9QYB2

Cytogenetics: 14 48.25 cM





## **Gene Summary:**

Transcription factor that is involved in regulation of organogenesis. Seems to be a regulator of SIX1, SIX6 and probably SIX5. Corepression of precursor cell proliferation in myoblasts by SIX1 is switched to coactivation through recruitment of EYA3 to the SIX1-DACH1 complex. Transcriptional activation seems also to involve association of CREBBP. Seems to act as a corepressor of SIX6 in regulating proliferation by directly repressing cyclin-dependent kinase inhibitors, including the p27Kip1 promoter. Inhibits TGF-beta signaling through interaction with SMAD4 and NCOR1 (By similarity). Binds to chromatin DNA via its DACHbox-N domain. [UniProtKB/Swiss-Prot Function]