

Product datasheet for MR218272

Pym1 (NM_030100) Mouse Tagged ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: Pym1 (NM_030100) Mouse Tagged ORF Clone

Tag: Myc-DDK

Symbol: Pym1

Synonyms: A030010B05Rik; Pym; Wibg

Mammalian Cell

Selection:

Neomycin

Vector: pCMV6-Entry (PS100001) **E. coli Selection:** Kanamycin (25 ug/mL)

ORF Nucleotide >MR218272 representing NM_030100

Sequence: Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC

GCCGCGATCGCC

TCGACGGAGGGTTCTGGAGGAGGAGCTGGAGGACTTGGAGTTGGGCCTG

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT

ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence: >MR218272 representing NM_030100

Red=Cloning site Green=Tags(s)

METASTPEATGTGKYIASTQRPDGTWRKQRRVKEGYVPQEEVPVYENKYVKFFKSKPELPPGLSPEATTP VTPSRPEGGETGLSKTAKRNLKRKEKRRQQQEKEAEALSRTLDKVSLGDTAQIPSALQGPQATPLAASDP SDSAATTEKAKKIKNLRKKLRQVEELQQRIQAGEVSQPSREQLEKLARRRVLEEELEDLELGL

TRTRPLEQKLISEEDLAANDILDYKDDDDKV



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200


CN: techsupport@origene.cn


Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Restriction Sites: Sgfl-Mlul

Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF

ACCN: NM_030100

ORF Size: 609 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 030100.4, NP 084376.2</u>

RefSeq Size: 1186 bp
RefSeq ORF: 612 bp
Locus ID: 78428
UniProt ID: Q8CHP5



Cytogenetics: 10 D3

MW: 23.1 kDa


Gene Summary: Key regulator of the exon junction complex (EJC), a multiprotein complex that associates

immediately upstream of the exon-exon junction on mRNAs and serves as a positional landmark for the intron exon structure of genes and directs post-transcriptional processes in the cytoplasm such as mRNA export, nonsense-mediated mRNA decay (NMD) or translation. Acts as an EJC disassembly factor, allowing translation-dependent EJC removal and recycling by disrupting mature EJC from spliced mRNAs. Its association with the 40S ribosomal subunit probably prevents a translation-independent disassembly of the EJC from spliced mRNAs, by restricting its activity to mRNAs that have been translated. Interferes with NMD and enhances

translation of spliced mRNAs, probably by antagonizing EJC functions (By similarity).

[UniProtKB/Swiss-Prot Function]

Product images:



Circular map for MR218272