

Product datasheet for MR218391L3

Stra6 (NM_009291) Mouse Tagged Lenti ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Stra6 (NM_009291) Mouse Tagged Lenti ORF Clone
Tag:	Myc-DDK
Symbol:	Stra6
Synonyms:	AI891933
Mammalian Cell Selection:	Puromycin
Vector:	pLenti-C-Myc-DDK-P2A-Puro (PS100092)
E. coli Selection:	Chloramphenicol (34 ug/mL)
ORF Nucleotide Sequence:	The ORF insert of this clone is exactly the same as(MR218391).
Restriction Sites:	SgfI-MluI
Cloning Scheme:	

Cloning sites used for ORF Shuttling:



* The last codon before the Stop codon of the ORF.


ACCN:	NM_009291
ORF Size:	2010 bp



[View online »](#)

OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_009291.2 , NP_033317.2
RefSeq Size:	3054 bp
RefSeq ORF:	2013 bp
Locus ID:	20897
UniProt ID:	O70491
Cytogenetics:	9 B
Gene Summary:	Functions as retinol transporter (PubMed:23839944, PubMed:24852372). Accepts all-trans retinol from the extracellular retinol-binding protein RBP4, facilitates retinol transport across the cell membrane, and then transfers retinol to the cytoplasmic retinol-binding protein RBP1. Retinol uptake is enhanced by LRAT, an enzyme that converts retinol to all-trans retinyl esters, the storage forms of vitamin A (By similarity). Contributes to the activation of a signaling cascade that depends on retinol transport and LRAT-dependent generation of retinol metabolites that then trigger activation of JAK2 and its target STAT5, and ultimately increase the expression of SOCS3 and inhibit cellular responses to insulin (PubMed:21368206, PubMed:23839944). Important for the homeostasis of vitamin A and its derivatives, such as retinoic acid and 11-cis-retinal (PubMed:22467576, PubMed:24852372). STRA6-mediated transport is particularly important in the eye, and under conditions of dietary vitamin A deficiency (PubMed:22467576, PubMed:23839944, PubMed:24852372). Does not transport retinoic acid (By similarity).[UniProtKB/Swiss-Prot Function]

Product images:



Circular map for MR218391L3