

## Product datasheet for MR218449L4

### Fut1 (NM\_008051) Mouse Tagged Lenti ORF Clone

#### Product data:

Product Type:	Expression Plasmids
Product Name:	Fut1 (NM_008051) Mouse Tagged Lenti ORF Clone
Tag:	mGFP
Symbol:	Fut1
Synonyms:	MFUT-1
Mammalian Cell Selection:	Puromycin
Vector:	pLenti-C-mGFP-P2A-Puro (PS100093)
E. coli Selection:	Chloramphenicol (34 ug/mL)
ORF Nucleotide Sequence:	The ORF insert of this clone is exactly the same as(MR218449).
Restriction Sites:	SgfI-MluI
Cloning Scheme:	

Cloning sites used for ORF Shuttling:



\* The last codon before the Stop codon of the ORF.


ACCN:	NM_008051
ORF Size:	1131 bp



[View online »](#)

<b>OTI Disclaimer:</b>	Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at <a href="mailto:custsupport@origene.com">custsupport@origene.com</a> or by calling 301.340.3188 option 3 for pricing and delivery.
	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <a href="#">More info</a>
<b>OTI Annotation:</b>	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
<b>Components:</b>	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
<b>Reconstitution Method:</b>	<ol style="list-style-type: none"> <li>1. Centrifuge at 5,000xg for 5min.</li> <li>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li> <li>3. Close the tube and incubate for 10 minutes at room temperature.</li> <li>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li> <li>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li> </ol>
<b>RefSeq:</b>	<a href="#">NM_008051.6</a> , <a href="#">NP_032077.2</a>
<b>RefSeq Size:</b>	2578 bp
<b>RefSeq ORF:</b>	1134 bp
<b>Locus ID:</b>	14343
<b>UniProt ID:</b>	<a href="#">O09160</a>
<b>Cytogenetics:</b>	7 29.39 cM
<b>Gene Summary:</b>	This gene is one of three genes in mouse which encode a galactoside 2-L-fucosyltransferase. These genes differ in their developmental- and tissue-specific expression. The encoded type II membrane protein is anchored in the Golgi apparatus and controls the final step in the creation of alpha (1,2) fucosylated carbohydrates by the addition of a terminal fucose in an alpha (1,2) linkage. This enzyme is required for the synthesis of the Lewis antigen as well as the H-antigen, a precursor of the A and B antigens of the ABH histo-blood group. The biological function of the fucosylated carbohydrate products is thought to involve cell-adhesion and interactions with microorganisms. Disruption of this gene impairs development of the olfactory nerve and maturation of the glomerular layer of the main olfactory bulb. Alternative splicing results in multiple transcript variants which encode distinct isoforms. [provided by RefSeq, Dec 2012]

Product images:



Circular map for MR218449L4