

Product datasheet for **MR218566**

Dsc1 (NM_013504) Mouse Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Dsc1 (NM_013504) Mouse Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	Dsc1
Synonyms:	1110020A10Rik; AI507491; Dsc
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)



[View online »](#)

**ORF Nucleotide
Sequence:**

>MR218566 ORF sequence

Red=Cloning site Blue=ORF Green=Tags(s)

 TTTTGAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCC**CGCATCGCC**

ATGGCTGTGGCCTGTGCTGCCCCAGGGAGCACCTTCTCTAAGCAGCTCCTTTTCTTCTCCTGGTTCTGG
 TATTATTTTGTGATGCCTGTCAAAAAGTTTCCCTTCACGTTCCCTCTCATCTTAAGGCTGAAACACCTGT
 AGGCAAAGTGAATCTGGAAGAGTGTCTCAAATCACCCAGCCTGATCCTGTCCAGTGACCCAGCCTTCAGA
 ATTCTAGAAGACGGCACAATTTACACAACATGACCTGCTTTTGTCTTCTGAAAAGAGGGGTTCTCCA
 TCTTGCTCTCAGATGGTCAAGGGCAGGAACAAAAGAGCTAGAAGTTGTACTGTCAGCAAGAGAAAAA
 GGTTTTTAGGAAAAGACATACCAAAGAGCCAGTACACAACCGCAGTAAGAGAAGATGGGCTCCTATTCCA
 TGTTCACTGATGGAGAACTCTTTGGGTCCATTTCCACAACACATTGAGCAGATCCAATCTGATGCTGCC
 AGAATTACACCATCTTTACTCTATCAGTGGACCAGGAGTAGACAAGAGCCTTACAATTTGTTCTACAT
 AGAGAAAGACACCGGGGACATCTATTGTACCCGAAGCATTGACCGTGAACAGTATGACCAATTTTGGTA
 TATGGATATGCAACAACCTGCTGATGGCTATGCCCCAGACTACCCTCTCCCCTGCTGTTTAAAGTTGAAG
 ATGACAATGACAATGCCCATATTTTGAACCAAATTAACAGTTTTTGTGTGCTGAAAATTGCCGATC
 TGGAACCTCAGTGGGACAAGTGAAGTGCCTATAGACAAGGATGAGCCAGGAAGTCTACACACTCGTCTGAAG
 TACAAAATCTTACAACAAATCCCAGACCAGCCAAAGCACTTCTCCATCCACCCAGACACAGGTGTGATCA
 CTACCACCACACCTTTACTGGACAGAGAGAAATGTGACACTTACAAGCTAGTGATGGAGGTACGAGACAT
 GGGGGGCCAGCCCTTTGGTCTGTTCAACACAGGAACAATCACCATCTCACTGGAGGATGAGAATGACAAC
 TCGCCATACTTCACCCAAACCTTTATACTACAGAAGTAGAAGAAAACAGAATTGATGTTGAGATTCTGA
 GAATGGTGGTGCACGACCAAGATTTGCCAACACCCCCCACTCGAAGGCGGTATACACAATCCTAAAGGG
 GAACGAAAACGGGAACCTTCAAAATCACAAACGGATCCAAATACAAATGAAGGGGTCTTGTGTGTTGTCAAG
 CCACTGAACATATGAAGTCAAGCCGCAAGTCACTCTGCAAATTGGTGTCTTAATGAAGCCAGTTCACTA
 ACGCTGCCAACGCACAACCACCAACAATGTGCACCACAAGTCACTGTGAAAATTAAAGACAGAGATGA
 GGGCCCTGAGTGCCAGCCACCAGTCAAAGTCATTGAGAGCAAAGATGGACTGCCAGCGGGCCAAGAGCTC
 CTGGGCTACAAAGCGGTGGACCCAGAGACAAGCAGTGGTGAAGGCTTAAGGTATGAGATGGTAGGAGATG
 AAGATAATTGGTTTGAGATTAACAAAATCACCGGAGACTTGAGAACTGTGAAAGTACTGGACAGAGAGTC
 GAAGTTTGTGAAAAACAACAGTACAATATTTAGTAGTGGCGACAGATACAGCTGGCCGATCTTGACACA
 GGAACACTGGTAGTTCTTCTGGAAGATTTAATGACCACCCACCAGATTGACAAGGAAGTGACCATTT
 GTCAGCAGGAGAAGGATTTTGTGTTTTGGAACCTATAGATTTAGATGGGCCAGATAATGGTCCACCTTT
 TCAGTTCTCTTGATAATTCTTCCAGCAAACCTTGGACTCTAGAATCACAGGATGGTAAACGTGCCATT
 CTTCTGCAACGACACAATCTTAATTATAACTATTATTCTGTGCCAATCCAAATACAAGACAGGCATGGTT
 TTTCCGCAAAACATGTATTATCAGTGCGAGTGTGTGACTGTACAACCTCAACAGAATGTAGAATGGCTGT
 TAAGGAAGAGAGGGATGCTAAACCAATATAATCCTTGGGAAATGGGCCATTCTTGCCATGGTCTGGGC
 TCTGCATTGCTACTGTGCATTTTGTGTTACATGCTTCTGTGTGACCACTACCAAGAGAACAGTCAAGAAAT
 GCTTCCAGATGATGTAGCTCAGCAAAATTTAATTGTATCAAATACTGAAGGACCAGGAGAAGAGTGAC
 GGAAGCCAATATTAGACTCCCCACACAGACAGCAACATCTGTGATACAAGCATGTCTGTTGGGACTCTT
 GGTGGTCAAGGAATCAAAACACAGCAAAGTTTTGAGATGGTCAAAGGAGGCCACACCTTGGAGTCCACA
 AGGGAGGAGTGCTAGGAGCAGCAGACCTGGCCGATATGCTTACACAGACTGGCAAACCTTCACTCAACC
 TCGGCTTGGTGAAGAATCCATTAGAGGACACACTCTGATTAATAAAT

ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT
 ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence:

>MR218566 protein sequence

Red=Cloning site Green=Tags(s)


MAVACAAPGSTFSKQLLFLLVLVLFCDACQKVS LHVPSHLKAETPVGKVNLEECLKSPSLILSSDPAFR
ILEDGTIYTTHDLLLSSEKRGFSILLSDGQGQEQKKLEVLSAREKKVFRKRHTKEPVHNRSKRRWAPIP
CSLMENSLGPFQHIQQIQSDAAQNYTIFYSISGPGVDKEPYNLFYIEKDTGDIYCTRSIDREQYDQFLV
YGYATTADGYAPDYPLLLFKVEDDNDNAPYFETKLT VFSVPENCRCSTSVGQVTAIDKDEPGTLHTRLK
YKILQQIPDQPKHFSIHPDTGVITTTTPLLDRKCDTYKLVMEVRDMGGQPFGLFTTGTITISLEDENDN
SPYFTQTSYTTEVEENRIDVEILRMVVHDQDL PNTPHSKAVYTIKGNENGNFKITTDPTNEGVL CVVK
PLNYEVS RQVT LQIGVLNEAQFTNAANAQPPTMCTTTVTVKIKDRDEGPECQPPVKVIQSKDGLPAGQEL
LGKAVDPETSSGEGRLYEMVGDEDNWF EINKITGDLRTVKVLDRESKFVKNNQYNI SVVATDTAGR SCT
GTLVVLLEDFNDHPPQIDKEVTICQKEKDFAVLEPIDLDGPDNGPPFQFLDNSSSKLWTLESQDGKRAI
LRQRHNLNYYNYSVPIQIQDRHGFS AKHVL SVRVCDCTTPTECRMVKEERDAKPN IILGKWAILAMVLG
SALLLCILFTCF CVTTTKRTVKKCFDDVAQQNLIVSNTEGPGEVTEANIRLPTQTANICDTSMSVGT L
GGQGIKTQQSFEMVKGHTLESHKGGVLGAAEPGRYAYTDWQTF TQPRLGEESIRGHTLIKN

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Restriction Sites:

Sgfi-MluI

Cloning Scheme:



ACCN:	NM_013504
ORF Size:	2496 bp
OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

Note: Plasmids are not sterile. For experiments where strict sterility is required, filtration with 0.22um filter is required.

RefSeq: [NM_013504.5](#), [NP_038532.3](#)

RefSeq Size: 5007 bp

RefSeq ORF: 2499 bp


Locus ID: 13505

Cytogenetics: 18 A2

MW: 92.8 kDa

Gene Summary: This gene encodes a member of the cadherin family of proteins that mediates adhesion in desmosomes. The encoded preproprotein undergoes proteolytic processing to generate the mature, functional protein. Mice lacking the encoded protein exhibit epidermal fragility together with defects of epidermal barrier and differentiation. The neonatal mice lacking the encoded protein exhibit epidermal lesions and older mice develop chronic dermatitis. This gene is located in a cluster of desmosomal cadherin genes on chromosome 18. Alternate splicing of this gene results in multiple transcript variants encoding different isoforms that may undergo similar proteolytic processing. [provided by RefSeq, Jan 2016]

Product images:



Circular map for MR218566